

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101  
August 1, 2011  
Permit 139072

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

1. Operator Name and Address MEWBOURNE OIL CO Po Box 5270 Hobbs, NM 88241		2. OGRID Number 14744
		3. API Number 30-015-39557
4. Property Code 38827	5. Property Name DELAWARE RANCH 11 FEE	6. Well No. 006H

**7. Surface Location**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	11	26S	28E	M	330	S	1195	W	EDDY

**8. Pool Information**

Wildcat Wolfcamp	0
------------------	---

**Additional Well Information**

9. Work Type New Well	10. Well Type OIL	11. Cable Rotary	12. Lease Type Private	13. Ground Level Elevation 2976
14. Multiple N	15. Proposed Depth 11400	16. Formation Wolfcamp	17. Contractor	18. Spud Date 11/15/2011
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

**19. Proposed Casing and Cement Program**

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	630	630	0
Int1	12.25	9.625	36	2600	630	0
Int2	8.75	7	26	7300	650	2400
Prod	6.125	4.5	11.6	11400	0	

**Casing/Cement Program: Additional Comments**

MOC proposes to drill & test Bone Springs formations. H2S rule 118 does not apply because MOC has researched this area & no high concentrations were found. Will have on location & working all H2S safety equipment before Yates formation for safety & insurance purposes. If commercial, production casing will be run & will utilize packer/port system. No cmt is required. Will stimulate as needed for production.

**Proposed Blowout Prevention Program**

Type	Working Pressure	Test Pressure	Manufacturer
Annular	2000	1500	Schaffer
DoubleRam	3000	3000	Schaffer
Annular	3000	1500	Schaffer

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines <input type="checkbox"/> a general permit <input type="checkbox"/> or an (attached) alternative OCD-approved plan <input type="checkbox"/> . Printed Name: Electronically filed by Monty Whetstone Title: Vice President Operations Email Address: prodmgr@mewbourne.com Date: 10/24/2011	<b>OIL CONSERVATION DIVISION</b>	
	Approved By: Randy Dade	
	Title: District Supervisor	
	Approved Date: 10/27/2011	Expiration Date: 10/27/2013
	Conditions of Approval Attached	

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-102  
August 1, 2011  
Permit 139072

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

1. API Number 30-015-39557	2. Pool Code	3. Pool Name Wildcat Wolfcamp
4. Property Code 38827	5. Property Name DELAWARE RANCH 11 FEE	6. Well No. 006H
7. OGRID No. 14744	8. Operator Name MEWBOURNE OIL CO	9. Elevation 2976

**10. Surface Location**

UL - Lot M	Section 11	Township 26S	Range 28E	Lot Idn	Feet From 330	N/S Line S	Feet From 1195	E/W Line W	County EDDY
---------------	---------------	-----------------	--------------	---------	------------------	---------------	-------------------	---------------	----------------

**11. Bottom Hole Location If Different From Surface**

11. Bottom Hole Location If Different From Surface									
UL - Lot D	Section 11	Township 26S	Range 28E	Lot Idn D	Feet From 330	N/S Line N	Feet From 990	E/W Line W	County EDDY
12. Dedicated Acres 160.00		13. Joint or Infill		14. Consolidation Code			15. Order No.		

**NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**

	<p align="center"><b>OPERATOR CERTIFICATION</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>E-Signed By: Monty Whetstone Title: Vice President Operations Date: 10/24/2011</p>		
	<p align="center"><b>SURVEYOR CERTIFICATION</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Surveyed By: Gary Jones Date of Survey: 10/25/2011 Certificate Number: 7977</p>		

## Permit Comments

Operator: MEWBOURNE OIL CO , 14744

Well: DELAWARE RANCH 11 FEE #006H

API: 30-015-39557

Created By	Comment	Comment Date
NMYOUNG	Mud Program: 0-630' FW, 630' - 2600' Brine, 2600' 7300' FW, 7300' - TD, FW w/Polymer.	10/24/2011
CSHAPARD	land p/P	10/27/2011



# Permit Conditions of Approval

Operator: MEWBOURNE OIL CO , 14744

Well: DELAWARE RANCH 11 FEE #006H

API: 30-015-39557

OCD Reviewer	Condition
CSHAPARD	Will require administrative order for non-standard location
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string