

Submit within 45 days of well completion	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505	Revised February 15, 2012				
		1. WELL API NO: 30-015-38983				
		2. Well Name: CROW FLATS 26 FEDERAL #001H				
		3. Well Number: 001H				
HYDRAULIC FRACTURING FLUID DISCLOSURE <input checked="" type="checkbox"/> Original <input type="checkbox"/> Amended		4. Surface Hole Location: Unit:P Lot:P Section:26 Township:16S Range:28E Feet from:330 N/S Line:S Feet from:330 E/W Line:E				
		5. Bottom Hole Location: Unit:M Lot: Section:26 Township:16S Range:28E Feet from:410 N/S Line:S Feet from:330 E/W Line:W				
		6. Latitude: longitude: 32.8878180345057 - 104.139464627588				
		7. County: Eddy				
8. Operator Name and Address: MEWBOURNE OIL CO Po Box 5270 Hobbs 88241		9. OGRID: 14744		10. Phone Number: 575-393-5905		
11. Last Fracture Date: 3/22/2012 Frac Performed by: Halliburton		12. Production Type: O				
13. Pool Code(s): 17970		14. Gross Fractured Interval: 7,132 ft to 10,980 ft				
15. True Vertical Depth (TVD): 6,657 ft		16. Total Volume of Fluid Pumped: 29,697 bbls				
17. HYDRAULIC FLUID COMPOSITION AND CONCENTRATION:						
Trade Name	Supplier	Purpose	Ingredients	(CAS #) Chemical Abstract Service #	Maximum Ingredient Concentration in Additive (% by mass)	Maximum Ingredient Concentration in HF Fluid (% by mass)
Fresh Water	Operator	Base Fluid	Water		100%	94.92%
CLA-web	Halliburton	Additive	Proprietary	Confidential	60%	0.01592%
HCL Acid	Halliburton	Acid	Acid		100%	3.10798%
BE-9	Halliburton	Biocide	Tributyl tetradecyl phosphonium chloride	81741-28-8	10%	0.00188%
CLA-STA	Halliburton	Clay Stabilizer	Ammonium Chloride	12125-02-9	30%	0.00801%
LoSurf-300D	Halliburton	Surfactant	1,2,4 Trimethylbenzene	95-63-6	1%	0.008%
			Ethanol	64-17-5	60%	0.04785%
			Heavy aromatic petroleum naphtha	64742-94-5	30%	0.02393%
			Naphthalene	91-20-3	5%	0.00399%
			Poly, alpha	127087-87-0	5%	0.00399%
Scalechek LP-55	Halliburton	Scale Control	Polyacrylate	Confidential	60%	0.03013%
FR-66	Halliburton	Friction Reducer	Hydrotreated light petroleum distillate	64742-47-8	30%	0.03784%
WG-26 Gelling Agent	Halliburton	Gelling Agent	guar gum	9000-30-0	100%	0.02285%
SP Breaker	Halliburton	Breaker	Sodium persulfate	7775-27-1	100%	0.0005%
OptiKleen-WF	Halliburton	Surfactant	Sodium perborate tetrahydrate	10486-00-7	100%	0.01554%
18. I, as Operator, hereby certify that the information shown on this disclosure form is true and complete to the best of my knowledge and belief.						
Signature: Signed Electronically Printed Name: NM Young Title: Manager						
Date: 5/7/2012						
E-mail Address: myoung@mewbourne.com						

NMOCD does not require the reporting of information beyond MSDS data as described in 29 CFR 1910.1200. NMOCD does not require the reporting or disclosure of proprietary, trade secret or confidential business information.