

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural
Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-103
August 1, 2011

Permit 148824

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NUMBER 30-015-39782
1. Type of Well: O		5. Indicate Type of Lease P
2. Name of Operator COG OPERATING LLC		6. State Oil & Gas Lease No.
3. Address of Operator 550 W TEXAS , SUITE 1300 , MIDLAND , TX 79701		7. Lease Name or Unit Agreement Name PINTO 36 STATE COM
4. Well Location Unit Letter <u>B</u> : <u>150</u> feet from the <u>N</u> line and <u>2260</u> feet from the <u>E</u> line Section <u>36</u> Township <u>18S</u> Range <u>25E</u> NMPM <u>Eddy</u> County		8. Well Number 003H
11. Elevation (Show whether DR, KB, BT, GR, etc.) 3465 GR.		9. OGRID Number 229137
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit Type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		10. Pool name or Wildcat

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE OF PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> Other: _____		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTER CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> Other: Drilling/Cement <input checked="" type="checkbox"/>
---	--	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.
See attachment.
See Attached
4/21/2012 Spudded well.

Casing and Cement Program

Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole
04/23/12	Surf		12.25	9.625	36	J55	220	1227	1050		C				Y
05/10/12	Prod		7.875	5.5	17	L80	0	6817	570		C				Y

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Electronically Signed TITLE Production Reporting Mgr DATE 5/15/2012
Type or print name Diane Kuykendall E-mail address dkuykendall@conchoresources.com Telephone No. 432-683-7443

For State Use Only:

APPROVED BY: Randy Dade TITLE District Supervisor DATE 5/16/2012 9:26:37 AM

Pinto 36 State Com #3H

4/21/12 Spud 12-1/4 @ 9:30AM.

4/23/12 TD 12-1/4 @ 1227. Ran 29jts 9-5/8 J55 36# @ 1227. Cmt w/250sx C. 300sx H. 500sx C.

4/24/12 PD @ 12:30AM. Ran temp surv. TOC @ 220. Cmt 480sx in 11 stgs. Circ 33sx to surf. WOC 18hrs.

Test csg to 1200# for 30 min,ok.

4/26/12 Drill 8-3/4 to KOP @ 1725. Drill 7-7/8 hole.

4/28/12 TD 7-7/8 pilot @ 3800. Cmt w/500sx C. Circ 110sx to surf.

4/29/12 Pump cmt plug #2 @ 2760. Cmt w/500sx C. Circ 154sx to surface.

4/30/12 Drill cmt from 1725 to Top of curve 1800. EOC 2604.

5/7/12 TD 7-7/8 @ 6917MD 2439TVD.

5/10/12 Ran 128jts 5-1/2 17# L80 @ 6817. Cmt 400sx C. lead, 170sx C. tail. PD @ 12:55PM. Circ 307sx to surface.