<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 149140

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operato	or Name and Address	2. OGRID Number	
COG PRO	217955 3. API Number 30-025-40582		
550 W. Texas Avenue, Suite 100 Midland, TX 79701			
			4. Property Code
39209	EATA FAJITA STATE	001H	

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	8	24S	33E	D	330	N	330	W	LEA

8. Pool Information

TRIPLE X:BONE SPRING, WEST	96674
IRII LE A,BOINE SI RINO, WEST	7007

Additional Well Information

			Traditional Well Informa	tion .	27
9. Work Type New Well	10. Weti OI		11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 3628
14. Multiple	ultiple 15. Proposed Depth		16. Formation	17. Contractor	18. Spud Date
N	15	319	2nd Bone Spring Sand	88	5/29/2012
Depth to Ground	water		Distance from nearest fresh water w	rel1	Distance to nearest surface water

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1250	800	
Int1	12.25	9.625	36	4800	950	
Prod	7.875	5.5	17	15319	2000	4600

Casing/Cement Program: Additional Comments

Plan to drill a 17-1/2" hole to 1250' with Fresh Water. Run 13-3/8", 54.5#, J-55 csg and cmt to surface. Drill 12-1/4" hole to 4800' with Brine, and run 9-5/8", 36#/40#, J55 and cement to surface. Drill 7-7/8" vertical, curve and lateral with cut brine to approx 15,319' MD. Run 5-1/2", 17#, P-110 csg and cement to 4600' in 1 stage.

Proposed Blowout Prevention Program

Victoria de la companya della companya della companya de la companya de la companya della compan	I Toposcu Dionou	t i tevention i rogram		
Type	Working Pressure	Test Pressure	Manufacturer	
Annular	3000	3000	Cameron	

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to	OIL CONSERVATION DIVISION			
NMOCD guidelines \square , a general permit \square , or an (attached) alternative OCD-approved plan \square .	Approved By: Paul Kautz			
Printed Name: Electronically filed by DIANE KUYKENDALL	Title: Geologist			
Title: Production Reporting Manager	Approved Date: 5/23/2012 Expiration Date: 5/23/2014			
Email Address: dkuykendall@concho.com				
Date: 5/22/2012 Phone: 432-685-4372	Conditions of Approval Attached			

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505

Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 149140

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-40582	96674	BONE SPRING, WEST
4. Property Code	5. Property	6. Well No.
39209	EATA FAJIT	001H
7. OGRID No. 217955	8. Operator COG PRODUC	9. Elevation 3628

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	8	24S	33E		330	N	330	W	LEA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Α	8	24S	33E	A	380	N	330	E	LEA
	cated Acres	13. J	oint or Infill	14	. Consolidation (Code	15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

0		

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: DIANE KUYKENDALL Title: Production Reporting Manager

Date: 5/22/2012

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 3/1/2012 Certificate Number: 12641

Permit Comments

Operator: COG PRODUCTION, LLC , 217955 Well: EATA FAJITA STATE #001H

API: 30-025-40582

Created By	Comment	Comment Date
matyereyes	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	5/22/2012
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT # P1-04628	5/22/2012
CHERRERA	OCD RECIEVED FORM C144 CLEZ. OCD PERMIT # P1-04629	5/22/2012
pkautz	Land s/S	5/23/2012

Permit Conditions of Approval

Operator: COG PRODUCTION, LLC , 217955 Well: EATA FAJITA STATE #001H

API: 30-025-40582

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string