<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 149757

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

COG	tor Name and Address PERATING LLC	 OGRID Number 229137 	
550 W TEXAS MIDLAND , TX 79701		3. API Number 30-025-40617	
4. Property Code	5. Property Name	6. Well No.	
39263	STRATOCONE 32 STATE	001H	

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	32	20S	35E	L	2310	S	330	W	LEA

8. Pool Information

BERRY:BONE SPRING, NORTH	5535

Additional Well Information

				7.1	
9. Work Type New Well	10. Well Type OIL	11. Cable/Rotary	12. Lesse Type State	13. Ground Level Elevation 3734	
14. Multiple 15. Proposed Depth		th 16. Formation	17. Contractor	18. Spud Date	
N 15200		2nd Bone Spring Sand		6/12/2012	
Depth to Ground	water	Distance from nearest fresh water	well	Distance to nearest surface water	

19. Proposed Casing and Cement Program

Туре	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1850	1500	0
Int1	12.25	9.625	40	5800	1500	0
Prod	7.875	5.5	17	15200	1500	3500

Casing/Cement Program: Additional Comments

Plan to drill a 17-1/2" hole to 1850' with Fresh Water. Run 13-3/8", 54.5#, J-55 csg and cmt to surface. Drill 12-1/4" hole to 5800' with Brine, and run 9-5/8", 36#, J-55/40# and cement to surface. Drill 7-7/8" hole with cut brine to new bottom hole location 15,200' MD (10830' TVD). Run 5-1/2", 17#, P-110 csg and cement to 3500'

Proposed Blowout Prevention Program

	1 Toposcu Dionout 1 I	Cvention 110gram	72-	-
Type	Working Pressure	Test Pressure	Manufacturer	
DoubleRam	3000	3000	Cameron	

I hereby certify that the information given a of my knowledge and belief. I further certify that the drilling pit wil	•	OIL CONSERVATION DIVISION			
NMOCD guidelines , a general permi OCD-approved plan .	t , or an (attached) alternative	Approved By: Paul Kautz			
Printed Name: Electronically filed b	y Diane Kuykendall	Title: Geologist			
Title: Production Reporting Mgr	ARREST AND ARREST	Approved Date: 6/12/2012	Expiration Date: 6/12/2014		
Email Address: dkuykendall@conc	horesources.com	A CONTRACTOR OF THE PARTY OF TH			
Date: 6/6/2012 P	hone: 432-683-7443	Conditions of Approval Atta	ched		

District I 1625 N. French Dr., Hobbs, NM 88240 Phono(575) 303 6161 Pay (575) 303 073

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210

Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 149757

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code		3. Pool Name	
30-025-40617	5535 BERRY;I		BONE SPRING, NORTH	
4. Property Code	5. Property Name		6. Well No.	
39263	STRATOCONE 32 STATE		001H	
7. OGRID No.	8. Operator	Name	9. Elevation	


10. Surface Location

3	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	L	32	20S	35E		2310	S	330	W	LEA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
I	32	20S	35E	I	2260	S	330	E	LEA
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 6/6/2012

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 4/26/2012 Certificate Number: 3239

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: STRATOCONE 32 STATE #001H

API: 30-025-40617

Created By	Comment	Comment Date
mreyes1	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	6/5/2012
pkautz	Land p/S	6/6/2012

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: STRATOCONE 32 STATE #001H

API: 30-025-40617

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string