<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 150356

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

COGO	or Name and Address PERATING LLC	2. OGRID Number 229137	
ONE CONCHO CENTER MIDLAND, TX 79701		3. API Number 30-015-40645	
4. Property Code	5. Property Name	6. Well No.	
302497	G J WEST COOP UNIT		

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	27	17S	29E	M	660	S	1080	W	EDDY

8. Pool Information

GJ;7RVS-QN-GB-GLORIETA-YESO	97558
-----------------------------	-------

Additional Well Information

			Additional Wen Inform	ation		
9. Work Type 10. Weti Type New Well OIL			11. Cable/Rotary 12. Lease Type State 16. Formation 17. Contractor Yeso Formation		13. Ground Level Elevation 3523 18. Spud Date 11/30/2012	
14. Multiple N						
Depth to Ground water			Distance from nearest fresh water > 1000	Distance to nearest surface water > 1000		

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	350	400	0
Int1	12.25	9.625	36	1350	600	0
Int2	8.75	7	26	0	900	0
Prod	7.875	5.5	17	10377	0	0

Casing/Cement Program: Additional Comments

COG proposes to drill a 17-1/2" hole to 350 with a 8.5 ppg, 28 viscosity fresh water mud system. Set 13-3/8" casing & cement to surface. Drill a 12-1/4" hole to 1350' with a 10 ppg, 30 viscosity brine water mud system. Set 9-5/8" casing & cement to surface. Drill a 8-3/4" hole to 4073' MD and kick off and drill an 8/3/4" curve to 4831' MD. Drill a 7-7/8" lateral to BHL at 4453' TVD 10,377' MD. Run a tapered string with 7" 26# L-80 from surface to 4073' & 5-1/2" 17# L-80 casing to TD with DV/ECP Combo Tool at 4073' and isolation packers in the open hole. Set isolation packers and ECP. Open DV tool and cement from 4073' to surface.

Proposed Blowout Prevention Program

30.0	388	Troposcu Dionout I	cvention rrogram	65
	Type	Working Pressure	Test Pressure	Manufacturer
Г	DoubleRam	2000	2000	

I hereby certify that the information gi of my knowledge and belief. I further certify that the drilling pi	ven above is true and complete to the best t will be constructed according to	OIL CONSERVATION DIVISION		
	ermit , or an (attached) alternative	Approved By: Randy Dade		
Printed Name: Electronically fi	led by Diane Kuykendall	Title: District Supervisor		
Title: Production Reporting M	gr	Approved Date: 9/6/2012	Expiration Date: 9/6/2014	
Email Address: dkuykendall@o	onchoresources.com			
Date: 9/5/2012	Phone: 432-683-7443	Conditions of Approval Atta	ached	

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 150356

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code		. Pool Name
30-015-40645	97558		GB-GLORIETA-YESO
4. Property Code	5. Property Name		6. Well No.
302497	G J WEST COOP UNIT		291H
7. OGRID No. 229137	8. Operator Name COG OPERATING LLC		9. Elevation 3523


10. Surface Location

			88	- 8				3		0. 0
	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
5	M	27	17S	29E		660	S	1080	W	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
M	28	17S	29E	M	330	S	330	W	EDDY
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 9/5/2012

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 6/29/2012 Certificate Number: 3239

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: G J WEST COOP UNIT #291H

API: 30-015-40645

Created By	Comment	Comment Date
kholly1	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	6/14/2012
CSHAPARD	land s/S	9/6/2012

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: G J WEST COOP UNIT #291H

API: 30-015-40645

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string