

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 155120

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address MACK ENERGY CORP PO Box 960 Artesia, NM 88211		2. OGRID Number 13837
		3. API Number 30-025-40757
4. Property Code 34432	5. Property Name OHIO STATE	6. Well No. 007

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
N	7	18S	35E	N	330	S	2255	W	LEA

8. Pool Information

VACUUM;ABO REEF	61780
-----------------	-------

Additional Well Information

9. Work Type New Well	10. Well Type OIL	11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 3967
14. Multiple N	15. Proposed Depth 9750	16. Formation Abo	17. Contractor	18. Spud Date 10/30/2012
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	8.625	24	1600	800	0
Prod	7.875	5.5	17	9750	1350	0

Casing/Cement Program: Additional Comments

Mack Energy proposes to Drill a 12 1/4" hole to 1600', run 8 5/8" casing and cement to surface. Drill a 7 7/8" hole to 9750', run 5 1/2" casing and cement to surface. Put well on production.

Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines ☐ , a general permit ☐ , or an (attached) alternative OCD-approved plan ☐ . Printed Name: Electronically filed by Jerry Sherrell Title: Production Clerk Email Address: jerrys@mec.com Date: 9/19/2012 Phone: 505-748-1288	OIL CONSERVATION DIVISION	
	Approved By: Paul Kautz	
	Title: Geologist	
	Approved Date: 9/20/2012	Expiration Date: 9/20/2014
	Conditions of Approval Attached	

	■		

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Jerry Sherrell
 Title: Production Clerk
 Date: 9/19/2012

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson
 Date of Survey: 9/5/2012
 Certificate Number: 3239

Permit Comments

Operator: MACK ENERGY CORP , 13837

Well: OHIO STATE #007

API: 30-025-40757

Created By	Comment	Comment Date
JWSHERRELL	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	9/19/2012
pkautz	Land s/S	9/19/2012
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT #P1-05196	9/20/2012

Permit Conditions of Approval

Operator: MACK ENERGY CORP , 13837

Well: OHIO STATE #007

API: 30-025-40757

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string