District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

<u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 158688

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

COG	ator Name and Address OPERATING LLC	 OGRID Number 229137 	
	e Concho Center dland, TX 79701	3. API Number 30-025-40874	
4. Property Code 39564	5. Property Name GETTYSBURG STATE	6. Well No. 002H	

7. Surface Location

	7. Surface Escation									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County]
C	16	238	34E	C	330	N	1980	W	LEA	l

8. Proposed Bottom Hole Location

	()	10		T. TOPOSCO	a Doctom an	ore motures.	-		
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
F	21	238	34E	F	2310	N	1980	W	Lea

9. Pool Information

ANTELOPE RIDGE:BONE SPRING.	WEST	2209

Additional Well Information

New Well	OIL		14. Lease Type State	3420
16. Multiple N	17. Proposed Depth	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 12/5/2012

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1250	875	
Int1	12.25	9.625	36	4930	1570	h
Prod	7.875	5.5	17	17355	2290	4650

Casing/Cement Program: Additional Comments

Drill 17-1/2" hole to ~1250' w/ fresh water spud mud. Run 13-3/8" 54.5# J55 STC casing to TD and cement to surface in one stage. Will use 1" tubing and Class C w/ 2% CaCl2 to cement to surface, if necessary. Drill 12-1/4" hole to ~4930' with saturated brine water Run 9-5/8" 36# J55 & 40# N80 BTC casing to TD and cement to surface in one stage. Drill 7-7/8" pilot hole to 11550', log and plug back with cement plug f/ 9600' – 10500'. Drill curve and lateral to 17355' with cut brine. Run 5-1/2" 17# P110 LTC casing to TD and cement to 4650' (280' overlap) in one stage.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	Cameron

best of my knowledge and belief		OIL CONSERVATION DIVISION				
I further certify I have compli 19.15.14.9 (B) NMAC ⊠, if ap	ed with 19.15.14.9 (A) NMAC 🛮 and/or opplicable.	Approved By: ELIDIO GONZALES				
Signature:						
Printed Name: Electronical	lly filed by Diane Kuykendall	Title: HOBBS STAFF MAN	AGER			
Title: Production Reportin	ig Mgr	Approved Date: 12/3/2012	Expiration Date: 12/3/2014			
Email Address: dkuykenda	all@conchoresources.com					
Date: 11/29/2012	Phone: 432-683-7443	Conditions of Approval Attached				

District I
1625 N. French Dr., Hobbs, NM 88240
Phones(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phones(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phones(505) 334-6178 Fax:(505) 334-6170

District IV

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 158688

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-40874	2. Pool Code 2209	3. Pool Name ANTELOPE RIDGE;BONE SPRING, W.	
4. Property Code		rty Name	6. Well No.
39564		JRG STATE	002H
7. OGRID No.		tor Name	9. Elevation
229137		ATING LLC	3420

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	16	238	34E		330	N	1980	W	LEA

11 Rottom Hole Location If Different From Surface

1.			Dottom		ation II Di		The Surface		
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
F	21	238	34E	F	2310	N	1980	W	LEA
	cated Acres	13. 1	oint or Infill	14	. Consolidation	Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 11/29/2012

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: James Tompkins Date of Survey: 4/2/2012 Certificate Number: 14729

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: GETTYSBURG STATE #002H

API: 30-025-40874

Created By	Comment	Comment Date
mreyes1	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	11/29/2012
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT # P1-05486	11/30/2012

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: GETTYSBURG STATE #002H API: 30-025-40874

OCD Reviewer	Condition
CHERRERA	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines
CHERRERA	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
CHERRERA	Spacing rule violation. Operator must follow up with Change of Status notification on other well to be shut in or abandoned