

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 159125

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address MACK ENERGY CORP PO Box 960 Artesia, NM 88211		2. OGRID Number 13837
		3. API Number 30-025-40883
4. Property Code 39585	5. Property Name WASHINGTON STATE	6. Well No. 001

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	25	18S	36E	D	330	N	330	W	LEA

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	25	18S	36E	D	330	N	330	W	Lea

9. Pool Information

ARKANSAS JUNCTION;BONE SPRING	2340
-------------------------------	------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3772
16. Multiple N	17. Proposed Depth 8950	18. Formation Bone Spring	19. Contractor	20. Spud Date 12/24/2012
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	8.625	24	1600	800	0
Prod	7.875	5.5	17	8950	1210	0

Casing/Cement Program: Additional Comments

Mack Energy proposes to drill a 12 1/4" hole to 1600', run 8 5/8" casing and cement. Drill a 7 7/8" hole to 8950', run 5 1/2 casing and cement. Put well on production.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☐ , if applicable. Signature: Printed Name: Electronically filed by Jerry Sherrell Title: Production Clerk Email Address: jerrys@mec.com Date: 12/11/2012	OIL CONSERVATION DIVISION Approved By: Paul Kautz Title: Geologist Approved Date: 12/12/2012 Expiration Date: 12/12/2014 Conditions of Approval Attached
Phone: 505-748-1288	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(505) 393-6161 Fax:(505) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(505) 748-1283 Fax:(505) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102
August 1, 2011
Permit 159125

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-40883	2. Pool Code 2340	3. Pool Name ARKANSAS JUNCTION;BONE SPRING
4. Property Code 39585	5. Property Name WASHINGTON STATE	6. Well No. 001
7. OGRID No. 13837	8. Operator Name MACK ENERGY CORP	9. Elevation 3772

10. Surface Location

UL - Lot D	Section 25	Township 18S	Range 36E	Lot Idn	Feet From 330	N/S Line N	Feet From 330	E/W Line W	County LEA
---------------	---------------	-----------------	--------------	---------	------------------	---------------	------------------	---------------	---------------

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 40.00	13. Joint or Infill	14. Consolidation Code	15. Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<table border="1" style="width: 100%; border-collapse: collapse; height: 150px;"> <tr><td style="width: 25%; height: 40px; text-align: center; vertical-align: middle;"></td><td style="width: 25%;"></td><td style="width: 25%;"></td><td style="width: 25%;"></td></tr> <tr><td style="height: 40px;"></td><td></td><td></td><td></td></tr> <tr><td style="height: 40px;"></td><td></td><td></td><td></td></tr> <tr><td style="height: 40px;"></td><td></td><td></td><td></td></tr> </table>																	OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> E-Signed By: Jerry Sherrell Title: Production Clerk Date: 12/11/2012 SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> Surveyed By: Filimon Jaramillo Date of Survey: 12/26/2012 Certificate Number: 1369
																	

Permit Comments

Operator: MACK ENERGY CORP , 13837

Well: WASHINGTON STATE #001

API: 30-025-40883

Created By	Comment	Comment Date
DWEAVER	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	12/10/2012
pkautz	Land s/S	12/11/2012
CHERRERA	OCD RECEIVED FORM C144 CLEZ. OCD PERMIT # P1-05512	12/12/2012

Permit Conditions of Approval

Operator: MACK ENERGY CORP , 13837

Well: WASHINGTON STATE #001

API: 30-025-40883

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string