<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV

110

Type

Title: Production Reporting Mgr

Printed Name: Electronically filed by Diane Kuykendall

Email Address: dkuykendall@conchoresources.com

Signature:

Date: 1/15/2013

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

August 1, 2011

> 1000

Manufacturer

Expiration Date: 1/15/2015

Form C-101

1220 S. St Francis Dr. Santa Fe. NM 87505

		COG	orator Name a OPERATI ne Concho (idland, TX	NG LLC Center				OGRID Num 229137 API Number 30-025-409	r
4. I	Property Code 37687				5. Property Nam				Vett No. 027
				7. S	urface Loc	ation			
UL - Lot L	Section 10	Township 17S	Range 32E	Lot Idn L	Feet From 2310	N/S Line Feet From S 990		E/W Line W	County
			8.	Proposed	Bottom H	ole Locati	on	92	
UL - Lot A	Section 10	Township 17S	Range Lot Idn Feet From N/S Line Feet From 32E L 2310 S 990				Feet From 990	E/W Line W	County Lea
				9. P	ool Inform	ation			
ALJAMA	R;YESO, V	VEST		1/4/4					4
				Addition	al Well Inf	ormation			
11. Work Type 12. Well Type New Well OIL		/pe	13. Cable/Rotary			14. Lease Type 15. Ground Leve Private 4128			
16. Mu N	3500	17. Proposed 7100	2007	18. Formation Yeso Formation			19. Contractor	19. Contractor 20. Spud Date 3/31/2013	
Depth to Ground water				Distance i	rom nearest fresh	Distance to nearest surface water			

> 1000 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	800	650	0
Int1	11	8.625	32	2150	600	0
Prod	7.875	5.5	17	7100	900	0

Casing/Cement Program: Additional Comments

COG proposes to drill a 17-1/2" hole to 800' w/fr wtr mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill an 11" hole to 2150' w/br mud system, wt 10, vis 30. Set 8-5/8" casing & cement to surface. Drill 7-7/8" hole to 7100' w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run, COG will attempt to circulate cement.

22. Proposed Blowout Prevention Program

Test Pressure

Title: HOBBS STAFF MANAGER Approved Date: 1/15/2013

Conditions of Approval Attached

Working Pressure

Phone: 432-683-7443

DoubleRam	2000	2000	7.6678.181.11
N	- 10 00 000 000 000 000 000 000 000 000		
best of my knowledge and belief.	ion given above is true and complete to the	OIL CON	ISERVATION DIVISION
I further certify I have complied to 19.15.14.9 (B) NMAC X if appli	with 19.15.14.9 (A) NMAC And/or	Approved By: ELIDI	IO GONZALES

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

***	LEE LOCATION AND MERC	HOL DEDICATION TEAT
1. API Number	2. Pool Code	3. Pool Name
30-025-40919	44500	MALJAMAR;YESO, WEST
4. Property Code	5. Property 1	Varne 6. Well No.
37687	TAYLOR	2.D 027
7. OGRID No.	8. Operator 1	Name 9. Elevation
229137	COG OPERAT	ING LLC 4128

10 Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	10	17S	32E		2310	S	990	W	LEA

11 Rottom Hole Location If Different From Surface

	11. Bottom Hote Docution II Different Hom Surface										
UL - Lot	Section	Township	Range	Lot	Idn	Feet From	N/S L	ine	Feet From	E/W Line	County
7.026.00	cated Acres	13. 3	oint or Infill		14. Consolidation Code 1:		15. Order No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 1/15/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Robert Howett Date of Survey: 1/3/2013 Certificate Number: 19680

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: TAYLOR D #027 API: 30-025-40919

Created By	Comment	Comment Date
kholly1	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	1/15/2013
CHERRERA	OCD RECIEVED FORM C144 CLEZ. OCD PERMIT #P1-05597	1/15/2013

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: TAYLOR D #027 API: 30-025-40919

OCD Reviewer	Condition
CHERRERA	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
CHERRERA	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines