<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

<u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505

Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

Form C-101 August 1, 2011

1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, I	PLUGBACK, OK ADD A ZONE
Operator Name and Address	2. OGRID Number

10000	weator Name and Address WBOURNE OIL CO	2. OGRID Number 14744
F	Po Box 5270 — Hobbs, NM 88241	3. API Number 30-015-40984
4. Property Code	5. Property Name	6. Well No.
39646	BLACK LAKE 7 CN STATE COM	001H

7. Surface Location

				7.0	urrace Loc	ation			
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
C	7	25S	28E	C	150	N	2150	W	EDDY

8. Proposed Bottom Hole Location

	Of Frederical Devices Deviced												
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County				
A	7	25S	28E	N	330	S	2150	W	Eddy				

9. Pool Information

WILLOW LAKE BONE SPRING, WEST	96415

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3047 20. Spud Date 3/1/2013	
16. Multiple N	17. Proposed Depth 12600	18. Formation Bone Spring	19. Contractor		
Depth to Ground	water	Distance from nearest fresh water	r well	Distance to nearest surface water	

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	600	500	0
Int1	12.25	9.625	40	2350	600	0
Prod	8.75	7	26	8020	675	2150
Prod	6.125	4.5	13.5	12600	0	0

Casing/Cement Program: Additional Comments

MOC proposes to drill & test the Bone Spring formation. H2S rule 118 does not apply. MOC has researched this area & no high concentrations were found. Will have on location & working all H2S safety equuipment before drilling the surface csg shoe for safety & insurance purposes. If commercial, 4 1/2" liner will be run & will use pkr port system (no cmt) in the lateral hole. Will stimulate as needed for production.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	3000	1500	Schaffer
DoubleRam	5000	5000	Schaffer
Annular	5000	3000	Schaffer

 I hereby certify that the inforbest of my knowledge and belie 	rmation given above is true and complete to the	OIL CONSERVATION DIVISION				
I further certify I have compl 19.15.14.9 (B) NMAC ⊠, if a	ied with 19.15.14.9 (A) NMAC 🛮 and/or pplicable.	Approved By: Randy Dade				
Signature:						
Printed Name: Electronica	illy filed by Monty Whetstone	Title: District Supervisor				
Title: Vice President Oper	rations	Approved Date: 1/18/2013	Expiration Date: 1/18/2015			
Email Address: prodmgr@	mewbourne.com					
Date: 1/15/2013	Phone: 903-561-2900	Conditions of Approval Attached				

<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
Phones(575) 393-6161 Fax:(575) 393-0720
<u>District II</u>
811 S. First St., Artesia, NM 88210

<u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

Form C-102 August 1, 2011

Permit 16077:

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3	. Pool Name
30-015-40984	96415	96415 WILLOW LAK	
4. Property Code	5. Property Name		6. Weii No.
39646	BLACK LAKE 7 (CN STATE COM	001H
7. OGRID No.	8. Operati	8. Operator Name	
14744	MEWBOUR	NE OIL CO	3047


10. Surface Location

	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
l	C	7	25S	28E		150	N	2150	W	EDDY

11. Bottom Hole Location If Different From Surface

	THE DOWN HOLD DOWN TO THE TANK											
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County			
N	7	258	28E	N	330	S	2150	W	EDDY			
	cated Acres	13. J	oint or Infill	14	. Consolidation	Code		15. Order No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Monty Whetstone Title: Vice President Operations

Date: 1/15/2013

SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Jones Date of Survey: 1/15/2013 Certificate Number: 7977

Permit Comments

Operator: MEWBOURNE OIL CO , 14744
Well: BLACK LAKE 7 CN STATE COM #001H
API: 30-015-40984

Created By	Comment	Comment Date
NMYOUNG	Mud Program: 0-800' FW w/spud mud. 600'-2350' Brine. 2350'-8220' Cut Brine. 8220'- 12600' Cut Brine.	1/15/2013
CSHAPARD	Land s/S	1/18/2013

Permit Conditions of Approval

Operator: MEWBOURNE OIL CO , 14744
Well: BLACK LAKE 7 CN STATE COM #001H
API: 30-015-40984

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string