

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 164306

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701		2. OGRID Number 217955
4. Property Code 38882		3. API Number 30-015-41211
5. Property Name COPPERHEAD 30 FEE		6. Well No. 002H

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	30	26S	29E	A	380	N	190	E	EDDY

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	30	26S	29E	1	380	N	330	W	Eddy

9. Pool Information

WILDCAT G-03 S262932E;BONE SPRING	97876
-----------------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type Private	15. Ground Level Elevation 2945
16. Multiple N	17. Proposed Depth 12905	18. Formation Bone Spring	19. Contractor	20. Spud Date 3/27/2013
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	500	450	
Int1	12.25	9.625	36	2500	700	
Prod	7.875	5.5	17	12905	1800	2300

Casing/Cement Program: Additional Comments

Plan to drill a 17-1/2" hole to 500' with FW. Run 13-3/8", 48#, H-40 csg and cmt to surface. Drill 12-1/4" hole to 2500' with brine, and run 9-5/8", 36#, J-55 and cement to surface. Drill 7-7/8" hole with cut brine to 12,905' MD to run 5-1/2", 17#, P-110 csg and cement to 2300'.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	3000	3000	Cameron

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC <input checked="" type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input checked="" type="checkbox"/> if applicable. Signature: _____ Printed Name: Electronically filed by DIANE KUYKENDALL Title: Production Reporting Manager Email Address: dkuykendall@concho.com Date: 3/19/2013 Phone: 432-685-4372	OIL CONSERVATION DIVISION Approved By: Randy Dade Title: District Supervisor Approved Date: 3/20/2013 Expiration Date: 3/20/2015 Conditions of Approval Attached
---	---

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102
August 1, 2011
Permit 164306

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-41211	2. Pool Code 97876	3. Pool Name WILDCAT G-03 S262932E;BONE SPRING
4. Property Code 38882	5. Property Name COPPERHEAD 30 FEE	6. Well No. 002H
7. OGRID No. 217955	8. Operator Name COG PRODUCTION, LLC	9. Elevation 2945


10. Surface Location

UL - Lot A	Section 30	Township 26S	Range 29E	Lot Idn	Feet From 380	N/S Line N	Feet From 190	E/W Line E	County EDDY
---------------	---------------	-----------------	--------------	---------	------------------	---------------	------------------	---------------	----------------

11. Bottom Hole Location If Different From Surface

UL - Lot D	Section 30	Township 26S	Range 29E	Lot Idn 1	Feet From 380	N/S Line N	Feet From 330	E/W Line W	County EDDY
12. Dedicated Acres 159.76		13. Joint or Infill		14. Consolidation Code			15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	<p style="text-align: center;">OPERATOR CERTIFICATION</p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>E-Signed By: DIANE KUYKENDALL Title: Production Reporting Manager Date: 3/19/2013</p> <hr/> <p style="text-align: center;">SURVEYOR CERTIFICATION</p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Surveyed By: Chad Harcrow Date of Survey: 1/12/2013 Certificate Number: 17777</p>
--	--

Permit Comments

Operator: COG PRODUCTION, LLC , 217955

Well: COPPERHEAD 30 FEE #002H

API: 30-015-41211

Created By	Comment	Comment Date
matyereyes	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary.	3/19/2013
CSHAPARD	Land p/P	3/19/2013

Permit Conditions of Approval

Operator: COG PRODUCTION, LLC , 217955

Well: COPPERHEAD 30 FEE #002H

API: 30-015-41211

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string