<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

Form C-101 August 1, 2011

1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTE	R, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Op	erator Name and Address	OGRID Number	
cog	229137		
	ne Concho Center idland, TX 79701	3. API Number 30-015-41379	
141	idalid, 174 /9/01		
4. Property Code	5. Property Name	6. Well No.	
38476	HONEY GRAHAM STATE COM	004H	

7. Surface Location

	7. Surface Location										
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
В	29	26S	28E	В	330	N	1980	E	EDDY		

8. Proposed Bottom Hole Location

2	OF A TOPOSCU DOVIOUS ALONE DECENTION										
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
G	32	26S	28E	3	330	S	1980	E	Eddy		

9. Pool Information

HAY HOLLOW:BONE SPRING	30215

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3001	
16. Multiple N	OIL 17. Proposed Depth 18. Formation 14543 Bone Spring		19. Contractor	20. Spud Date 5/26/2013	
Depth to Ground	water	Distance from nearest fresh water	r well	Distance to nearest surface water	

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	350	415	
Int1	12.25	9.625	36	2350	820	
Prod	7.875	5.5	17	14543	2300	2050

Casing/Cement Program: Additional Comments

Drill 17-1/2" hole to ~350" w/ fresh water spud mud. Run 13-3/8" 48# H40 STC casing to TD and cement to surface in one stage. Will use 1" tubing and Class C w/ 2% CaCl2 to cement to surface, if necessary. Drill 12-1/4" hole to ~2350' with saturated brine water. Rus 9-5/8" 36# J55 LTC casing to TD and cement to surface in one stage. Drill 7-7/8" pilot hole to 9300', log and plug back with 100 sx cement plug f/ 9050' - 9300' and 340 sx cement plug f/ 7100' - 8000'. Drill 7-7/8" curve and lateral to 14543' with cut brine. Run 5-1/2" 17# P110 LTC casing to TD and cement to 2050' (300' overlap) in one stage.

22. Proposed Blowout Prevention Program

100		ZZ. I Toposcu Dionout	TICTORUM TIOSIUM		
[Type	Working Pressure	Test Pressure	Manufacturer	
- 1	DoubleRam	5000	5000	Hydrill	٦

best of my knowledge and belie		OIL CONSERVATION DIVISION Approved By: Randy Dade			
I further certify I have comp! 19.15.14.9 (B) NMAC ⊠, if a	lied with 19.15.14.9 (A) NMAC 🛮 and/or applicable.				
Signature:					
Printed Name: Electronica	ally filed by Diane Kuykendall	Title: District Supervisor			
Title: Production Reporti	ng Mgr	Approved Date: 5/21/2013	Expiration Date: 5/21/2015		
Email Address: dkuykend	lall@conchoresources.com				
Date: 5/20/2013	Phone: 432-683-7443	Conditions of Approval Attached			

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

District IV

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division

August 1, 2011

Form C-102

1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

***	ELL LOCATION MAD MER	LITOL DEDICATION	11/11
1. API Number	2. Pool Code	3. Pool Name	
30-015-41379	30215	HAY HOLLOW;BONE SPRING	
4. Property Code	5. Property		6. Well No.
38476	HONEY GRAHAN		004H
7. OGRID No.	8. Operator		9. Elevation
229137	COG OPERAT		3001

10.	Surface	Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	29	26S	28E		330	N	1980	E	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
G	32	26S	28E	3	330	S	1980	E	EDDY
12. Dedicated Acres 223.78		13. J	13. Joint or Infil1		14. Consolidation Code		15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 5/20/2013

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Chad Harcrow Date of Survey: 5/1/2013 Certificate Number: 17777

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: HONEY GRAHAM STATE COM #004H

API: 30-015-41379

Created By	Comment	Comment Date
mreyes1	OIL: COG Operating has conducted a review to determine if an H2S contingency plan is required for the above referenced well. We were able to conclude that any potential hazardous volume would be minimal. H2S concentrations of wells in this area from surface to TD are low enough; therefore we do not believe that an H2S Contingency Plan would be necessary	5/20/2013
CSHAPARD	Land s/S	5/20/2013
CSHAPARD	Honey Graham State Com #003 is located at this location.	5/20/2013

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: HONEY GRAHAM STATE COM #004H API: 30-015-41379

OCD Reviewer	Condition
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string