District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources**

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 Revised July 18, 2013

Permit 171724

CHE	ator Name and Address VRON U S A INC	OGRID Number     4323
	Attn: Sandy Stedman-Daniel Houston, TX 77252	
4. Property Code	5. Property Name	6. Well No.
29923	CENTRAL VACUUM UNIT	211

#### 7. Surface Location

97	7. Surface Escation												
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County				
L	6	188	35E	6	1930	S	645	W	LEA				

#### 8. Proposed Bottom Hole Location

	of a reposed pottom and a pottom												
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County				
L	6	18S	35E	6	1930	S	645	W	Lea				

#### 9. Pool Information

NACHERACO AVDIDO CANI ANDRES	63100
VACUUM:GRAYBURG-SAN ANDRES	62180

#### Additional Well Information

11. Work Type 12. Weil Type New Weil OIL					15. Ground Level Elevation 3985
16. Multiple 17. Proposed De N 5300			18. Formation San Andres	19. Contractor	20. Spud Date
Depth to Ground	water		Distance from nearest fresh water	r well	Distance to nearest surface water

# ⊠ We will be using a closed-loop system in lieu of lined pits

# 21. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	14.75	11.75	42	1500	1300	
Int1	11	8.625	32	3200	750	
Prod	7.875	5.5	17	5300	1150	

## Casing/Cement Program: Additional Comments

SURF:13.6PPG,1.72FT3/SK,8.759GPS MIX WTR,TOC-SURF.INTER:LEAD:12.8PPG, 1.97FT3/SK,10.850GPS MIX WTR,TOC-SURF.SURF-TAIL:14.2PPG,1.51FT3/SK, 7.334GPS MIX WTR,TOC-SURF,PROD:LEAD:13.5PPG,1.27FT3/SK,6.096GPS MIX WTR, TOC-SURF. TAIL-16.00PPG,1.12FT3/SK,3.495GPS MIX WTR. TOC-SURF

#### 22 Proposed Blowout Prevention Program

ZZI TTOPOSCU DISHOUT TTO CHIMON TTO GIAM									
Type	Working Pressure	Test Pressure	Manufacturer						
Annular	3000	1500							
Blind	5000	3000							
Pipe	5000	3000							

best of my knowledge and beli		OIL CONSERVATION DIVISION				
I further certify I have comp 19.15.14.9 (B) NMAC □, if	lied with 19.15.14.9 (A) NMAC 🛮 and/or applicable.	Approved By: Paul Kautz				
Signature:						
Printed Name: Electronic	ally filed by Denise Pinkerton	Title: Geologist				
Title: Regulatory Special	ist	Approved Date: 8/22/2013	Expiration Date: 8/22/2015			
Email Address: leakejd@	chevron.com					
Date: 8/20/2013	Phone: 432-687-7375	Conditions of Approval Attached				

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

			e a management of the control of the	
1. API Number	2. Pool Code		3. Pool Name	
30-025-41356	62180 VACUUM;G		RAYBURG-SAN ANDRES	
4. Property Code	5. Property Name		6. Well No.	
29923	CENTRAL VA	CUUM UNIT	211	
7. OGRID No.	8. Operat	8. Operator Name		
4323	CHEVRON U S A INC		3985	

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	6	188	35E	6	1930	S	645	W	LEA

11 Rottom Hole Location If Different From Surface

	11. Bottom Hote Ebeation 11 Billetelle 11 om Sariace											
UL - Lot	Section	Township	Range	Lot Id	n Feet From	N/S Lin	ne Feet From	E/W Line	County			
	cated Acres	13. 3	Toint or Infill		14. Consolidation	Code		15. Order No.				

### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

0		

# OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Denise Pinkerton Title: Regulatory Specialist Date: 8/20/2013

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: RONALD EIDSON Date of Survey: 10/19/2012 Certificate Number: 3239

# **Permit Comments**

Operator: CHEVRON U S A INC , 4323 Well: CENTRAL VACUUM UNIT #211 API: 30-025-41356

Created By	Comment	Comment Date	
pkautz	Land s/S	8/20/2013	

Permit Conditions of Approval

Operator: CHEVRON U S A INC , 4323

Well: CENTRAL VACUUM UNIT #211

API: 30-025-41356

OCD Reviewer	Condition	
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string	
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water.	
DMULL	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.8 and the Pit and Below-Grade Tank Guidelines	