

Submit within 45 days of well completion	<div>State of New Mexico</div> <div>Energy, Minerals and Natural Resources</div> <div>Oil Conservation Division</div> <div>1220 S. St Francis Dr.</div> <div>Santa Fe, NM 87505</div>	Revised February 15, 2012							
		1. WELL API NO: 30-015-40863							
		2. Well Name: SKEEN 21 DM STATE #001							
		3. Well Number: 001							
<div>HYDRAULIC FRACTURING FLUID DISCLOSURE</div> <div><input type="checkbox"/> Original</div> <div><input checked="" type="checkbox"/> Amends disclosure submitted on 7/15/2013</div>				4. Surface Hole Location: Unit:D Lot:D Section:21 Township:26S Range:28E Feet from:150 N/S Line:N Feet from:500 E/W Line:W					
				5. Bottom Hole Location: Unit:M Lot:M Section:21 Township:26S Range:28E Feet from:333 N/S Line:S Feet from:531 E/W Line:W					
				6. latitude: longitude: 32.0348275928188 - 104.099418181809					
				7. County: Eddy					
8. Operator Name and Address: MEWBOURNE OIL CO Po Box 5270 Hobbs 88241				9. OGRID: 14744		10. Phone Number: 575-393-5905			
11. Last Fracture Date: 6/14/2013 Frac Performed by: Baker Hughes				12. Production Type: O					
13. Pool Code(s): 30215				14. Gross Fractured Interval: 7,957 ft to 7,975 ft					
15. True Vertical Depth (TVD): 7,966 ft				16. Total Volume of Fluid Pumped: 1,412,082 gals					
17. HYDRAULIC FLUID COMPOSITION AND CONCENTRATION:									
Trade Name	Supplier	Purpose	Ingredients	(CAS #) Chemical Abstract Service #	Maximum Ingredient Concentration in Additive (% by mass)	Maximum Ingredient Concentration in HF Fluid (% by mass)			
Water	Operator	Carrier	Water	7732-18-5	100%	83.48958%			
Activator, 330 gal tote	Baker Hughes	Activator	Alcohols, C12-14-Secondary, Ethoxylated	84133-50-6	70%	0.02973%			
			Methanol	67-56-1	50%	0.02123%			
GBW-5	Baker Hughes	Breaker	Ammonium Phosphate	7727-54-0	100%	0.00425%			
Enzyme G-I	Baker Hughes	Breaker	No Hazardous Ingredients	NA	100%	0.02406%			
ClayCare, tote	Baker Hughes	Clay Control	Choline Chloride	67-48-1	75%	0.01268%			
			Water	7732-18-5	30%	0.00507%			
Clay Master-5C	Baker Hughes	Clay Control	Oxyakylated Amine Quat	138879-94-4	60%	0.01649%			
XLW-10A	Baker Hughes	Crosslinker	Ethylene Glycol	107-21-1	30%	0.01745%			
			Sodium Hydroxide	1310-73-2	10%	0.00582%			
			Sodium Tetraborate Decahydrate	1303-96-4	30%	0.01745%			
FRW-18	Baker Hughes	Friction Reducer	Petroleum Distillates	64742-47-8	30%	0.00511%			
GW-4LDF	Baker Hughes	Gelling Agent	Guar Gum	9000-30-0	60%	0.22949%			
			Petroleum Distillate Blend	8042-47-5	70%	0.53547%			
			Petrolum Distillate Blend	64742-55-8	70%	0.26773%			
NE-35, 330 gl tote	Baker Hughes	Non-emulsifier	Mixture of Surfactants	Trade Secret	50%	0.04258%			
			Propylene Glycol	57-55-6	30%	0.02555%			
Sand, White, 20/40	Baker Hughes	Proppant	Crystalline Silica (Quartz)	14808-60-7	100%	11.84475%			
Sand, White, 100 mesh	Baker Hughes	Proppant	Crystalline Silica (Quartz)	14808-60-7	100%	0.71153%			
SB Excel 20/40	Baker Hughes	Proppant	Quartz (SiO2)	14808-60-7	100%	2.64261%			
Ingredients shown above are subject to 29 CFR 1910			Ethoxylated Alcohol	Trade Secret	0%	0.0003409%			
			Hemicellulase	9025-56-3	0%	0.0007219%			
			Enzyme Concentrate						
			Poly (acrylamide-co-acrylic acid)	Trade Secret	0%	0.0051139%			
			Salt	Trade Secret	0%	0.0008523%			
			Sorbitan Monooleate	Trade Secret	0%	0.0008523%			
Water	7732-18-5	0%	0.0434954%						
18. I, as Operator, hereby certify that the information shown on this disclosure form is true and complete to the best of my knowledge and belief.									
Signature: Signed Electronically		Printed Name: NM Young		Title: Manager					
Date: 10/24/2013									
E-mail Address: myoung@mewbourne.com									

NMOCD does not require the reporting of information beyond MSDS data as described in 29 CFR 1910.1200. NMOCD does not require the reporting or disclosure of proprietary, trade secret or confidential business information.