District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 184416

APPLICATION FOR PERMIT TO DRILL	., RE-ENTER, DEEPEN	N, PLUGBACK	OR ADD A ZONE
---------------------------------	---------------------	-------------	---------------

1. Operator Name and Address	2. OGRID Number								
YATES PETROLEUM CO	YATES PETROLEUM CORPORATION								
105 S 4TH ST	105 S 4TH ST								
ARTESIA, NM 88210		30-015-42313							
4. Property Code	4. Property Code 5. Property Name								
40498	002H								

7. Surface Location

[UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	0	2	26S	26E		200	S	1980	E	Eddy

8. Proposed Bottom Hole Location

-[UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	В	2	26S	26E	В	330	N	1980	E	Eddy

9. Pool Information

Undesignated 2nd Bone Spring Sand	0
WILDCAT G-03 S252636M;BONE SPRING	97818

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3303
18. Multiple Y	17. Proposed Depth 11899	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 7/30/2014
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

\square We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	400 415		0
Int1	12.25	9.625	36	2000	695	0
Prod	8.75	5.5	17	11899	1850	1500

Casing/Cement Program: Additional Comments

22 Dronosed Blowout Prevention Program

	22. Proposed Blowout Prevention Program									
Type	Working Pressure	Test Pressure	Manufacturer							
Double Ram	3000	300								
Double Ram	5000	5000								

knowledge and b	belief. have complied with 19.15.14.	ove is true and complete to the best of my 9 (A) NMAC and/or 19.15.14.9 (B) NMAC		OIL CONSI	ERVATION DIVISION	
Printed Name:	Electronically filed by LORI	FLORES	Approved By:	Randy Dade		
Title:	Land Regulatory Technicia	n	Title:	District Supervisor	Walter transfer of the control of th	
Email Address:	mail Address: lorif@yatespetroleum.com			4/14/2014	Expiration Date: 4/14/2016	
Date:	Date: 4/9/2014 Phone: 575-748-4448			Conditions of Approval Attached		

District I

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-8161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 184416

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-42313	2. Pool Code	Pool Name Undesignated 2nd Bone Spring Sand
4. Property Code 40498	Property Name Spunky "BUK" State Com	6. Well No. 002H
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3303


10. Surface Location

	10. Juliuce Edudoli										
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County		
0	2	26S	26E		200	S	1980	E	Eddy		

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	2	26S	26E	0.0000000000000000000000000000000000000	330	N	1980	E	EDDY
12. Dedicated Ac	12. Dedicated Acres		13. Joint or Infill		14. Consolidation Co	de		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: LORI FLORES

Title: Land Regulatory Technician

Date: 4/9/2014

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Jones
Date of Survey: 1/17/2014
Certificate Number: 7977

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 184416

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-42313	2. Pool Code 97818	3. Pool Name WILDCAT G-03 S252636M;BONE SPRING
4. Property Code 40498	Property Name Spunky "BUK" State Com	6. Well No. 002H
7. OGRID No. 25575	Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3303


10. Surface Location

				10.00	Huce Eccution				
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
0	2	26S	26E		200	S	1980	E	Eddy

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	2	26S	26E		330	N	1980	E	Eddy
12. Dedicated Acres 160.00		13. Joint or Infill		14. Consolidation Code			15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a computsory pooling order heretofore entered by the division.

E-Signed By: LORI FLORES

Title: Land Regulatory Technician

Date: 4/9/2014

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Jones
Date of Survey: 1/17/2014
Certificate Number: 7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 184416

PERMIT COMMENTS

Operator Name and Address:	API Number:		
YATES PETROLEUM CORPORATION [25575]	30-015-42313		
105 S 4TH ST	Well:		
ARTESIA, NM 88210	Spunky "BUK" State Com #002H		

Created By	Comment	Comment Date
CMAY	Samples: 10' Samples surface to TD Logging: GR NEUTRON 30 DEG DEV TO SURFACE; NEUTRON DENSITY 30 DEG DEV TO INTERM CSG; LATEROLOG 30 DEG DEV TO INTERM CSG; CMR 30 DEG DEV TO INTERM CSG; HORIZ-MWD-GR. DST's: None. Coring: None. Mudlogging: ON BELOW SURFACE CSG.	
CMAY	PRESSURE CONTROL EQUIPMENT: A 3000 psi system will be nippled up and tested on 13 3/8" and a 5M on 9 5/8" casing. MAXIMUM ANTICIPATED BHP: DEPTHS ARE TVD 0'-400' 191 PSI; 400'-2000' 1061 PSI; 2000'-7410' 3545 PSI. H2S is not anticipated.	4/9/2014
CMAY	Well will be drilled vertically to 6906'. Well will then be kicked off at approx. 6906' and directionally drilled at 12 degrees per 100' with a 8 3/4" hole to 7653' MD (7383' TVD). Hole size will then be reduced to 8 1/2" and drilled to 11899' MD (7410' TVD) where 5 1/2" casing will be set and cemented 500' into previous casing string. Penetration point of producing zone will be encountered at 674' FSL and 1980' FEL, 2-26S-26E. Deepest TVD is 7410' in lateral.	4/9/2014
CSHAPARD	Land s/S	4/10/2014

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 184416

Form APD Conditions

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
YATES PETROLEUM CORPORATION [25575]	30-015-42313		
105 S 4TH ST	Well:		
ARTESIA , NM 88210	Spunky "BUK" State Com #002H		

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string