District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 184309

APPLICATION FOR PERMIT TO	ODRILL, RE-ENTER,	DEEPEN, PLUGBACK	, OR ADD A ZONE

	APPLICATION FOR PERINIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE						
Operator Name and Address		2. OGRID Number 25575					
	YATES PETROLEUM CORPORATION						
105 S 4TH ST	105 S 4TH ST						
ARTESIA, NM 88210		30-015-42314					
4. Property Code	5. Property Name	6. Well No.					
40494	COLOSSAL BUO STATE	001H					
	7. Surface Location						

1	32	233	210		1000	3	200		Eddy
T.	22	220	275		1850	0	200	_	E 4 4 .
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County

#### 8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
L	32	238	27E	L	1850	S	330	W	Eddy

#### 9. Pool Information

WILDCAT G-02 S2427030;BONE SPRING	Y 11 11 - 4 - 5 - 5	97837

#### Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3230
16. Multiple N	17. Proposed Depth 11818	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 6/1/2014
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

### ☑ We will be using a closed-loop system in lieu of lined pits

#### 21. Proposed Casing and Cement Program

Type	Type Hole Size Casing Size		Hole Size Casing Size		Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	400	415	0		
Int1	12.25	9.625	36	2250	775	0		
Prod	8.75	5.5	17	11818	1730	1750		

#### Casing/Cement Program: Additional Comments

#### 22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer	
Double Ram 3000		3000		
Double Ram	5000	5000		

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify I have complied with 19.15.14.9 (A) NMAC ⋈ and/or 19.15.14.9 (B) NMAC ⋈, if applicable.			OIL CONSERVATION DIVISION			
Signature:						
Printed Name:	Electronically filed by LORI FLO	RES	Approved By:	Randy Dade		
Title:	Land Regulatory Technician		Title:	District Supervisor		
Email Address:	lorif@yatespetroleum.com		Approved Date:	4/16/2014	Expiration Date: 4/16/2016	
Date:	4/8/2014	Phone: 575-748-4448	Conditions of Approval Attached			

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 184309

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-42314	2. Pool Code 97837	3. Pool Name WILDCAT G-02 S2427030;BONE SPRING
4. Property Code 40494	Property Name     COLOSSAL BUO STATE	6. Well No. 001H
7. OGRID No. 25575	8. Operator Name YATES PETROLEUM CORPORATION	9. Elevation 3230

#### 10. Surface Location

- 0	10. Juliuce Evolution										
-[	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
١	1	32	238	27	7E	1850	S	200	E	Eddy	

#### 11. Bottom Hole Location If Different From Surface

F 15		
Feet From	E/W Line	County
330	W	Eddy
	15. Order No.	
	10	15. Order No.

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	C

#### OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: LORI FLORES

Title: Land Regulatory Technician

Date: 4/8/2014

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Jones
Date of Survey: 12/19/2013
Certificate Number: 7977

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

**Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Phone:(505) 334-6178 Fax:(505) 334-6170 Santa Fe, NM 87505

Permit 184309

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

District IV

### **PERMIT COMMENTS**

State of New Mexico

Operator Name and Address:	API Number:	
YATES PETROLEUM CORPORATION [25575]	30-015-42314	
105 S 4TH ST	Well:	
ARTESIA, NM 88210	COLOSSAL BUO STATE #001H	

Created By	Comment	Comment Date
BILLM	Logging: GR NEUTRON 30 DEG DEV TO SURFACE NEUTRON DENSITY 30 DEG DEV TO INTERM CSG LATEROLOG 30 DEG DEV TO INTERM CSG CMR 30 DEG DEV TO INTERM CSG HORIZ-MWD-GR	4/8/2014
BILLM	Mudlogging: ON BELOW SURFACE CSG	4/8/2014
BILLM	PRESSURE CONTROL EQUIPMENT: A 3000 psi system will be nippled up and tested on 13 3/8" and a 5M on 9 5/8" casing.	4/8/2014
BILLM	MAXIMUM ANTICIPATED BHP: DEPTHS ARE TVD: 0'-400' 191 PSI, 400-2250' 1193 PSI, 2250'-7241' 3464 PSI.	4/8/2014
BILLM	H2S is not anticipated.	4/8/2014
BILLM	Well will be drilled vertically to 6763'. Well will then be kicked off at approx. 6763' and directionally drilled at 12 degrees per 100' with a 8 3/4" hole to 7527' MD (7241' TVD). Hole size will then be reduced to 8 1/2" and drilled to 11818' MD (7115' TVD) where 5 1/2" casing will be set and cemented 500' into previous casing string. Penetration point of producing zone will be encountered at 1850' FSL and 691' FEL, 32-23S-27E. Deepest TVD is 7241' in lateral.	4/8/2014
BILLM	We will mail in the form C-102 and the drilling information.	4/8/2014
CSHAPARD	Land s/S	4/9/2014

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-8161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 184309

Form APD Conditions

#### PERMIT CONDITIONS OF APPROVAL

perator Name and Address: API Number:	
YATES PETROLEUM CORPORATION [25575]	30-015-42314
105 S 4TH ST	Well:
ARTESIA , NM 88210	COLOSSAL BUO STATE #001H

OCD	Condition
Reviewer	
CSHAPARD	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the
	fresh water zone or zones and shall immediately set in cement the water protection string