

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-8161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 186461

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address APACHE CORP 303 Veterans Airpark Lane Midland, TX 79705		2. OGRID Number 873
4. Property Code 37346		3. API Number 30-025-41872
5. Property Name WEST BLINEBRY DRINKARD UNIT		6. Well No. 202

7. Surface Location

UL - Lot G	Section 9	Township 21S	Range 37E	Lot Idn	Feet From 2040	N/S Line N	Feet From 1410	E/W Line E	County Lea
---------------	--------------	-----------------	--------------	---------	-------------------	---------------	-------------------	---------------	---------------

8. Proposed Bottom Hole Location

UL - Lot H	Section 9	Township 21S	Range 37E	Lot Idn H	Feet From 1955	N/S Line N	Feet From 1310	E/W Line E	County Lea
---------------	--------------	-----------------	--------------	--------------	-------------------	---------------	-------------------	---------------	---------------

9. Pool Information

EUNICE;BLI-TU-DR, NORTH	22900
-------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type Private	15. Ground Level Elevation 3467
16. Multiple N	17. Proposed Depth 6950	18. Formation Drinkard	19. Contractor	20. Spud Date
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	11	8.625	24	1320	450	0
Prod	7.875	5.5	17	6950	900	0

Casing/Cement Program: Additional Comments

--

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Hydril	3000	2000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒ , if applicable. Signature: _____ Printed Name: Bobby Smith Title: _____ Email Address: bobby.smith@apachecorp.com Date: 5/19/2014	OIL CONSERVATION DIVISION Approved By: Paul Kautz Title: Geologist Approved Date: 5/28/2014 Expiration Date: 5/28/2016 Conditions of Approval Attached
Phone: 432-818-1020	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-	² Pool Code 22900	³ Pool Name Eunica; BLI-TU-DR; North
⁴ Property Code	⁵ Property Name WEST BLINEBRY DRINKARD UNIT	⁶ Well Number #202 D
⁷ OGRID No. 873	⁸ Operator Name APACHE CORPORATION	⁹ Elevation 3466.603

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
7	9	21 S	37 E		2,040	NORTH	1,410	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
8	9	21 S	37 E		1,955	NORTH	1,310	EAST	LEA

¹² Dedicated Acres 40	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------


No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

SECTION 9, TOWNSHIP 21 SOUTH, RANGE 37 EAST P.M.


FOUND 3 INCH IRON PIPE, MARKED "U.S. GENERAL LAND OFFICE" LAT: 32.500425 N LONG: -103.175936 W NAD83 E: 858839.088 (N.A.D. 83) LAT: 32.500547 N LONG: -103.176407 W NAD83 E: 858839.092 (N.A.D. 83)	FOUND 3 INCH IRON PIPE, MARKED "U.S. GENERAL LAND OFFICE" LAT: 32.500407 N LONG: -103.158794 W NAD83 E: 858839.306 NAD83 E: 862120.424 (N.A.D. 83) LAT: 32.500528 N LONG: -103.159269 W NAD83 E: 858839.313 NAD83 E: 862120.433 (N.A.D. 83)	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Michelle Cooper</i> 5-19-14 Signature Date <i>Michelle Cooper</i> Printed Name <i>michelle.cooper@apachecorp.com</i> E-mail Address					
SURFACE LOCATION DD LAT: 32.494805 N DD LONG: -103.163358 W DMS LAT: 32°29'41.300" N DMS LONG: 103°09'48.126" W NAD83 E: 858839.088 NAD83 E: 862120.424 (N.A.D. 83) DD LAT: 32.494828 N DD LONG: -103.163339 W DMS LAT: 32°29'41.734" N DMS LONG: 103°09'48.020" W NAD83 E: 858839.116 NAD83 E: 862120.523 (N.A.D. 83)	BOTTOM HOLE LOCATION DD LAT: 32.495038 N DD LONG: -103.163043 W DMS LAT: 32°29'42.139" N DMS LONG: 103°09'46.958" W NAD83 E: 858839.780 NAD83 E: 862120.575 (N.A.D. 83) DD LAT: 32.495159 N DD LONG: -103.163515 W DMS LAT: 32°29'42.573" N DMS LONG: 103°09'48.653" W NAD83 E: 858840.034 NAD83 E: 862120.601 (N.A.D. 83)						
SURFACE HOLE TO BOTTOM HOLE LOCATION DEVIATION <table border="1"> <tr> <th>LINE</th> <th>BEARING</th> <th>DISTANCE</th> </tr> <tr> <td>L1</td> <td>N 49°04'08" E</td> <td>131.14'</td> </tr> </table>	LINE	BEARING	DISTANCE	L1	N 49°04'08" E	131.14'	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 4-30-2014 Date of Survey <i>Jeffrey E. Hudson</i> Signature and Seal of Professional Surveyor 20559 Certificate Number
LINE	BEARING	DISTANCE					
L1	N 49°04'08" E	131.14'					
FOUND 3 INCH IRON PIPE, MARKED "U.S. GENERAL LAND OFFICE" LAT: 32.485905 N LONG: -103.175930 W NAD83 E: 858839.158 (N.A.D. 83) LAT: 32.486027 N LONG: -103.176401 W NAD83 E: 858839.198 NAD83 E: 858839.309 (N.A.D. 83)	FOUND 5/8 INCH IRON ROD, MARKED "WEST ENGINEERING" LAT: 32.485908 N LONG: -103.158797 W NAD83 E: 858839.371 NAD83 E: 862120.445 (N.A.D. 83) LAT: 32.486010 N LONG: -103.159268 W NAD83 E: 858839.476 NAD83 E: 862120.550 (N.A.D. 83)						



WBDU 202D
2040 FNL, 1410 FEL
SEC 9, T21S R37E
LEA, NM




1 inch = 3,000 feet



Legend

- | | |
|----------------------|-----------------------|
| 1mi Buffer | Permit |
| Apache Well | Gas |
| Bottom Hole Location | Oil |
| BLM | Injection Well |
| Private | Plugged and Abandoned |
| State | Plugged |
| Ownership Boundary | Shut-In Gas |
| Horizontals | Shut-In Oil |
| | Temporarily Abandoned |



NAD 1927 StatePlane
New Mexico East FIPS 3001
Projection: Transverse Mercator
False Easting: 500000.000000
False Northing: 0.000000
Central Meridian: -104.333333
Scale Factor: 0.999909
Latitude Of Origin: 31.000000
Linear Unit: Foot US

GCS North American 1927
Datum: D North American 1927

Drawn By: Nicholas Tallant

Checked by:

Date: 5/6/2014

Sheet
1 of 1

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-8181 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-8178 Fax:(505) 334-8170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Comments

Permit 186481

PERMIT COMMENTS

Operator Name and Address: APACHE CORP [873] 303 Veterans Airpark Lane Midland, TX 79705		API Number: 30-025-41872
		Well: WEST BLINEBRY DRINKARD UNIT #202
Created By	Comment	Comment Date
pkautz	Land p/P	5/20/2014

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-8161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

Form APD Conditions

Permit 186461

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: APACHE CORP [873] 303 Veterans Airpark Lane Midland, TX 79705	API Number: 30-025-41872
	Well: WEST BLINEBRY DRINKARD UNIT #202

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	SURFACE & PRODUCTION CASING - Cement must circulate to surface
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water