<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 201551

	OIL PRODUCERS	B, LLC							2. OGR	D Number 260297		
	8. Pecos nd, TX 79701								3. APIN	30-025-42481		
4. Property Code 3137	07	9	5. Property Name CHISO	14 STATE	8711				6. Well I	No. 002H		
					7. Surf	face Location						
UL - Lot B	Section 14	Township 22	Range 2S	34E	Lot Idn	Feet From 220	N/S Line N	Feet From	2150	E/W Line	County	Lea
					8. Proposed B	ottom Hole Loca	ation					
UL - Lot O	Section 14	Township 22	Range 2S	34E	Lot Idn O	Feet From 330	N/S Line S	Feet From	2150	E/W Line	County	Lea
					9. Poo	Information						
OJO CHISO;B	ONE SPRING				1. 1. 1. 1. 1. 1.	Carried and Advanced and				96553		
					Additional	Well Informatio	n					
11. Work Type New '	Well	12. Well Type	e IIL	13. Cable/Rotary			14. Lesse Type State		15. Ground Level Elevation 3505			
16. Multiple 17. Proposed Dep N 1580			18. For	nation Bone Spring		19. Contractor	20.	20. Spud Date 4/8/2015				
Depth to Ground	water			Distanc	e from nearest fres	h water well	N.C.	Dis	tance to ne	earest surface water		

				Ziii i opooda dadiiig	and comone rogiani		
[Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
	Surf	17.5	13.375	54.5	1750	1435	0
	Int1	12.25	9.625	40	5800	1300	0
ı	Prod	8.75	5.5	17	15740	1950	5000

Casing/Cement Program: Additional Comments

22	Dropocod	Dlowout	Prevention	Drogram

22. Proposed blowout Prevention Program							
Type	Working Pressure	Test Pressure	Manufacturer				
Double Ram	5000	5000					

knowledge and b	I have complied with 19.15.14.9 (A)			OIL CONSERVATIO	ON DIVISION
Printed Name:	Electronically filed by Pam Inskeep)	Approved By:	Paul Kautz	
Title:	Regulatory Administrator		Title:	Geologist	
Email Address:	pinskeep@btaoil.com	20	Approved Date:	3/18/2015	Expiration Date: 3/18/2017
Date:	3/18/2015	Phone: 432-682-3753	Conditions of Appr	roval Attached	

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 DISTRICT II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

Phone: (575) 748-1283 Fax: (575) 748-9720 <u>DISTRICT III</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

□AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name	
	96553	Ojo Chiso;Bone Spr	ing
Property Code 313707	Property N 8711 CHISO		Well Number 2H
OGRID No. 260297	Operator P BTA OIL PROD		Elevation 3505'


Surface Location

1	UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	В	14	22-S	34-E		220	NORTH	2150	EAST	LEA

Bottom Hole Location If Different From Surface

				Dottom	0.0 20000000000000000000000000000000000				
ot No.	Section 14	Township 22-S	Range 34-E	Lot Idn	Feet from the 330	North/South line SOUTH	Feet from the 2150	East/West line EAST	County LEA
ed Acres	Joint or	Infill (Consolidation C	ode C	order No.				
•		14	14 22-S	14 22-S 34-E	n No. Section Township Range Lot Idn 14 22-S 34-E	No. Section Township Range Lot Idn Feet from the 14 22-S 34-E 330	14 22-S 34-E 330 SOUTH	No. Section Township Range Lot Idn Feet from the North/South line Feet from the 22-S 34-E 330 SOUTH 2150	No. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line SOUTH 2150 EAST

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Form APD Comments

Permit 201551

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address: BTA OIL PRODUCERS, LLC [260297]	API Number: 30-025-42481
104 S. Pecos Midland, TX 79701	Well: CHISO 14 STATE 8711 #002H

Created By	Comment	Comment Date
Kayla McConnell	Any potential H2S volume would be minimal concentration. No contingency plan should be required.	3/18/2015

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesie, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Senta Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 201551

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
BTA OIL PRODUCERS, LLC [260297]	30-025-42481
104 S. Pecos	Well:
Midland, TX 79701	CHISO 14 STATE 8711 #002H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERNEMIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water