<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 217578

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, 1. Operator Name and Address OCCIDENTAL PERMIAN LTD PO Box 4294 Houston, TX 77210							1981578	2. OGRID Number 157984 3. API Number				
4. Property Cod		5. Pr	operty Name					6. Well	30-025-43102 No.			
195		J		BBS G/SA UNIT				0. 172.	261			
		-		7 \$1	rface Location							
UL - Lot	Section	Township	Range	Lot Idn				Feet From E/W L		County		
L	4	198	38E	L	196		S	879	E	Lea		
				8 Proposed	Bottom Hole Lo	cation						
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet	rom	E/W Line	County		
Н	5	19S	38E	Н	243	31	N	438	E	Le		
				9. Pc	ol Information							
HOBBS;GRA	YBURG-SAN AND	ORES				ii			31920			
				A 4 4747		- <u>200</u>						
11. Work Type		12. Well Type		Addition 13. Cable/Rotary	al Well Informati	14. Lease Type	T e	5 Ground Le	vel Elevation			
	v Well	OIL		15. Cable Rotally		State			3607			
16. Multiple		17. Proposed De		18. Formation		19. Contractor	19. Contractor 20		20. Spud Date			
N		5200		Grayburg			100000000000000000000000000000000000000		4/1/2016			
Depth to Ground	d water			Distance from nearest	fresh water well		1	Distance to ne	tance to nearest surface water			
Type Surf	Hole Size 12.25	Casing Size	17	21. Proposed Ca Casing Weight/ft 36	Sett	nt Program ing Depth	Sack	Sacks of Cement Estimated TOC 690 0				
Prod	8.75	9.025	-	26		5200		900		0		
1100	0.70							-				
				Casing/Cement Pro	gram: Addition	al Comments						
				ALCO LOS COMOS CONTRACTOR DE LA COMOS CONTRACTOR DEL COMOS CONTRACTOR DE LA COMOS CONTRACTOR DE LA COMOS CONTRACTO								
	T		Working Press	22. Proposed Blo	owout Preventio	n Program Test Pressur			Manuf	acturer		
Type Working Press Annular 3000			3000					Marius	acturer			
						-						
knowledge ar	nd belief. tify I have complie	mation given above			у		OIL CONSE	RVATION	DIVISION			
Printed Name:						r: Paul Ka	utz					
Title:	Manager R	Manager Regulatory				Title: Geologist						
	kelley_mon	kelley_montgomery@oxy.com				Approved Date: 3/2/2016 Expiration Date: 3/2/2018						
Email Address:		3/2/2016 Phone: 713-366-5716			Conditions	Conditions of Approval Attached						

District 1
1625 N. French Dr., Hobbs, NM 883-40
Phone: (575) 393-6161 Fax: (575) 393-0720
District II.
811 S. Frext St., Artexia, NM 88310
Phone: (573) 748-1281 Fax: (575) 748-9720
District III.
1000 Rio Branus Road, Arzec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV.
12213 S. R. Francis Dr., Santa Fa, NM 87503
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505


Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number				Poel Code	- CHICAGO			Pool Name			
Property Code				Property Name				ripididining arbarinas anna ar anna anna anna anna anna ann	The state of the s	R	'ell Number
				SOUTH HOBBS G/SA UNIT						261	
OGRID No.		Operator Name							Elevation		
Augusta				OCCIDENTAL PERMIAN LTD.						3607.4	
				Surf	ace Lo	ocation					
IL or lot no.	Section	Township	Ran	ge	Lot Idn	Feet from the	North/South line	Feet from the	East/We	st line	County
L	4	19 SOUTH	38 EAST,	N. M. P. M.		1964	SOUTH	879'	WES	T	LEA
	warenna and a series of the		Bottom 1	Hole Location	on If I	Different I	rom Surfac	e	horoconoecronimien		
A. or lot no.	Section	Township	Ran	ge	Lot Idn	Feet from the	North/South line	Feet from the	East/West line		County
Н	5	19 SOUTH	38 EAST,	N. M. P. M.	hall thin the same	2431'	NORTH	438'	EAS	T	LEA
Dedicated Acres		Joint or Infill	Consolidation Cod	le Order No.	Sommen	L	<u> </u>				***************************************

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Form APD Comments

Permit 217578

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address: OCCIDENTAL PERMIAN LTD [157984]	API Number: 30-025-43102				
PO Box 4294 Houston, TX 77210	Well: SOUTH HOBBS G/SA UNIT #261				

Created By Comment Comment Date District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 217578

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:				
OCCIDENTAL PERMIAN LTD [157984]	30-025-43102				
PO Box 4294	Well:				
Houston, TX 77210	SOUTH HOBBS G/SA UNIT #261				

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	SURFACE & PRODUCTION CASING - Cement must circulate to surface
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186
pkautz	1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe