<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone;(575) 393-0161 Fax:(675) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone;(575) 748-1283 Fax:(675) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone;(505) 334-6178 Fax:(605) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone;(505) 476-3470 Fax:(605) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 231702

EOG	e and Address RESOURCES IN	IC					2. OGR	D Number 7377	
	Box 2267 and, TX 79702						3. API N	30-025-43602	
I. Property Code 3173		5. Pi	operty Name NERVOSA 24	STATE COM			6. Well I	No. 503H	
	:92			7. Sur	face Location	35.	312	98	20
JL - Lot G	Section 24	Township 21S	Range 33E	Lot Idn G	Feet From 2196	N/S Line N	Feet From 2280	E/W Line	County Lea
				8. Proposed E	Sottom Hole Locati	on			
JL - Lot B	Section 13	Township 21S	Range 33E	Lot Idn B	Feet From 230	N/S Line N	Feet From 1906	E/W Line	County

BERKT, BONE OF KING, NORTH		3333
		- 1 Table 1
	Additional Well Information	

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3761
16. Multiple N	17. Proposed Depth 18501	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 5/1/2017
Depth to Ground water		Distance from nearest fresh water well	ký.	Distance to nearest surface water

#### ■ We will be using a closed-loop system in lieu of lined pits

	21. Proposed Casing and Cement Program							
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC		
Surf	17.5	13.375	40.5	1950	1150	0		
Int1	12.25	9.625	40	4000	1930	0		
Int1	12.25	9.625	40	5200	1930	0		
Prod	8 75	5.5	17	18501	1200	n		

### Casing/Cement Program: Additional Comments

22 1	Dronnead	Blowout	Prevention	Drogram
ZZ.	rioposeu	DIOWOUL	Prevention	Program

Type	Working Pressure	Test Pressure	Manufacturer				
Double Ram	5000	3000					

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify I have complied with 19.15.14.9 (A) NMAC ⋈ and/or 19.15.14.9 (B) NMAC ⋈, if applicable.			OIL CONS	ERVATION DIVISION	
Signature: Printed Name:	Electronically filed by Stan Wagn	er	Approved By:	Paul Kautz	
Title:	Regulatory Analyst		Title:	Geologist	12000 ag 110
Email Address:	s: Stan_Wagner@eogresources.com		Approved Date:	2/13/2017	Expiration Date: 2/13/2019
Date:	2/7/2017	Phone: 432-686-3689	Conditions of App	proval Attached	A CONTRACTOR OF THE CONTRACTOR

# District I

District IV

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Azteo, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 231702

# WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-43602	5535	BERRY;BONE SPRING, NORTH
4. Property Code	5. Property Name	6. Well No.
317387	NERVOSA 24 STATE COM	503H
7. OGRID No.	8. Operator Name	9. Elevation
7377	EOG RESOURCES INC	3761

-									
10. Surface Location									
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
G	24	218	33F	G	2196	N	2280	F	Lea

11. Bottom Hole Location If Different From Surface UL - Lot Section Township Range Lot Idn N/S Line Feet From E/W Line County 33E В 218 230 1906 Е Lea 13 12. Dedicated Acres 240.00 13. Joint or Infill 14. Consolidation Code 15. Order No.

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY

	THE DIVISION
owns a working ini location pursuant t	OPERATOR CERTIFICATION  It the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either terest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling intered by the division.
E-Signed By: Title: Date:	Stan Wagner Regulatory Analyst 2/7/2017
	SURVEYOR CERTIFICATION  It the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and the desired from the best of my belief.
Surveyed By: Date of Survey: Certificate Number	Michael Brown 12/27/2016 18329

Form APD Comments

Permit 231702

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

## PERMIT COMMENTS

Operator Name and Address:	API Number:		
EOG RESOURCES INC [7377]	30-025-43602		
P.O. Box 2267	Well:		
Midland, TX 79702	NERVOSA 24 STATE COM #503H		

Created By	Comment	Comment Date
swagner	EOG Y Resources is an associated company of EOG Resources.	2/7/2017

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe. NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 231702

## PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
EOG RESOURCES INC [7377]	30-025-43602
P.O. Box 2267	Well:
Midland, TX 79702	NERVOSA 24 STATE COM #503H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Operator shall notify appropriate District office when setting conductor pipe.
pkautz	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of spudding a well.
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	If an APD expires and if site construction has occurred, site remediation is required.
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186
pkautz	Must notify OCD Hobbs Office of any water flows in the Salado Formation at 575-370-3186. Report depth and flow rate
pkautz	Must notify OCD Hobbs Office of any water flows in the Castile Formation at 575-370-3186. Report depth and flow rate
pkautz	1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.
pkautz	Submit Gas Capture Plan form prior to spudding or initiating recompletion operations