<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 234302

1. Operati	CIMA	and Address AREX ENERGY								2.	OGRID Number 215099		
		N MARIENFELD AND , TX 79701								3.	API Number 30-025-43736		
4. Propert	3175			5. Property Name COR		OC 1-12 S	TATE			6.	Well No. 001H		
		5.10		5.00			7. Surfa	ace Location	-15		182		
JL - Lot	Α	Section 1	Township 23	Range	32E	Lot Idn	1	Feet From 390	N/S Line	Feet From 590	E/W Line	County	Lea
						8. Propo	sed B	ottom Hole Locatio	n				
JL - Lot		Section	Township	Range		Lot Idn		Feet From	N/S Line	Feet From	E/W Line	County	
	P	12	2	3S	32E		P	330	S	360	D   E		Lea

#### 9. Pool Information

or continuation				
DIAMONDTAIL:BONE SPRING	to National Market Market in	17644		

#### Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3749
16. Multiple N	17. Proposed Depth 19200	18. Formation 1st Bone Spring Sand	19. Contractor	20. Spud Date 7/1/2017
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

#### ☐ We will be using a closed-loop system in lieu of lined pits

#### 21. Proposed Casing and Cement Program

			Ziii i opooda dadiiig	and comone rogium		
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	1300	798	0
Int1	12.25	9.625	40	4970	1221	0
Prod	8.75	5.5	17	19130	2349	4770

#### Casing/Cement Program: Additional Comments

#### 22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer				
Double Ram	2000	2000	Cameron				
Double Ram	3000	3000	Cameron				

knowledge and be	lief. nave complied with 19.15.14.9 (A)	true and complete to the best of my  NMAC ⊠ and/or 19.15.14.9 (B)		OIL CONSERVATIO	N DIVISION
Signature:					
Printed Name:	Electronically filed by Genea A Ho	olloway	Approved By:	Paul Kautz	
Title:	Prod Admin Supervisor		Title:	Geologist	100
Email Address:	gholloway@cimarex.com		Approved Date:	4/7/2017	Expiration Date: 4/7/2019
Date:	4/6/2017	Phone: 918-295-1658	Conditions of Appr	oval Attached	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Azlee, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

## State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-10 Revised August 1, 20 Submit one copy to appropria District Offic

☐ AMENDED REPOR

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

30-025- 270					Diamondtail; Bone Spring					
<sup>4</sup> Property Co	de		l.	CORIA	SProperty Name IANDER AOC 1-12 STATE				6 Well Number 1H	
70GRID 1 215099	NO.			CIMA	**************************************					
			-		<sup>10</sup> Surface	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County	
1	1	23S	32E	3E		390	NORTH_	590	EAST	LEA
		•	n I	3ottom 1	Hole Location	If Different Fro	om Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	Соилту	
P	12	23S	32E		330	SOUTH	360	EAST	LEA	
2 Dedicated Acres	3 13 Joint	or Infill 14	Consolidation	Code 15	Order No.			· -		
319.95	1									

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

	N 89'19'30"	E 2641.11'	N 89'19'55"	E 2641.	72'		
S 00'15'50" W 5267.62'	LOT 4	LOT 3	39 LOT 2		590	SURFACE LOCATION  N: 488151.1 - E: 761124.5  LAT: 32.33999139' N  LONG: 103.62168493' W  LAT: 32'20'23.9690" N  LONG: 103'37'18.0658* W  ≥ BOTTOM HOLE  N: 478313.2 - E: 761420.3  LAT: 32.31294514' N  LONG: 103.62093923' W  LAT: 32'18'46.6025* N  LONG: 103'37'15.3812* W   GEODETIC DATA  NAD 27 GRID - NM EAST  SURFACE LOCATION	17OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either awns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this lacation pursuant to a contract with an awner of such a mineral or working interest or to a coluntary popiling agreement or a compulsory pooling order veretofort entered by the divistory  Amithy Crawford  Printed Name  acrawford@cimarex.com  E-mail Address
7' N 00'23'01" W 2641.14'			2			N: 486091.1 — E: 719941.5  LAT: 32.3396818' N  LONG: 103.62120096' W  LAT: 32'20'23.5255" N  LONG: 103'37'16.3235" W  BOTTOM HOLE  N: 478253.5 — E: 720237.1  LAT: 32.31282175' N  LONG: 103.62045600' W  LAT: 32'18'46.1583" N  LONG: 103'37'13.6416" W	18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.  3-22-2017  Date of Survey  Signature and Seal of Proceedial Survey
N 00'22'58" W 2640.97"		 	w_5294.20'	в.н. 330	360	SURFACE HOLE LOCATION  SURFACE HOLE LOCATION	19680 Certificate Number  No.: LS1703165

Form APD Comments

Permit 234302

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address:	API Number:
CIMAREX ENERGY CO. [215099]	30-025-43736
600 N MARIENFELD STREET MIDLAND , TX 79701	Well: CORIANDER AOC 1-12 STATE #001H

Created By Comment Comment Date District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe. NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 234302

#### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
CIMAREX ENERGY CO. [215099]	30-025-43736
600 N MARIENFELD STREET	Well:
MIDLAND, TX 79701	CORIANDER AOC 1-12 STATE #001H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Pit construction and closure must satisfy all requirements of your approved plan.
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Only Fresh Water and Air are Valid Drilling Fluids for Surface Casing
pkautz	Operator shall notify appropriate District office when setting conductor pipe.
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 20 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	If an APD expires and if site construction has occurred, site remediation is required.
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186
pkautz	Must notify OCD Hobbs Office of any water flows in the Castile Formation at 575-370-3186. Report depth and flow rate
pkautz	Submit Gas Capture Plan form prior to spud