<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 234375

(and Address EXPLORATION	COMPANY LL	.c						2. OGRID	Number 260511		
		Broadway er, CO 80202								3. API Nur	mber 30-025-43751		
Property 0	Code 31766	60		5. Property Name FOR1		STATE COM				6. Well No	001H		
						7. Su	rface Location						
L - Lot	-20	Section	Township	Range	202	Lot Idn	Feet From	N/S Line	Feet From		E/W Line	County	4.75
Е	В	33	2	1S	34E	В	200	N	23	10	E		Lea

	9. Pool information	11 2 2 2
GRAMA RIDGE:BONE SPRING	is Salaterial In All for in	28430

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3712
16. Multiple N	17. Proposed Depth 15500	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 6/1/2017
Depth to Ground water		Distance from nearest fresh water well	259	Distance to nearest surface water

■ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

			Ziii i opecca caciii	and comoner rogium		
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	1750	456	0
Int1	12.25	8.625	32	5000	1156	0
Prod	7.875	5.5	20	15500	2510	4000

Casing/Cement Program: Additional Comments

22 Dronosed Blowout Drevention Drogram

22. Froposed Biowout Frevention Frogram						
Type	Working Pressure	Test Pressure	Manufacturer			
Double Ram	5000	5000				

knowledge and	I have complied with 19.15.14.9 (A			OIL CONSI	ERVATION DIVISION
Printed Name:	Electronically filed by Marissa Wa	alters	Approved By:	Paul Kautz	
Title:	Pertotech	F 60 F1 F	Title:	Geologist	
Email Address:	mwalters@gmtexploration.com	102	Approved Date:	4/18/2017	Expiration Date: 4/18/2019
Date:	4/18/2017	Conditions of Ap	proval Attached	•	

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-025-43751	28430	GRAMA RIDGE;BONE SPRING
4. Property Code	5. Property Name	6. Well No.
317660	FORTIFIER 33 STATE COM	001H
7. OGRID No. 260511	8. Operator Name GMT EXPLORATION COMPANY LLC	9. Elevation 3712


10. Surface Location

	_								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	33	21S	34E	В	200	N	2310	E	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot O	Section 33	Township 21S	Range 34E	Lot Idn O	Feet From 200	N/S Line S	Feet From 2310	E/W Line	County Lea
12. Dedicated Acre 160.00			13. Joint or Infill		14. Consolidation Cod Commun			15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY



Form APD Comments

Permit 234375

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u>:
311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u>:
1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>:
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

PERMIT COMMENTS

Operator Name and Address: GMT EXPLORATION COMPANY LLC [260511]	API Number: 30-025-43751
1560 Broadway Denver, CO 80202	Well: FORTIFIER 33 STATE COM #001H

Created By Comment Comment Date District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe. NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 234375

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
GMT EXPLORATION COMPANY LLC [260511]	30-025-43751
1560 Broadway Denver, CO 80202	Well: FORTIFIER 33 STATE COM #001H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Only Fresh Water and Air are Valid Drilling Fluids for Surface Casing
pkautz	Operator shall notify appropriate District office when setting conductor pipe.
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 20 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	If an APD expires and if site construction has occurred, site remediation is required.
pkautz	Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.
pkautz	Submit Gas Capture Plan form prior to spud