<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Azteo, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-101 August 1, 2011

Permit 234718

		APPLICAT	ION FOR PERMIT	TO DRILL, RE	ENTER, DEEPE	N, PLUGBACI	K, OR ADD A ZO	NE		
	ne and Address 3 RESOURCES II	NC					2. OG	RID Number 7377		
	. Box 2267 land, TX 79702						3. API	Number 30-025-43793		
Property Cod 317	e 655	5.	Property Name NECTARINE 1:	STATE COM			6. Wel	No. 501H		
				7. Sur	face Location					
JL - Lot D	Section 13	Township 21S	Range 33E	Lot Idn D	Feet From 230	N/S Line N	Feet From 330	E/W Line W	County	Lea
				8. Proposed E	Bottom Hole Locatio	on				
JL - Lot E	Section 24	Township 21S	Range 33E	Lot Idn E	Feet From 2411	N/S Line	Feet From 330	E/W Line W	County	Lea
				9. Poo	ol Information					
BERRY:BON	E SPRING, NORT	Ή		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	Value of the American			5535		

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3778
16. Multiple N	17. Proposed Depth 18326	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 5/1/2017
Depth to Ground water		Distance from nearest fresh water well	£.9	Distance to nearest surface water

☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	40.5	1815	1150	0
Int1	12.25	9.625	40	4000	1650	0
Int1	12.25	9.625	40	5800	280	0
Prod	8.75	5.5	17	18326	1200	0

Casing/Cement Program: Additional Comments

DV Tool @ 3800'

22 Proposed Blowout Prevention Program

22. Floposed Blowout Flevention Flogram							
Type	Working Pressure	Test Pressure	Manufacturer				
Double Ram 5000		3000					

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ⋈ and/or 19.15.14.9 (B) NMAC ⋈, if applicable. Signature:				OIL CONSE	ERVATION DIVISION
Printed Name:	Printed Name: Electronically filed by Stan Wagner			Paul Kautz	
Title:	Regulatory Analyst		Title:	Geologist	100
Email Address:	Stan_Wagner@eogresources.com		Approved Date:	5/9/2017	Expiration Date: 5/9/2019
Date:	4/13/2017	Phone: 432-686-3689	Conditions of Ap	proval Attached	

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District III

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District III

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 234718

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-025-43793	2. Pool Code 5535	3. Pool Name BERRY;BONE SPRING, NORTH
4. Property Code 317655	5. Property Name NECTARINE 13 STATE COM	6. Well No. 501H
7. OGRID No. 7377	8. Operator Name EOG RESOURCES INC	9. Elevation 3778

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	13	21S	33E	D	230	N	330	W	Lea

11. Bottom Hole Location If Different From Surface

UL - Lot	Section 24	Township 21S	Range 33E	Lot Idn E	Feet From 2411	N/S Line N	Feet From 330	E/W Line W	County Lea
12. Dedicated Acres 240.00		13. Joint or Infill		14. Consolidation Code			15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY

79 •	THE DIVISION
owns a working inte	OPERATOR CERTIFICATION the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either rest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling ered by the division.
E-Signed By:	Stan Wagner
Title:	Regulatory Analyst
Date:	4/13/2017
	SURVEYOR CERTIFICATION the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that d correct to the best of my belief.
Surveyed By:	Michael Brown
Date of Survey:	3/3/2017
Certificate Number:	18329

Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

Phone:(575) 393-6161 Fax:(575) 393-0720 <u>District II</u> 311 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe. NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico **Energy, Minerals and Natural Resources** Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 234718

PERMIT COMMENTS

Operator Name and Address:	API Number:		
EOG RESOURCES INC [7377]	30-025-43793		
P.O. Box 2267	Well:		
Midland, TX 79702	NECTARINE 13 STATE COM #501H		

Created By	Comment	Comment Date
swagner	EOG Y Resources is an associated company of EOG Resources, Inc.	4/13/2017

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Frencis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 478-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Permit 234718

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
EOG RESOURCES INC [7377]	30-025-43793		
P.O. Box 2267	Well:		
Midland, TX 79702	NECTARINE 13 STATE COM #501H		

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Only Fresh Water and Air are Valid Drilling Fluids for Surface Casing
pkautz	Operator shall notify appropriate District office when setting conductor pipe.
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 20 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	If an APD expires and if site construction has occurred, site remediation is required.
pkautz	Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186
pkautz	1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.
pkautz	Potash Area Three String Casing Program - In accordance with R-111-P all strings shall be cemented to surface. Salt Protection String - If the cement fails to reach the surface or the bottom of the cellar, where required, the top of the cement shall be located by a temperature or other survey and additional cementing shall be done until the cement is brought to the surface.
pkautz	Submit Gas Capture Plan form prior to spud