<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 241923

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD

APPLIC	ATION FOR PERIVIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR A	ADD A ZONE				
Operator Name and Address	Operator Name and Address					
IMPETRO OPERATING, LLC	IMPETRO OPERATING, LLC					
300 E Sonterra Blvd	300 E Sonterra Blvd					
San Antonio, TX 78258	30-025-44112					
4. Property Code	5. Property Name	6. Well No.				
317997	WILDHOG BWX STATE COM	002H				
	7. Surface Location					

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Α	20	26S	36E		250	N	1020	E	Lea

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
Р	20	26S	36E	Р	330	S	990	E	Lea

9. Pool Information

WC-025 G-09 S263619C;WOLFCAMP	98234	ı

Additional Well Information

				**	
11	1. Work Type	12. Well Type	13. Cable/Rotary	14. Lease Type	15. Ground Level Elevation
	New Well	OIL		State	2934
10	6. Multiple	17. Proposed Depth	18. Formation	19. Contractor	20. Spud Date
	N	17400	Wolfcamp		
D	epth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☑ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

			Z I. FTOPOSEU Gasini	and Cement Program		
Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	68	1850	1400	0
Int1	12.25	10.75	45.5	5250	900	0
Int2	9.875	7.625	29.7	12550	950	4750
Prod	6.75	5.5	23	11875	500	11875
Prod	6.75	5	18	17250	500	11875

Casing/Cement Program: Additional Comments

22. Proposed Blowout Prevention Program

	ZZ: 1 Topocoa Biomoat 1 Toto	indon'i rogium	
Туре	Working Pressure	Test Pressure	Manufacturer
Double Ram	3000	3000	
Double Ram	5000	5000	

knowledge and b	have complied with 19.15.14.9 (A) N	true and complete to the best of my IMAC ⊠ and/or 19.15.14.9 (B) NMAC		OIL CONS	ERVATION DIVISION
Signature:					
Printed Name:	Electronically filed by Debbie Che	rry	Approved By:	Paul Kautz	
Title:			Title:	Geologist	
Email Address:	debbiec@starboardresources.co	om	Approved Date:	10/15/2017	Expiration Date: 10/15/2019
Date:	10/13/2017	Phone: 210-999-5400	Conditions of App	proval Attached	<u> </u>

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Frances Dr. Santa Fe. NM 87505 Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code 98230	WC-025 G-09 S263620C; WC	
Property Code 317997		Property Name G BWX STATE COM	Well Number 2H
0GRID No. 307600		Operator Name OPERATING, LLC	Elevation 2934


Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Α	20	26 S	36 E		250	NORTH	1020	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	20	26 S	36 E		330	SOUTH	990	EAST	LEA
Dedicated Acres	Joint o	r Infill Co	nsolidation	Code Or	der No.				
160									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 241923

PERMIT COMMENTS

Operator Name and Address:	API Number:
IMPETRO OPERATING, LLC [307600]	30-025-44112
300 E Sonterra Blvd	Well:
San Antonio, TX 78258	WILDHOG BWX STATE COM #002H

Created By	Comment	Comment Date

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 241923

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
IMPETRO OPERATING, LLC [307600]	30-025-44112
300 E Sonterra Blvd	Well:
San Antonio, TX 78258	WILDHOG BWX STATE COM #002H

OCD Reviewer	Condition
pkautz	The operator shall keep a copy of the approved form C-101 and a copy of these conditions of approval at the well site.
pkautz	Will require a directional survey with the C-104
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Pit construction and closure must satisfy all requirements of your approved plan.
pkautz	If using a pit for drilling and completion operations, must have an approved pit from prior to spudding the well.
pkautz	1) SURFACE & INTERMEDIATE1 CASING - Cement must circulate to surface 2) INTERMEDIATE2 CASING - Cement must tie back into intermediate1 casing 3) PRODUCTION CASING - Cement must tie back into intermediate2 casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	Operator shall notify appropriate District office when setting conductor pipe.
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 20 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	If an APD expires and if site construction has occurred, site remediation is required.
pkautz	Lost Circulation - Must notify OCD Hobbs Office if lost circulation is encountered at 575-370-3186
pkautz	Stage Tool - 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.
pkautz	Gas Capture Plan - Operator to Submit Gas Capture Plan ASAP.