<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 250765

Phone:(505) 470	6-3470 Fax:(505) 47		ATION FOR	PERMI	IT TO DRILI	L, RE-I	ENTER, DEE	PEN, PLU	GBAC	K, OR A	ADD A ZON	NE		
	ADOR PRODUCT					·	•	•		<u>,                                     </u>	2. OGR	ID Number 228937		
	Lincoln Centre as, TX 75240										3. API I	Number 30-025-4467	9	
4. Property Code 5. Property Name 321180 EAGLE					TATE COM				6. Well	6. Well No. 201H				
						7. Surfa	ce Location							
UL - Lot M	Section 2	Township 20S	Range	34E	Lot Idn	M	Feet From 183	N/S Li	ne S	Feet F	rom 252	E/W Line W	County	Lea
					8. Prop	osed B	ottom Hole Loc	ation						
UL - Lot D	Section 2	Township 20S	Range	34E	Lot Idn	D	Feet From 240	N/S Li	ne N	Feet F	rom 331	E/W Line W	County	Lea
WC-025 G-09	S203402O;WOL	FCAMP			Ado		Information Well Informatio	n				98276		
11. Work Type New	Well	12. Well Typ	e SAS		13. Cable/Rotary		14. Lease Type 15 State			Ground Level Elevation 3656				
16. Multiple 17. Proposed Depth N 16100				18. Formation 19. Contractor 20. § Wolfcamp			20. Spud Date 1/1/	1/1/2019						
Depth to Ground	Depth to Ground water				Distance from nearest fresh water well Dista				Distance to nea	ance to nearest surface water				
☑We will be u	sing a closed-loo	op system in lie	eu of lined pits	•	21. Propose	ed Casi	ng and Cement	Program		'				
Туре	Hole Size	Casing	Size	(	Casing Weight/ft			g Depth		Sacl	ks of Cement		Estimated	TOC
Surf	17.5	13.3			54.5			1781			2542		0	
Int1	12.25	9.62		40			5600			1706		0		
Int2	8.75	7.62			29.7			10425			1208		4600	
Int2	8.75	7			29			11225			1208		4600	
Prod	6.125	5.5			20			325	_		436		10225	
Prod	6.125	4.5	5		13.5		16	040			436		10225	5

### Casing/Cement Program: Additional Comments

22 Propose	Blowout Prevention Program	n
22. FTUDUSE	DIOWOUL FIEVEIILION FIOGRAM	

Туре	Working Pressure	Test Pressure	Manufacturer
Annular	5000	3000	Cameron
Double Ram	10000	5000	Cameron
Pipe	10000	5000	Cameron

knowledge and b	pelief. have complied with 19.15.14.9 (A)	true and complete to the best of my NMAC ⊠ and/or 19.15.14.9 (B) NMAC		OIL CONSI	ERVATION DIVISION
Signature:					
Printed Name:	Name: Electronically filed by Ava Monroe			Paul F Kautz	
Title:	Engineering Tech	Title:	Geologist		
Email Address:	nail Address: amonroe@matadorresources.com			4/13/2018	Expiration Date: 4/13/2020
Date:	4/10/2018	Conditions of App	proval Attached		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

Dedicated Acres

160

<sup>3</sup>Joint or Infill

Consolidation Code

# State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505


FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AMENDED REPORT

		W	ELL LO	OCATIO	N AND ACR	EAGE DEDIC	ATION PLA	T				
	r		<sup>2</sup> Pool Code <sup>3</sup> Pool Name 59500 TONTO;WOLFCAMP									
<sup>4</sup> Property (			SProperty Name EAGLE 2 STATE COM						<sup>6</sup> Well Number #201H			
<sup>7</sup> OGRID №. 228937				*Operator Name MATADOR PRODUCTION COMPANY						<sup>9</sup> Elevation 3656'		
					<sup>10</sup> Surface L	ocation		•				
UL or lot no.	Section	tion Township Range Lot Idn Feet from the North/South line Feet from the East/West line					County					
M	2	20-S	S 34-E - 183' SOUTH 252' WEST				LEA					
			11	Bottom Ho	le Location If I	Different From Sui	face					
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/	East/West line Cour			
4	2	20-S	34-E	_	240'	NORTH	331'	WES'	WEST LEA			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

Order No.



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 250765

### PERMIT COMMENTS

Operator Name and Address:	API Number:			
MATADOR PRODUCTION COMPANY [228937]	30-025-44679			
One Lincoln Centre	Well:			
Dallas, TX 75240	EAGLE 2 STATE COM #201H			

Created By Comment Comment Date

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 250765

### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:
MATADOR PRODUCTION COMPANY [228937]	30-025-44679
One Lincoln Centre	Well:
Dallas, TX 75240	EAGLE 2 STATE COM #201H

OCD Reviewer	Condition
pkautz	Will require a directional survey with the C-104
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	Stage Tool - 1) Must notify OCD Hobbs Office prior to running Stage Tool at 575-370-3186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.