

September 21, 2018

Bob Allen

Safety & Environmental Solutions

703 East Clinton

Hobbs, NM 88240

RE: TED WILLIAMS SWD #1

Enclosed are the results of analyses for samples received by the laboratory on 09/11/18 16:43.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab-accred-certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Total Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2 Regulated VOCs and Total Trihalomethanes (TTHM)

Method EPA 552.2 Total Haloacetic Acids (HAA-5)

Celey D. Keene

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



Safety & Environmental Solutions

703 East Clinton

Project: TED WILLIAMS SWD #1

Reported:

Hobbs NM, 88240

Project Number: CAM - 18-001

21-Sep-18 08:43

Project Manager: Bob Allen

Fax To: (575) 393-4388

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
LOWER ZONE # 1 SWAB	H802574-01	Water	10-Sep-18 08:50	11-Sep-18 16:43
LOWER ZONE # 2 SWAB	H802574-02	Water	10-Sep-18 09:05	11-Sep-18 16:43
LOWER ZONE # 3 SWAB	H802574-03	Water	10-Sep-18 09:25	11-Sep-18 16:43
LOWER ZONE # 4 SWAB	H802574-04	Water	10-Sep-18 09:40	11-Sep-18 16:43
UPPER ZONE # 1 SWAB	H802574-05	Water	10-Sep-18 12:15	11-Sep-18 16:43
UPPER ZONE # 2 SWAB	H802574-06	Water	10-Sep-18 12:29	11-Sep-18 16:43
UPPER ZONE #3 SWAB	H802574-07	Water	10-Sep-18 12:42	11-Sep-18 16:43
UPPER ZONE # 4 SWAB	H802574-08	Water	10-Sep-18 12:55	11-Sep-18 16:43

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ariany other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidianes, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions are claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kune

Celey D. Keene, Lab Director/Quality Manager



Safety & Environmental Solutions

703 East Clinton

Hobbs NM, 88240

Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001

Project Manager: Bob Allen Fax To: (575) 393-4388 Reported:

21-Sep-18 08:43

LOWER ZONE #1 SWAB H802574-01 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	l Labora	tories					
Inorganic Compounds										
Chloride*	5300		4.00	mg/L	1	8090703	AC	14-Sep-18	4500-CI-B	
TDS*	9400		5.00	mg/L	1	8090710	AC	13-Sep-18	160.1	
Volatile Organic Compound	ls by EPA Method	8021								
Benzene*	0.067		0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Toluene*	0.010		0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Ethylbenzene*	0.001		0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Total Xylenes*	0.005		0.003	mg/L	1	8091213	MS	13-Sep-18	8021B	
Total BTEX	0.083		0.006	mg/L	1	8091213	MS	13-Sep-18	8021B	
Surrogate: 4-Bromofluorobenzene (P.	ID)		95.4 %	81.3	-128	8091213	MS	13-Sep-18	8021B	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence arising other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether suclaim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Keine

Celey D. Keene, Lab Director/Quality Manager



Safety & Environmental Solutions

703 East Clinton Hobbs NM, 88240 Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001 Project Manager: Bob Allen

Fax To: (575) 393-4388

Reported:

21-Sep-18 08:43

LOWER ZONE #2 SWAB

H802574-02 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	ıl Laborat	tories					
Inorganic Compounds										
Chloride*	13300		4.00	mg/L	1	8090703	AC	14-Sep-18	4500-Cl-B	
TDS*	19800		5.00	mg/L	1	8090710	AC	13-Sep-18	160.1	
Volatile Organic Compounds b	y EPA Method	8021								
Benzene*	0.013		0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Toluene*	0.003		100.0	mg/L	1	8091213	MS	13-Sep-18	8021B	
Ethylbenzene*	< 0.001		0.001	mg/L	l	8091213	MS	13-Sep-18	8021B	
Total Xylenes*	< 0.003		0.003	mg/L	1	8091213	MS	13-Sep-18	8021B	
Total BTEX	0.016		0.006	mg/L	1	8091213	MS	13-Sep-18	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			94.3 %	81.3	-128	8091213	MS	13-Sep-18	8021B	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ariany other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions are claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Clay & Kuna-



Safety & Environmental Solutions

703 East Clinton Hobbs NM, 88240 Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001 Project Manager: Bob Allen

Fax To: (575) 393-4388

Reported:

21-Sep-18 08:43

LOWER ZONE #3 SWAB

H802574-03 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	l Labora	tories					
Inorganic Compounds										
Chloride*	8800		4.00	mg/L	1	8090703	AC	14-Sep-18	4500-CI-B	····
TDS*	14200		5.00	mg/L	I	8090710	AC	13-Sep-18	160.1	
Volatile Organic Compound	s by EPA Method	8021								
Benzene*	0.045	1 100100	0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Toluene*	0.007		0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Ethylbenzene*	< 0.001		0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Total Xylenes*	< 0.003		0.003	mg/L	l	8091213	MS	13-Sep-18	8021B	
Total BTEX	0.052		0.006	mg/L	1	8091213	MS	13-Sep-18	8021B	
Surrogate: 4-Bromofluorobenzene (P.	ID)	-	93.1 %	81.3	-128	8091213	MS	13-Sep-18	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence are any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether succlaim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keine



Safety & Environmental Solutions

703 East Clinton Hobbs NM, 88240 Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001

Project Manager: Bob Allen Fax To: (575) 393-4388 Reported:

21-Sep-18 08:43

LOWER ZONE #4 SWAB H802574-04 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	l Laborat	tories				-	
Inorganic Compounds										
Chloride*	23700		4.00	mg/L	1	8090703	AC	14-Sep-18	4500-CI-B	
TDS*	40100		5.00	mg/L	1	8090710	AC	13-Sep-18	160.1	
Volatile Organic Compound	s by EPA Method	8021								
Benzene*	2.78		0.050	mg/L	50	8091213	MS	13-Sep-18	8021B	
Toluene*	0.223		0.050	mg/L	50	8091213	MS	13-Sep-18	8021B	
Ethylbenzene*	< 0.050		0.050	mg/L	50	8091213	MS	13-Sep-18	8021B	
Total Xylenes*	< 0.150		0.150	mg/L	50	8091213	MS	13-Sep-18	8021B	
Total BTEX	3.00		0.300	mg/L	50	8091213	MS	13-Sep-18	8021B	
Surrogate: 4-Bromofluorobenzene (Pl	D)		96.2 %	81.3	-128	8091213	MS	13-Sep-18	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence at any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for includental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal arising the services hereunder by Cardinal

Celey & Keine



Safety & Environmental Solutions

703 East Clinton Hobbs NM, 88240 Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001

Project Manager: Bob Allen Fax To: (575) 393-4388 Reported:

21-Sep-18 08:43

UPPER ZONE #1 SWAB

H802574-05 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	l Labora	tories					
Inorganic Compounds										
Chloride*	48500		4.00	mg/L	1	8090703	AC	14-Sep-18	4500-CI-B	
TDS*	80100		5.00	mg/L	i	8090710	AC	13-Sep-18	160.1	
Volatile Organic Compound	ls by EPA Method	8021								
Benzene*	0.380		0.010	mg/L	10	8091213	MS	13-Sep-18	8021B	
Toluene*	0.045		0.010	mg/L	10	8091213	MS	13-Sep-18	8021B	
Ethylbenzene*	< 0.010		0.010	mg/L	10	8091213	MS	13-Sep-18	8021B	
Total Xylenes*	< 0.030		0.030	mg/L	10	8091213	MS	13-Sep-18	8021B	
Total BTEX	0.425		0.060	mg/L	10	8091213	MS	13-Sep-18	8021B	
Surrogate: 4-Bromofluorobenzene (P	(DIP)		98.7 %	81.3	-128	8091213	MS	13-Sep-18	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence arising out of profits incurred by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



Safety & Environmental Solutions

Project: TED WILLIAMS SWD #1

Reported:

703 East Clinton Hobbs NM, 88240 Project Number: CAM - 18-001

21-Sep-18 08:43

Project Manager: Bob Allen

Fax To: (575) 393-4388

UPPER ZONE #2 SWAB H802574-06 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	ıl Labora	tories					
Inorganic Compounds										
Chloride*	49500		4.00	mg/L	1	8090703	AC	14-Sep-18	4500-C1-B	
TDS*	81500		5.00	mg/L	1	8090710	AC	13-Sep-18	160.1	
Volatile Organic Compour	ds by EPA Method	8021								
Benzene*	0.085		0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Toluene*	0.014		0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Ethylbenzene*	< 0.001		0.001	mg/L	1	8091213	MS	13-Sep-18	8021B	
Total Xylenes*	0.004		0.003	mg/L	1	8091213	MS	13-Sep-18	8021B	
Total BTEX	0.103		0.006	mg/L	1	8091213	MS	13-Sep-18	8021B	
Surrogate: 4-Bromofluorobenzene	(PID)		86.3 %	81.3	-128	8091213	MS	13 - Sep-18	8021B	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, writing the incidental or consequential damage including the incidental or consequential damage incidental damage incidental or consequential damage incidental damage inciden

Celing & Keine



Safety & Environmental Solutions

703 East Clinton Hobbs NM, 88240 Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001

Project Manager: Bob Allen Fax To: (575) 393-4388 Reported:

21-Sep-18 08:43

UPPER ZONE #3 SWAB

H802574-07 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	ıl Labora	tories					
Inorganic Compounds		_								
Chloride*	21200		4.00	mg/L	1	8090703	AC	14-Sep-18	4500-CI-B	
TDS*	40400		5.00	mg/L	1	8090710	AC	13-Sep-18	160.1	
Volatile Organic Compound	ds by EPA Method	8021								
Benzene*	4.33		0.050	mg/L	50	8091213	MS	13-Sep-18	8021B	
Toluene*	0.551		0.050	mg/L	50	8091213	MS	13-Sep-18	8021B	
Ethylbenzene*	< 0.050		0.050	mg/L	50	8091213	MS	13-Sep-18	8021B	
Total Xylenes*	0.289		0.150	mg/L	50	8091213	MS	13-Sep-18	8021B	
Total BTEX	5.17		0.300	mg/L	50	8091213	MS	13-Sep-18	8021B	
Surrogate: 4-Bromofluorobenzene (F	PID)		95.1 %	81.3	-128	8091213	MS	13-Sep-18	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of it use, or loss of profits incurred by client, its displayment of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in this with written approval of Cardinal Laboratories.

Celey & Kenne



Safety & Environmental Solutions

703 East Clinton Hobbs NM, 88240 Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001

Project Manager: Bob Allen

Fax To: (575) 393-4388

Reported:

21-Sep-18 08:43

UPPER ZONE #4 SWAB

H802574-08 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	ıl Labora	tories					
Inorganic Compounds										
Chloride*	9800		4.00	mg/L	1	8090703	AC	14-Sep-18	4500-CI-B	
TDS*	16400		5.00	mg/L	1	8091202	AC	13-Sep-18	160.1	
Volatile Organic Compoun	ds by EPA Method	8021								
Benzene*	6.20		0.100	mg/L	100	8091213	MS	13-Sep-18	8021B	
Toluene*	0.664		0.100	mg/L	100	8091213	MS	13-Sep-18	8021B	
Ethylbenzene*	< 0.100		0.100	mg/L	100	8091213	MS	13-Sep-18	8021B	
Total Xylenes*	< 0.300		0.300	mg/L	100	8091213	MS	13-Sep-18	8021B	
Total BTEX	6,86		0.600	mg/L	100	8091213	MS	13-Sep-18	8021B	
Surrogate: 4-Bromofluorobenzene (1	PID)		94.7 %	81.3	-128	8091213	MS	13-Sep-18	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence arising out of or related to the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance or the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance or the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance or the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance or the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal and the performance of the services hereunder by Cardinal and the performance of the services hereunder by Cardinal and the performance of the services hereunder by Cardinal and the performance of the services hereunder by Cardinal and the performance of the servic

Celeg & Keene



Safety & Environmental Solutions

703 East Clinton Hobbs NM, 88240 Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001 Project Manager: Bob Allen

Reported: 21-Sep-18 08:43

Fax To: (575) 393-4388

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8090703 - General Prep - Wet Chem										
Blank (8090703-BLK1)				Prepared &	Analyzed:	07-Sep-18		<u> </u>		
Chloride	ND	4.00	mg/L				-			
LCS (8090703-BS1)				Prepared &	Analyzed:	07-Sep-18				
Chloride	88.0	4.00	mg/L	100		88.0	80-120			
LCS Dup (8090703-BSD1)				Prepared &	Analyzed:	07-Sep-18				
Chloride	100	4.00	mg/L	100		100	80-120	12.8	20	
Batch 8090710 - Filtration										
Blank (8090710-BLK1)				Prepared: 1	0-Sep-18 A	nalyzed: 1	3-Sep-18			
TDS	ND	5.00	mg/L							
LCS (8090710-BS1)				Prepared: 1	9-Sep-18 A	nalyzed: 1	1-Sep-18			
TDS	518		mg/L	527		98.3	80-120			
Duplicate (8090710-DUP1)	Sourc	e: H802518-0	01	Prepared: 10	0-Sep-18 Aı	nalyzed: 11	1-Sep-18			
TDS	3270	5.00	mg/L		3380	<u></u> .		3.43	20	
Batch 8091202 - Filtration										
Blank (8091202-BLK1)				Prepared: 12	2-Sep-18 Ar	nalyzed: 13	3-Sep-18			
TDS	ND	5.00	mg/L	•		<u>*</u>				
LCS (8091202-BS1)				Prepared: 12	?-Sep-18 Ar	nalyzed: 13	3-Sep-18			
TDS	490		mg/L	527	<u> </u>	93.0	80-120		-	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence arising other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kune



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Safety & Environmental Solutions

703 East Clinton Hobbs NM, 88240 Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001

Project Manager: Bob Allen Fax To: (575) 393-4388 Reported:

21-Sep-18 08:43

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 8091202 - Filtration										
Duplicate (8091202-DUP1)	Sou	rce: H802574-	08	Prepared: 1	2-Sep-18 A	nalyzed: 1	3-Sep-18			
TDS	17000	5.00	mg/L		16400			3.47	20	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence arising other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subdidines, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether suclaim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratones.

Celeg & Keene-



Safety & Environmental Solutions

703 East Clinton Hobbs NM, 88240 Project: TED WILLIAMS SWD #1

Project Number: CAM - 18-001

Project Manager: Bob Allen Fax To: (575) 393-4388 Reported:

21-Sep-18 08:43

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 8091213 - Volatiles										
Blank (8091213-BLK1)				Prepared: 1	2-Sep-18 A	nalyzed: 1	3-Sep-18			
Benzene	ND	0.001	mg/L							
Toluene	ND	0.001	mg/L							
Ethylbenzene	ND	0.001	mg/L							
Total Xylenes	ND	0.003	mg/L							
Total BTEX	ND	0.006	mg/L							
Surrogate: 4-Bromofluorobenzene (PID)	0.0975		mg/L	0.100		97.5	81.3-128			
LCS (8091213-BS1)				Prepared: 1	2-Sep-18 A	nalyzed: 1	3-Sep-18			
Benzene	0.019	0.001	mg/L	0.0200		96.6	86.6-118			
Toluene	0.019	0.001	mg/L	0.0200		93.2	84.5-122			
Ethylbenzene	0.019	0.001	mg/L	0.0200		95.1	83.9-122			
Total Xylenes	0.056	0.003	mg/L	0.0600		94.1	81.8-124			
Surrogate: 4-Bromofluorobenzene (PID)	0.100		mg/L	0.100		100	81.3-128			
LCS Dup (8091213-BSD1)				Prepared: 1:	2-Sep-18 A	nalyzed: 1.	3-Sep-18			
Benzene	0.019	0.001	mg/L	0.0200		94.6	86.6-118	2.02	7.71	
Toluene	0.018	0.001	mg/L	0.0200		89.3	84.5-122	4.30	8.86	
Ethylbenzene	0.018	0.001	mg/L	0.0200		91.1	83.9-122	4.22	11.8	
Total Xylenes	0.054	0.003	mg/L	0.0600		90.4	81.8-124	3.95	11.9	
Surrogate: 4-Bromofluorohenzene (PID)	0.0966		mg/L	0.100		96.6	81.3-128			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence arising out of or related to the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successions arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successors arising out of or related to the performance of the services hereunder by Cardinal Laboratories.

Celey & Kuns



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of it on each claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal laborationes.

Celey & Keens



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

טמופין מווט בוועווטוווופוומו סטומיוטווא		ANALYSIS REQUEST
Project Manager: Bob Allen	P.O. #:	
Address: 703 East Clinton, PO Box 1613	Company: Same	
City: Hobbs State: NM Zip: 88240	Attn:	
Phone #: 575 397-0510 Fax #: 575 393-4388	Address:	
Project #: Com 18-00/ Project Owner 2911 67/07	City:	
Project Name: TED WILLIAMS SUDD#	State: Zip:	
	Phone #:	
Sampler Name: DAUID ROYER	Fax#:	
FOR LAB USE ONLY MATRIX	PRESERV SAMPLING	
CONTAINERS ROUNDWATER VASTEWATER OIL LUDGE	THER : SW A CID/BASE: 1E/COOL THER: 188 188 188 188 188 188 188 188 188 18	
SWAN C-4	Z X X	
2 = KN	1 1500	
	0925	
4 DARD ZONE 44	094-2	
S MORSO FONC # 1	12/5	
6 "i ii 82	111111111111111111111111111111111111111	
7 7 87 11	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
1 12 12 - x - 2 10 10 10 10 10 10 10 10 10 10 10 10 10	XXX 109/12/12/55 X X	
81	, , ,	
DICER NOTE I INTERNATIONAL CONTRACTOR SANDA SAND		
anityses. All deline through one year was not you to the section of the specified and any other cause without per anity with and anity and retrieved by Cartiful within 30 days eight completed on the specified o	ton, snaw be emaled to the amount paid by the client for the applicable	

Relinquished By:

service, in no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, it subsidiaries

Date:

Sampler - UPS - Bus - Other:

0.30

#97

Sample Condition
Cool Intact
Pres Pres

4

CHECKED BY: (Initials) Time:

Delivered By: (Circle One)

Goetze, Phillip, EMNRD

From:

Goetze, Phillip, EMNRD

Sent:

Tuesday, September 25, 2018 10:07 AM

To:

'Andy Rickard'

Cc:

Bower, George, EMNRD; Brown, Maxey G, EMNRD; McMillan, Michael, EMNRD

Subject:

RE: Sampling Results, Ted Williams SWD #1 Administrative Order SWD 1739

Mr. Rickard:

Thank you for providing the results of the sampling requested in Administrative Order SWD-1739. The results confirm that this location of the San Andres and Glorieta formations is not protectable as defined under 19.15.2(F)(3) NMAC. Though the initial sample from the lower zone showed a TDS of less than 10,000 mg/L, the overall assessment of the four samples support a general water quality in excess of 10,000 mg/L. Results of the SWD-846 Method 8021B also indicate a low HC potential. The order remains unchanged and this COA is complete. Copies of the results will be placed in the well record and Imaging file for the SWD order. Additionally, thank Mr. Boyer for providing a description of the sampling procedure as well as the good protocol of obtaining multiple samples. PRG

Phillip Goetze, PG

Engineering Bureau, Oil Conservation Division, NM EMNRD 1220 South St. Francis Drive, Santa Fe, NM 87505

Direct: 505.476.3466

E-mail: phillip.goetze@state.nm.us

From: Andy Rickard <arickard@cambrianmgmt.com>

Sent: Monday, September 24, 2018 3:40 PM

To: Goetze, Phillip, EMNRD < Phillip.Goetze@state.nm.us>

Subject: FW: Sampling Results, Ted Williams SWD #1 Administrative Order SWD 1739

M Goetze

Per the COA for Ted Williams SWD owned by Goodnight Midstream. The Term "upper zone" refers to a perf set from 5720-5740 (between 5200-5800)

"Lower zone" refers to a perf set 5945-5965 which is between 5900-6500 as dictated by Administrative Order SWD 1739

Andrew E Rickard Project Manager



415 West Wall St., Suite 900 Midland, TX 79701

Off: 432-620-9181 Cell: 432-553-2828

From: Art Linthicum <art.wellsite@yahoo.com>
Sent: Saturday, September 22, 2018 11:14 AM
To: Andy Rickard <arickard@cambrianmgmt.com>
Subject: Fwd: Sampling Results, Ted Williams SWD #1

Sent from my iPhone

Begin forwarded message:

From: David Boyer <dgboyer@sesi-nm.com>
Date: September 21, 2018 at 2:44:27 PM CDT
To: Art Lithicum <art.wellsite@yahoo.com>
Cc: Bob Allen

ballen@sesi-nm.com>

Subject: Sampling Results, Ted Williams SWD #1

Attached are the results of the sampling and photographs taken during sampling. I'm providing information on sampling conditions below.

Water sampling was conducted onsite at the location of Ted Williams SWD #1 on the morning and early afternoon of September 10, 2018. Samples were collected under my direction and witnessed by me. I passed sample bottles to a worker on the pulling rig and he filled the bottles in view of me. A total of eight samples were collected for analysis. A sample was collected for each of four swabs performed on the upper and lower perforated zones. The terms upper and lower zones were descriptions provided to me for sample identification and I have no first-hand knowledge of the geologic formations or depths of the zones. The zones were isolated using packers which were moved between sampling of the two zones.

A small sample volume was removed from each bottle and placed in 40-ml vials for BTEX hydrocarbon testing. The remainder were tested for Total Dissolved Solids (TDS) and chlorides. All samples were placed on ice and submitted together with a properly completed Chain of Custody to Cardinal Laboratories in Hobbs on September 11, 2018.

TDS concentrations of the lower zone averaged 20,875 mg/L. Lower zone TDS concentrations ranged from 9,400 to 40,100 mg/L.

TDS concentrations of the upper zone averaged 54,600 mg/L. Upper zone TDS concentrations ranged from 16,400 to 81,500 mg/L.

If you have any questions concerning the sampling or results, my contact information is shown below.

Thank you for contacting SESI to provide this service.

David G. Boyer, P.G.
Hydrogeologist
Safety and Environmental Solutions, Inc.
703 East Clinton St.
P.O. Box 1613
Hobbs, New Mexico 88241
(575) 397-0510 (office)
(575) 393-4388 (fax)
(575) 390-7067 (cell)
dgboyer@sesi-nm.com