

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-101
August 1, 2011
Permit 263074

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address OXY USA WTP LIMITED PARTNERSHIP P.O. Box 4294 Houston, TX 77210-4294		2. OGRID Number 192463
4. Property Code 317700		3. API Number 30-015-45681
5. Property Name TURKEY TRACK 8 7 STATE		6. Well No. 201H

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	9	19S	29E		1114	N	475	W	Eddy

8. Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	7	19S	29E	D	380	N	20	W	Eddy

9. Pool Information

TURKEY TRACK;BONE SPRING	60660
--------------------------	-------

Additional Well Information

11. Work Type New Well	12. Well Type OIL	13. Cable/Rotary	14. Lease Type State	15. Ground Level Elevation 3396
16. Multiple N	17. Proposed Depth 18539	18. Formation 2nd Bone Spring Sand	19. Contractor	20. Spud Date 5/1/2019
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

☒ We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	54.5	270	293	0
Int1	12.25	9.625	36	3117	850	0
Prod	8.5	5.5	20	18539	3067	0

Casing/Cement Program: Additional Comments

Proposed Mud Program: 0-400' Water Based Mud, 400'-3117' Saturated Brine-Based Mud, 3117'-TD Saturated Brine-Based Mud or Oil-Based Mud. BOP Program: 13-5/8" 5M three ram stack with 5M annular preventer, 5M choke manifold. Additional information will be sent along with the H2S and Gas Capture Plan.

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	5000	5000	
Double Ram	5000	5000	

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒ if applicable. Signature:	OIL CONSERVATION DIVISION	
Printed Name: Electronically filed by KELLEY MONTGOMERY	Approved By: Raymond Podany	
Title: Manager Regulatory	Title: Geologist	
Email Address: kelley_montgomery@oxy.com	Approved Date: 2/5/2019	Expiration Date: 2/5/2021
Date: 1/31/2019	Phone: 713-366-5716	Conditions of Approval Attached

District I
 1221 N. French Dr., Hobbs, NM 88240
 Phone: (505) 398-6151 Fax: (505) 398-0757
 District II
 311 E. First St., Artesia, NM 88210
 Phone: (505) 744-1283 Fax: (505) 748-0122
 District III
 1500 Ben Hur Road, Amar, NM 88401
 Phone: (505) 324-5175 Fax: (505) 324-5170
 District IV
 1228 N. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 426-3467 Fax: (505) 426-8462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-102
 Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-	Pool Code 60 660	Pool Name TURKEY TRACK; BONE SPRING
Property Code	Property Name TURKEY TRACK "B_7" STATE	Well Number 201H
OGRID No. 192463	Operator Name OXY USA WTP. LP	Elevation 3396.3'

Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from line	North/South line	Feet from line	East/West line	County
D	9	19 SOUTH	29 EAST, N.M.P.M.		1114'	NORTH	4'5"	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from line	North/South line	Feet from line	East/West line	County
1	7	19 SOUTH	29 EAST, N.M.P.M.		380'	NORTH	20"	WEST	EDDY

Dedicated Acres	Join or In/By	Consolidation Code	Order No.
320			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and
 complete to the best of my knowledge and belief, and that the
 organization either owns a working interest or retained mineral
 interest in the land including the proposed bottom hole location or
 has a right to drill this well at the location pursuant to a contract
 with an owner of such a mineral or working interest, or to a
 voluntary pooling agreement or a compulsory pooling order

Authorized on behalf of the Operator

Leslie Reeves 1/30/19
 Signature

Printed Name
LESLIE REEVES

Email address
LESLIE_REEVES@oxy.com

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this
 plat was plotted from the best of current surveys
 made by me or under my supervision, and that the
 same is true and correct to the best of my belief

Date of Survey
NOVEMBER 27 2018

Signature and Seal of
 Professional Surveyor

Terry J. Abel 12/26/2018
 Certificate Number 15079

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division

1220 S. St Francis Dr.

Santa Fe, NM 87505

Form APD Comments

Permit 263074

PERMIT COMMENTS

Operator Name and Address: OXY USA WTP LIMITED PARTNERSHIP [192463] P.O. Box 4294 Houston, TX 77210-4294		API Number: 30-015-45681
		Well: TURKEY TRACK 8 7 STATE #201H

Created By	Comment	Comment Date
lesliereeves	First Take Point/Top Perforate Interval: 379' FNL 100' FEL NWNW 8-T19S-R29E EDDY - Lat. 32.681577 Long. -104.0886838 (NAD83). Last Take Point/Bottom Perforated Interval: 380' FNL 100' FWL NWNW 7-T19S-R29E EDDY - Lat. 32.6817540 Long. -104.1216419 (NAD83). A closed loop system will be utilized consisting of above ground steel tanks and haul-off bins. Disposal of liquids, drilling fluids and cuttings will be disposed of at an approved facility.	1/31/2019

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form APD Conditions

Permit 263074

PERMIT CONDITIONS OF APPROVAL

Operator Name and Address: OXY USA WTP LIMITED PARTNERSHIP [192463] P.O. Box 4294 Houston, TX 77210-4294		API Number: 30-015-45681
		Well: TURKEY TRACK 8 7 STATE #201H
OCD Reviewer	Condition	
rpodany	Will require a directional survey with the C-104	
rpodany	Cement is required to circulate on both surface and intermediate1 strings of casing	