Form C-103 District I State of New Mexico August 1, 2011 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **Energy, Minerals and Natural Resources** Permit 265135 District II WELL APINIMBER 811 S. First St., Artesia, NM 88210 Oil Conservation Division 30-015-45681 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 5. Indicate Type of Lease 1220 S. St Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 S Phone:(505) 334-6178 Fax:(505) 334-6170 6 State Oil & Gas Lease No. District IV **Santa Fe, NM 87505** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS TURKEY TRACK 8 7 STATE (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 201H 2. Name of Operator 9. OGRID Number OXY USA WTP LIMITED PARTNERSHIP 192463 3. Address of Operator 10. Pool name or Wildcat P.O. Box 4294, Houston, TX 77210-4294 4. Well Location Unit Letter $\begin{tabular}{lll} D & : & \underline{1114} & \end{tabular} \end{tabular}$ feet from the $\begin{tabular}{lll} N \end{tabular}$ line and feet 475 from the W 29E NMPM County Eddy Section 9 Township 19S Range 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3396 GR Pit or Below-grade Tank Application or Closure _ Distance from nearest surface water_ ___ Depth to Groundwater____ Distance from nearest fresh water well__ Pit Type ___ bbls; Construction Material_ Pit Liner Thickness: mil Below-Grade Tank: Volume 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ ALTER CASING REMEDIAL WORK TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL X Other: Other: Spud 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 3/16/2019 Spudded well. Spud 17-1/2" hole 3/16/19, drill to 283'. RIH & set 13-3/8" 54.5# J-55 csg @ 273', pump 20bbls FWS then cmt with 370sx (90 bbls) class C cmt with additives 14.8ppg 1.35 yld, no returns or cmt to surface, WOC. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \square , a general permit \square or an (attached) alternative OCD-approved plan \square

Manager Regulatory

Geologist

kelley_montgomery@oxy.com Telephone No.

DATE

DATE

3/18/2019

3/20/2019

713-366-5716

SIGNATURE

Type or print name

For State Use Only:

APPROVED BY:

Electronically Signed

Raymond Podany

KELLEY MONTGOMERY E-mail address

TITLE

Comments

Permit 265135

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

NOTICESPUD COMMENTS

Operator:	OGRID:
OXY USA WTP LIMITED PARTNERSHIP	192463
P.O. Box 4294	Permit Number:
Houston, TX 77210-4294	265135
	Permit Type:
	NoticeSpud

Comments

Created By	Comment	Comment Date
	RIH with 1" tbg to perform cmt top job with 100sx (24bbls) class C with additives 14.8ppg 1.35 yld, no cmt to surface. Perform 2nd cmt top job with 100sx (24bbls) class C with additives 14.8ppg 1.35 yld, no cmt to surface. Perform 3rd cmt top job with 100sx (24bbls) class C with additives 14.8ppg 1.35 yld, no cmt to surface. Perform 4th cmt top job with 100sx (24bbls) class C with additives 14.8ppg 1.35 yld, returns of 37sx (9bbls) cmt to surface. RD and RR 3/17/19.	3/18/2019