<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-101 August 1, 2011

Permit 265192

MA		CTION COMPANY							2. OGRII	D Number 228937	
	e Lincoln Centre las, TX 75240								3. API N	umber 30-025-4575	8
1. Property Co	de	5. Pro	perty Name						6. Well No.		
321	386		JEFF HART STA	TE COM						114H	
					ce Location						
JL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Li		Feet From		E/W Line	County
Р	25	23S	34E	Р	399		S	10	70	E	Le
				8. Proposed Bo	ottom Hole Location	on					
JL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Li		Feet From		E/W Line	County
Α	24	23S	34E	Α	60		N	99	90	E	Le
				9. Pool	Information						
AIRSTRIP;B0	ONE SPRING									960	
				Additional	Well Information					•	
11. Work Type		12. Well Type	13. Cable/Rotar		ven information		14. Leas	e Type	15. Gro	ound Level Elevat	ion
	v Well	OIL		,				State		3397	
16. Multiple		17. Proposed Depth	18. Formation	18. Formation 19. Contractor			ractor	20. Spi	ud Date		
N 20228		2nd	2nd Bone Spring Carbonate					4/1/2019			
Depth to Ground water			Distance from n	Distance from nearest fresh water well				Distance to nearest surface water			
We will he	using a closed-l	oop system in lieu of	lined nits								
			•								
Type	Hole Size	Casing Size			ng and Cement Pr			Sacks of Ce	ement	1	Estimated TOC
Surf	17.5	13.375				940	JIII OIII	0			
Int1	12.25	9.625				1370					
Prod	8.75	5.5				3440	•		5100		
	8.75	5.5		23	1034	-		3440			5100
Prod				-	, , , , ,						

==::::							
Туре	Working Pressure	Test Pressure	Manufacturer				
Annular	5000	3000	CAMERON				
Double Ram	10000	5000	CAMERON				
Pipe	10000	5000	CAMERON				

23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief.  I further certify I have complied with 19.15.14.9 (A) NMAC ☒ and/or 19.15.14.9 (B) NMAC ☒, if applicable.  Signature:				OIL CONSERVATIO	ON DIVISION
Printed Name: Electronically filed by Ava Monroe			Approved By:	Paul F Kautz	
Title:	Engineering Tech	Title:	Geologist		
Email Address:	Email Address: amonroe@matadorresources.com			3/21/2019	Expiration Date: 3/21/2021
Date:	3/19/2019 Phone: 972-371-5218			oval Attached	

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

24

A

<sup>2</sup>Dedicated Acres **320**  23-S

34-E

# State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

FORM C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT

LEA

### WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number Pool Code Antelope Ridge; Bone S							ng				
<sup>4</sup> Property Code				<sup>5</sup> Property Name					<sup>6</sup> Well Number		
228937				JEFF HART STATE COM					114H		
<sup>7</sup> OGRID N₀.			M	[ATADO]	•	RODUCTION COMPANY			<sup>9</sup> Elevation 3397'		
					<sup>10</sup> Surface Lo	cation					
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West lin	e County		
P	25	23-S	34-E		399'	SOUTH	1070'	EAST	LEA		
			<sup>11</sup> B	ottom Hol	e Location If D	ifferent From Surf	face		-		
III and at an	C 41	T		I -4 I I -	E - + C	N 4   10 4   11	E 4 C 4 h	F + (W + F-	L C		


NORTH

990'

EAST

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

60'



Form APD Comments

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 265192

### PERMIT COMMENTS

Operator Name and Address:	API Number:		
MATADOR PRODUCTION COMPANY [228937]	30-025-45758		
One Lincoln Centre	Well:		
Dallas, TX 75240	JEFF HART STATE COM #114H		

Created By	Comment	Comment Date
amonroe	Proposed TVD/MD: 9900' / 20228'	3/19/2019

Form APD Conditions

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Permit 265192

### PERMIT CONDITIONS OF APPROVAL

Operator Name and Address:	API Number:		
MATADOR PRODUCTION COMPANY [228937]	30-025-45758		
One Lincoln Centre	Well:		
Dallas, TX 75240	JEFF HART STATE COM #114H		

OCD	Condition
Reviewer	
pkautz	Will require a directional survey with the C-104
pkautz	1) SURFACE & INTERMEDIATE CASING - Cement must circulate to surface 2) PRODUCTION CASING - Cement must tie back into intermediate casing
pkautz	If cement does not circulate to surface, must run temperature survey or other log to determine top of cement
pkautz	Surface casing must be set 25' below top of Rustler Anhydrite in order to seal off protectable water
pkautz	1)- The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud 2)- Drilling Sundries Form C-103 (Casing and Cement test are to be submitted within 10 days 3)- Completion Reports & Logs are to be submitted within 45 days 4)- Deviation / Directional Drill Survey are to be filed with or prior to C-104
pkautz	It is the operator's responsibility to monitor cancellation dates of approved APDs. APD's are good for 2 years and may be extended for one year. Only one 1 year extension will be granted if submitted by C-103 before expiration date. After expiration date or after a 1 year extension must submit new APD.
pkautz	Stage Tool 1) Must notify OCD Hobbs Office prior to running Stage Tool at 5753703186 2) If using Stage Tool on Surface casing, Stage Tool must be set greater than 350' from surface and a minimum of 200 feet above surface shoe. 3) When using a Stage Tool on Intermediate or Production Casing Stage must be a minimum of 50 feet below previous casing shoe.