

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505	Form C-103 August 1, 2011 Permit 272281 WELL API NUMBER 30-015-45941 5. Indicate Type of Lease S 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name TODD 36 STATE																																																																																																																
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)																																																																																																																		
1. Type of Well: O		8. Well Number 335H																																																																																																																
2. Name of Operator DEVON ENERGY PRODUCTION COMPANY, LP		9. OGRID Number 6137																																																																																																																
3. Address of Operator 333 West Sheridan Ave., Oklahoma City, OK 73102		10. Pool name or Wildcat																																																																																																																
4. Well Location Unit Letter <u>M</u> : <u>180</u> feet from the <u>S</u> line and feet <u>455</u> from the <u>W</u> line Section <u>36</u> Township <u>23S</u> Range <u>31E</u> NMPM _____ County <u>Eddy</u>																																																																																																																		
11. Elevation (Show whether DR, KB, BT, GR, etc.) 3517 GR																																																																																																																		
Pit or Below-grade Tank Application ☐ or Closure ☐ Pit Type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____																																																																																																																		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data <table style="width:100%;"> <tr> <td colspan="2">NOTICE OF INTENTION TO:</td> <td colspan="2">SUBSEQUENT REPORT OF:</td> </tr> <tr> <td>PERFORM REMEDIAL WORK ☐</td> <td>PLUG AND ABANDON ☐</td> <td>REMEDIAL WORK ☐</td> <td>ALTER CASING ☐</td> </tr> <tr> <td>TEMPORARILY ABANDON ☐</td> <td>CHANGE OF PLANS ☐</td> <td>COMMENCE DRILLING OPNS. ☐</td> <td>PLUG AND ABANDON ☐</td> </tr> <tr> <td>PULL OR ALTER CASING ☐</td> <td>MULTIPLE COMPL ☐</td> <td>CASING/CEMENT JOB ☐</td> <td></td> </tr> <tr> <td colspan="2">Other: _____</td> <td colspan="2">Other: <u>Drilling/Cement</u> ☒</td> </tr> </table>			NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:		PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTER CASING ☐	TEMPORARILY ABANDON ☐	CHANGE OF PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDON ☐	PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐		Other: _____		Other: <u>Drilling/Cement</u> ☒																																																																																													
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:																																																																																																																
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTER CASING ☐																																																																																																															
TEMPORARILY ABANDON ☐	CHANGE OF PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDON ☐																																																																																																															
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐																																																																																																																
Other: _____		Other: <u>Drilling/Cement</u> ☒																																																																																																																
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. SPUD 8/27/2019, 2:00. See Attached 8/27/2019 Spudded well.																																																																																																																		
Casing and Cement Program <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Date</th> <th>String</th> <th>Fluid Type</th> <th>Hole Size</th> <th>Csg Size</th> <th>Weight lb/ft</th> <th>Grade</th> <th>Est TOC</th> <th>Dpth Set</th> <th>Sacks</th> <th>Yield</th> <th>Class</th> <th>1" Dpth</th> <th>Pres Held</th> <th>Pres Drop</th> <th>Open Hole</th> </tr> </thead> <tbody> <tr> <td>09/29/19</td> <td>Int1</td> <td></td> <td>10.625</td> <td>8.625</td> <td>32</td> <td>P110</td> <td>0</td> <td>10248</td> <td>320</td> <td>1.34</td> <td>OTHER</td> <td></td> <td></td> <td></td> <td>Y</td> </tr> <tr> <td>09/06/19</td> <td>Prod</td> <td></td> <td>7.875</td> <td>5.5</td> <td>20</td> <td>P110EC</td> <td>0</td> <td>16647</td> <td>220</td> <td>3.19</td> <td>C</td> <td></td> <td>11500</td> <td></td> <td>Y</td> </tr> <tr> <td>08/27/19</td> <td>Surf</td> <td></td> <td>17.5</td> <td>13.375</td> <td>54.5</td> <td>J-55</td> <td>0</td> <td>855</td> <td>1045</td> <td>1.34</td> <td>C</td> <td></td> <td></td> <td></td> <td>Y</td> </tr> <tr> <td>09/29/19</td> <td>Int1</td> <td></td> <td>10.625</td> <td>8.625</td> <td>32</td> <td>P110</td> <td>0</td> <td>10248</td> <td>1115</td> <td>2.02</td> <td>OTHER</td> <td></td> <td></td> <td></td> <td>Y</td> </tr> <tr> <td>09/29/19</td> <td>Int1</td> <td></td> <td>10.625</td> <td>8.625</td> <td>32</td> <td>P110</td> <td>0</td> <td>10248</td> <td>1495</td> <td>1.33</td> <td>OTHER</td> <td></td> <td></td> <td></td> <td>Y</td> </tr> <tr> <td>09/06/19</td> <td>Prod</td> <td></td> <td>7.875</td> <td>5.5</td> <td>20</td> <td>P110EC</td> <td>0</td> <td>16647</td> <td>1090</td> <td>1.68</td> <td>C</td> <td></td> <td>11500</td> <td></td> <td>Y</td> </tr> </tbody> </table>			Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole	09/29/19	Int1		10.625	8.625	32	P110	0	10248	320	1.34	OTHER				Y	09/06/19	Prod		7.875	5.5	20	P110EC	0	16647	220	3.19	C		11500		Y	08/27/19	Surf		17.5	13.375	54.5	J-55	0	855	1045	1.34	C				Y	09/29/19	Int1		10.625	8.625	32	P110	0	10248	1115	2.02	OTHER				Y	09/29/19	Int1		10.625	8.625	32	P110	0	10248	1495	1.33	OTHER				Y	09/06/19	Prod		7.875	5.5	20	P110EC	0	16647	1090	1.68	C		11500		Y
Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole																																																																																																			
09/29/19	Int1		10.625	8.625	32	P110	0	10248	320	1.34	OTHER				Y																																																																																																			
09/06/19	Prod		7.875	5.5	20	P110EC	0	16647	220	3.19	C		11500		Y																																																																																																			
08/27/19	Surf		17.5	13.375	54.5	J-55	0	855	1045	1.34	C				Y																																																																																																			
09/29/19	Int1		10.625	8.625	32	P110	0	10248	1115	2.02	OTHER				Y																																																																																																			
09/29/19	Int1		10.625	8.625	32	P110	0	10248	1495	1.33	OTHER				Y																																																																																																			
09/06/19	Prod		7.875	5.5	20	P110EC	0	16647	1090	1.68	C		11500		Y																																																																																																			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐ .																																																																																																																		
<table style="width:100%;"> <tr> <td>SIGNATURE</td> <td><u>Electronically Signed</u></td> <td>TITLE</td> <td><u>Supervisor Land</u></td> <td>DATE</td> <td><u>4/15/2020</u></td> </tr> <tr> <td>Type or print name</td> <td><u>Jeff Walla</u></td> <td>E-mail address</td> <td><u>Jeff.Walla@dmn.com</u></td> <td>Telephone No.</td> <td><u>575-748-9925</u></td> </tr> </table>			SIGNATURE	<u>Electronically Signed</u>	TITLE	<u>Supervisor Land</u>	DATE	<u>4/15/2020</u>	Type or print name	<u>Jeff Walla</u>	E-mail address	<u>Jeff.Walla@dmn.com</u>	Telephone No.	<u>575-748-9925</u>																																																																																																				
SIGNATURE	<u>Electronically Signed</u>	TITLE	<u>Supervisor Land</u>	DATE	<u>4/15/2020</u>																																																																																																													
Type or print name	<u>Jeff Walla</u>	E-mail address	<u>Jeff.Walla@dmn.com</u>	Telephone No.	<u>575-748-9925</u>																																																																																																													
For State Use Only: APPROVED BY: <u>Raymond Podany</u> TITLE <u>Geologist</u> DATE <u>4/15/2020 3:31:33 PM</u>																																																																																																																		

TODD 36 STATE 335H

SPUD 8/27/2019, 2:00. 8/27/2019-8/29/2019 TD 17-1/2" HOLE @ 865. RIH W/20 JTS 13-3/8" 54.50# J-55 BTC CSG, SET @ 855'. LEAD W/ 1045 SX, C CLASS, YLD 1.34 CU FT/SX. DISP W/121 BBL. CIRC 593 SXS CMT TO SURF. PT BOPE 250/5000 PSI, HELD TEST FOR 10 MIN, OK. PT CSG TO 1500 PSI FOR 30 MIN, OK.

8/29/2019-9/6/2019 TD 10-5/8" HOLE @ 10302', RIH W/229 JTS 8-5/8" 32# P-110 BTC SET @ 10248'. LEAD W/1115, OTHER CLASS SX, YLD 2.02 CU FT/SK. TAIL W/320 SX OTHER CLASS, YLD 1.34 CU FT/SK. DISP W/0 BBL. NO RETURNS, CMT SZ, LEAD W/1495 SX, OTHER CLASS, YLD 1.33 CU FT/SX. PT BOPE 250/5000 PSI, HELD TEST FOR 10 MINS, OK. PT CSG TO 2500 PSI FOR 30 MIN, OK.

9/6/2019-9/13/2019 TD 7-7/8" HOLE @ 16657'. RIH W/712 JTS 5-1/2" 20#

P-110EC CSG, SET @ 16647'. LEAD W/220 SK, C CLAS, YLD 3.19. TAIL W/1090 SX C CLASS, YLD 1.68. DSP W/368. FULL RETURNS. 1/16/2020: MIRU WL & PT: PRESS'D PRODUCTION 5.5" CSG TO 11500 PSI; TSTD CSG GOOD 30 MINS. TIH & ran CBL, TOC @ CALCULATED SURF.

9/13/2019: Float Collar/PBTD 16601' MD/11657.5' TVD. Rig Released@ 9/13/2019, 22:00

District I

1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Comments

Permit 272281

DRILLING COMMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Permit Number: 272281
	Permit Type: Drilling

Comments

Created By	Comment	Comment Date
rpodany	submit via hard copy	12/2/2019
jharms	SPUD 8/27/2019, 2:00. 8/27/2019-8/29/2019 TD 17-1/2" HOLE @ 865. RIH W/20 JTS 13-3/8" 54.50# J-55 BTC CSG, SET @ 855'. LEAD W/ 1045 SX, C CLASS, YLD 1.34 CU FT/SX. DISP W/121 BBL. CIRC 593 SXS CMT TO SURF. PT BOPE 250/5000 PSI, HELD TEST FOR 10 MIN, OK. PT CSG TO 1500 PSI FOR 30 MIN, OK. 8/29/2019-9/6/2019 TD 10-5/8" HOLE @ 10302', RIH W/229 JTS 8-5/8" 32# P-110 BTC SET @ 10248'. LEAD W/1115, OTHER CLASS SX, YLD 2.02 CU FT/SK. TAIL W/320 SX OTHER CLASS, YLD 1.34 CU FT/SK. DISP W/0 BBL. NO RETURNS, CMT SZ, LEAD W/1495 SX, OTHER CLASS, YLD 1.33 CU FT/SX. PT BOPE 250/5000 PSI, HELD TEST FOR 10 M	4/15/2020
jharms	SEE ATTACHMENT FOR ADD'L COMMENTS, THEY WOULD NOT FIT IN COMMENT BOX	4/15/2020