

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: MAN HANDS FED COM Well Location: T24S / R35E / SEC 34 / County or Parish/State: LEA /

NENE / 32.1805101 / -103.3493166

Well Number: 134H Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM138890 Unit or CA Name: Unit or CA Number:

US Well Number: 3002547801 **Well Status:** Approved Application for **Operator:** TAP ROCK

Permit to Drill OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Operation Actually Began: 01/30/2021

Actual Procedure: Well Spud on 1/30/2021 at 18:45. 1/30/2021: Drill 17.5 inch surface hole to 1050 ft. Run 13.375 inch 54.5 lb J55 surface casing to 1042 ft. Pump 40 bbls gel spacer, followed by 605 sks of 13.5 ppg lead cmt, 550 sks of 14.8 ppg tail cmt. Drop plug and displace with 154 bbls of brine water. 200 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 2/1/2021: Drill 12.25 inch first intermediate hole to 5294 ft. 2/2/2021: Run 9.625 inch 40 lb J55 first intermediate casing to 5283 ft. Pump 20 bbls chem water, 20 bbls gel spacer, followed by 1182 sks of 13.5 ppg lead cmt, 414 sks of 14.8 ppg tail cmt. Drop plug and displace with 400 bbls of freshwater. 2 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 2/3/2021: Drill 8.75 inch second intermediate hole to 11395 ft. 2/6/2021: Run 7.625 inch 29.7 lb P-110 second intermediate casing to 11381 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 442 sks of 11.5 lead cmt, 138 sks of 13.2 ppg tail cmt. Drop plug and displace with 521 bbls of cut brine. small amounts of spacer returned to surface. Est TOC at 2966 ft. Pressure test casing to 2500 for 30 minutes, good test. Surface Casing Details: Casing ran: 1/30/2021, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 1042 ft, Cement 1155 sacks, Yield 1.34, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. First Intermediate Casing Details: Casing ran: 2/2/2021, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 5283 ft, Cement 1596 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0. Second Intermediate Casing Details: Casing ran: 2/6/2021, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 2966 ft, Depth set 11381 ft, Cement 580 sacks, Yield 1.35, Class C, Pressure Held 2500 psi, Pres Drop 0.

Page 1 of 2

eived by OCD: 2/11/2021 6:22:15 PM Well Name: MAN HANDS FED COM

Well Location: T24S / R35E / SEC 34 / NENE / 32.1805101 / -103.3493166

County or Parish/State: LEA

Well Number: 134H

Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMNM138890

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002547801

Well Status: Approved Application for Permit to Drill

Operator: TAP ROCK **OPERATING LLC**

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: RAMSEY Signed on: FEB 08, 2021 07:58 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 602 PARK POINT DRIVE SUITE 200

City: GOLDEN State: CO

Phone: (720) 460-3316

Email address: NOT ENTERED

Field Representative

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: Jonathon W Shepard **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 02/11/2021

Page 2 of 2

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 17898

COMMENTS

Operator:		OGRID:	Action Number:	Action Type:
TAP ROCK OPERATING, LLC	523 Park Point Drive	372043	17898	C-103N
Suite 200 Golden, CO80401				

Created By	Comment	Comment Date
pkautz Pressure test length of time not stated for intermediate2 casing string 02/19/2021		02/19/2021

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 17898

CONDITIONS OF APPROVAL

Operator:		OGRID:	Action Number:	Action Type:
TAP ROCK OPERATING, LLC	523 Park Point Drive	372043	17898	C-103N
Suite 200 Golden, CO80401				

OCD Reviewer	Condition
plmartinez	None