



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

03/03/2021

Well Name: ARMSTRONG 26/23
W0HH FED COM

Well Location: T25S / R31E / SEC 26 /
SENE / 32.1016615 / -103.7430997

County or Parish/State: EDDY /
NM

Well Number: 1H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM 016348,
NMNM16348

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001546306

Well Status: Approved Application for
Permit to Drill

Operator: MEWBOURNE OIL
COMPANY

Notice of Intent

Type of Submission: Notice of Intent

Type of Action APD Change

Date Sundry Submitted: 02/12/2021

Time Sundry Submitted: 11:28

Date proposed operation will begin: 02/12/2021

Procedure Description: Mewbourne Oil Co. requests approval to make the following change(s) to the approved APD:
Change well name to Armstrong 26/23 W0HH Fed Com #1H. Change BHL to 1418' FNL & 845' FEL, Sec 23, T25S,
R31E. Change casing & cement design as detailed in the attachment.

Application

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Section 1 - General

APD ID: 10400038003	Tie to previous NOS?	Submission Date: 01/16/2019
BLM Office: CARLSBAD	User: Bradley Bishop	Title: Regulatory
Federal/Indian APD: FED	Is the first lease penetrated for production Federal or Indian? FED	
Lease number: NMNM 016348	Lease Acres:	
Surface access agreement in place?	Allotted?	Reservation:
Agreement in place? NO	Federal or Indian agreement:	
Agreement number:		
Agreement name:		
Keep application confidential? Y		
Permitting Agent? NO	APD Operator: MEWBOURNE OIL COMPANY	
Operator letter of designation:		

Operator Info

Operator Organization Name: MEWBOURNE OIL COMPANY

Operator Address: PO Box 5270 **Zip:** 88240

Operator PO Box:

Operator City: Hobbs **State:** NM

Operator Phone: (575)393-5905

Operator Internet Address:

Section 2 - Well Information

Well in Master Development Plan? NO	Master Development Plan name:	
Well in Master SUPO? NO	Master SUPO name:	
Well in Master Drilling Plan? NO	Master Drilling Plan name:	
Well Name: ARMSTRONG 26/23 W0HA FED COM	Well Number: 2H	Well API Number: 3001546306
Field/Pool or Exploratory? Field and Pool	Field Name: WELCH	Pool Name: PURPLE SAGE WOLFCAMP GAS
Is the proposed well in an area containing other mineral resources? USEABLE WATER,NATURAL GAS,OIL		
Is the proposed well in a Helium production area? N	Use Existing Well Pad? YES	New surface disturbance? Y
Type of Well Pad: MULTIPLE WELL	Multiple Well Pad Name:	Number: 2
Well Class: HORIZONTAL	ARMSTRONG 26/23 HA WELLS	
	Number of Legs:	
Well Work Type: Drill		
Well Type: OIL WELL		
Describe Well Type:		

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Is the proposed well in an area containing other mineral resources? USEABLE WATER,NATURAL GAS,OIL

Well sub-Type: APPRAISAL

Describe sub-type:

Distance to town: 25 Miles

Distance to nearest well: 50 FT

Distance to lease line: 330 FT

Reservoir well spacing assigned across Measurement: 240 Acres

Well plat: ARMSTRONG26_23W0HAFEDCOM2H_wellplat_20190115093132.pdf

Well work start Date: 03/15/2019

Duration: 60 DAYS

Section 3 - Well Location Table

Survey Type: RECTANGULAR

Describe Survey Type:

Datum: NAD83

Vertical Datum: NAVD88

Survey number:

Reference Datum:

Wellbore	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	MD	TVD	Will this well produce from this lease?
SHL Leg #1	2500	FNL	900	FEL	25S	31E	26	Aliquot SENE	32.1016615	-103.7430997	EDD Y	NEW MEXICO	NEW MEXICO	F	NMNM 16348	3341	0	0	
KOP Leg #1	2500	FNL	990	FEL	25S	31E	26	Aliquot SENE	32.101662	-103.7433908	EDD Y	NEW MEXICO	NEW MEXICO	F	NMNM 16348	-8000	11342	11341	
PPP Leg #1-1	2640	FNL	990	FEL	25S	31E	23	Aliquot SENE	32.1157862	-103.7476102	EDD Y	NEW MEXICO	NEW MEXICO	F	NMLC0 61862	-8457	16754	11798	
PPP Leg #1-2	2311	FNL	990	FEL	25S	31E	26	Aliquot SENE	32.1021815	-103.7433892	EDD Y	NEW MEXICO	NEW MEXICO	F	NMNM 16348	-8380	11782	11721	

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Wellbore	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	MD	TVD	Will this well produce from this lease?
EXIT Leg #1	330	FNL	990	FEL	25S	31E	23	Aliquot NENE	32.12213 49	-103.7433 297	EDD Y	NEW MEXI CO	NEW MEXI CO	F	NMLC0 61862	-844 7	190 62	117 88	
BHL Leg #1	330	FNL	990	FEL	25S	31E	23	Aliquot NENE	32.12213 49	-103.7433 297	EDD Y	NEW MEXI CO	NEW MEXI CO	F	NMLC0 61862	-844 7	190 62	117 88	

Drilling Plan

Section 1 - Geologic Formations

Formation ID	Formation Name	Elevation	True Vertical Depth	Measured Depth	Lithologies	Mineral Resources	Producing Formation
1562872	UNKNOWN	3341	27	27		NONE	N
1562873	RUSTLER	2431	899	899	ANHYDRITE, DOLOMITE	USEABLE WATER	N
1562874	TOP SALT	2041	1289	1289	SALT	NONE	N
1562875	BASE OF SALT	-714	4044	4044	SALT	NONE	N
1562879	LAMAR	-963	4293	4293	LIMESTONE	NATURAL GAS, OIL	N
1562876	BELL CANYON	-1002	4332	4332	SANDSTONE	NATURAL GAS, OIL	N
1562880	CHERRY CANYON	-2024	5354	5354	SANDSTONE	NATURAL GAS, OIL	N
1562877	MANZANITA	-2156	5486	5486		NONE	N
1562878	BRUSHY CANYON	-3507	6837	6837	SANDSTONE	NATURAL GAS, OIL	Y
1562881	BONE SPRING	-4939	8269	8269	LIMESTONE, SHALE	NATURAL GAS, OIL	N
1562882	BONE SPRING 1ST	-5980	9310	9310	SANDSTONE	NATURAL GAS, OIL	N
1562883	BONE SPRING 2ND	-6598	9928	9928	SANDSTONE	NATURAL GAS, OIL	N
1562885	BONE SPRING 3RD	-7864	11194	11194	SANDSTONE	NATURAL GAS, OIL	N
1562886	WOLFCAMP	-8310	11640	11640	LIMESTONE, SANDSTONE, SHALE	NATURAL GAS, OIL	Y

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Section 2 - Blowout Prevention

Pressure Rating (PSI): 5M

Rating Depth: 19062

Equipment: Annular, Pipe Ram, Blind Ram

Requesting Variance? YES

Variance request: A variance is requested for the use of a flexible choke line from the BOP to Choke Manifold. Anchors are not required by manufacturer. A multibowl wellhead is being used. See attached schematic.

Testing Procedure: BOP/BOPE will be tested by an independent service company to 250 psi low and the high pressure indicated above per Onshore Order 2 requirements. The System may be upgraded to a higher pressure but still tested to the working pressure listed in the table above. If the system is upgraded all the components installed will be functional and tested. Pipe rams will be operationally checked each 24 hour period. Blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets. Other accessories to the BOP equipment will include a Kelly cock and floor safety valve (inside BOP) and choke lines and choke manifold. See attached schematics.

Choke Diagram Attachment:

Armstrong_26_23_W0HA_Fed_Com_2H_5M_BOPE_Choke_Diagram_20190115162559.pdf

Armstrong_26_23_W0HA_Fed_Com_2H_Flex_Line_Specs_20190115162600.pdf

BOP Diagram Attachment:

Armstrong_26_23_W0HA_Fed_Com_2H_Multi_Bowl_WH_20190115162614.pdf

Armstrong_26_23_W0HA_Fed_Com_2H_5M_BOPE_Schematic_20190115162612.pdf

Section 3 - Casing

Casing ID	String Type	Hole Size	Csg Size	Condition	Standard	Tapered String	Top Set MD	Bottom Set MD	Top Set TVD	Bottom Set TVD	Top Set MSL	Bottom Set MSL	Calculated casing length MD	Grade	Weight	Joint Type	Collapse SF	Burst SF	Joint SF Type	Joint SF	Body SF Type	Body SF
1	SURFACE	17.5	13.375	NEW	API	N	0	950	0	950			950	H-40	48	ST&C	1.77	3.98	DRY	7.06	DRY	11.6
2	INTERMEDIATE	12.25	9.625	NEW	API	Y	0	4220	0	4220			4220	J-55	36	LT&C	1.13	1.96	DRY	2.92	DRY	3.1
3	PRODUCTION	8.75	7.0	NEW	API	N	0	11900	0	11780			11900	HCP-110	26	LT&C	1.34	1.71	DRY	2.24	DRY	2.1
4	LINER	8.125	4.5	NEW	API	N	11340	19062	11340	11788			7722	P-110	13.5	LT&C	1.45	1.68	DRY	3.24	DRY	4.1

Casing Attachments

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Casing Attachments

Casing ID: 1 **String Type:** SURFACE**Inspection Document:****Spec Document:****Tapered String Spec:****Casing Design Assumptions and Worksheet(s):**

Armstrong_26_23_W0HA_Fed_Com_2H_Csg_Assumptions_20190115162722.docx

Casing ID: 2 **String Type:** INTERMEDIATE**Inspection Document:****Spec Document:****Tapered String Spec:**

Armstrong_26_23_W0HA_Fed_Com_2H_Intermediate_Tapered_String_20190115163323.pdf

Casing Design Assumptions and Worksheet(s):

Armstrong_26_23_W0HA_Fed_Com_2H_Csg_Assumptions_20190115163357.docx

Casing ID: 3 **String Type:** PRODUCTION**Inspection Document:****Spec Document:****Tapered String Spec:****Casing Design Assumptions and Worksheet(s):**

Armstrong_26_23_W0HA_Fed_Com_2H_Csg_Assumptions_20190115163511.docx

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Casing Attachments**Casing ID:** 4 **String Type:** LINER**Inspection Document:****Spec Document:****Tapered String Spec:****Casing Design Assumptions and Worksheet(s):**

Armstrong_26_23_WOHA_Fed_Com_2H_Csg_Assumptions_20190115163607.docx

Section 4 - Cement

String Type	Lead/Tail	Stage Tool Depth	Top MD	Bottom MD	Quantity(sx)	Yield	Density	Cu Ft	Excess%	Cement type	Additives
SURFACE	Lead		0	758	500	2.12	12.5	1060	100	Class C	Salt, Gel, Extender, LCM
SURFACE	Tail		758	950	200	1.34	14.8	268	100	Class C	Retarder
INTERMEDIATE	Lead		0	3524	640	2.12	12.5	1357	25	Class C	Salt, Gel, Extender, LCM
INTERMEDIATE	Tail		3524	4220	200	1.34	14.8	268	25	Class C	Retarder
PRODUCTION	Lead	5485	4020	4790	70	2.12	12.5	148	25	Class C	Gel, Retarder, Defoamer, Extender
PRODUCTION	Tail		4790	5485	100	1.34	14.8	134	25	Class C	Retarder
PRODUCTION	Lead	5485	5485	9406	350	2.12	12.5	742	25	Class C	Gel, Retarder, Defoamer, Extender
PRODUCTION	Tail		9406	11900	400	1.18	15.6	472	25	Class H	Retarder, Fluid Loss, Defoamer
LINER	Lead		11340	19062	310	2.97	11.2	921	25	Class H	Salt, Gel, Fluid Loss, Retarder, Dispersant, Defoamer, Anti-Settling Agent

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Section 5 - Circulating Medium

Mud System Type: Closed

Will an air or gas system be Used? NO

Description of the equipment for the circulating system in accordance with Onshore Order #2:

Diagram of the equipment for the circulating system in accordance with Onshore Order #2:

Describe what will be on location to control well or mitigate other conditions: Lost circulation material Sweeps Mud scavengers in surface hole

Describe the mud monitoring system utilized: Pason, PVT, visual monitoring

Circulating Medium Table

Top Depth	Bottom Depth	Mud Type	Min Weight (lbs/gal)	Max Weight (lbs/gal)	Density (lbs/cu ft)	Gel Strength (lbs/100 sqft)	PH	Viscosity (CP)	Salinity (ppm)	Filtration (cc)	Additional Characteristics
950	4220	SALT SATURATED	10	10							
4220	11780	WATER-BASED MUD	8.6	9.5							
11780	11818	OIL-BASED MUD	10	12							Mud weight up to 13.0 ppg may be required for shale control. The highest mud weight needed to balance formation is expected to be 12.0 ppg.
0	950	SPUD MUD	8.6	8.8							

Section 6 - Test, Logging, Coring

List of production tests including testing procedures, equipment and safety measures:

GR/CNL will be run from KOP (11,340') to surface.

List of open and cased hole logs run in the well:

DS,GR,MWD,MUDLOG

Coring operation description for the well:

None

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Section 7 - Pressure

Anticipated Bottom Hole Pressure: 7374

Anticipated Surface Pressure: 4778.44

Anticipated Bottom Hole Temperature(F): 165

Anticipated abnormal pressures, temperatures, or potential geologic hazards? NO

Describe:

Contingency Plans geohazards description:

Contingency Plans geohazards attachment:

Hydrogen Sulfide drilling operations plan required? YES

Hydrogen sulfide drilling operations plan:

Armstrong_26_23_W0HA_Fed_Com_2H_H2S_Plan_20190115164324.pdf

Section 8 - Other Information

Proposed horizontal/directional/multi-lateral plan submission:

Armstrong_26_23_W0HA_Fed_Com_2H_Dir_Plan_20190115164345.pdf

Armstrong_26_23_W0HA_Fed_Com_2H_Dir_Plot_20190115164346.pdf

Other proposed operations facets description:

Other proposed operations facets attachment:

Armstrong_26_23_W0HA_Fed_Com_2H_Additional_Points_20190115164359.pdf

Armstrong_26_23_W0HA_Fed_Com_2H_Drlg_Program_20190115164400.docx

Other Variance attachment:

SUPO

Section 1 - Existing Roads

Will existing roads be used? YES

Existing Road Map:

ARMSTRONG26_23W0HAFEDCOM2H_existingroadmap_20190115093211.pdf

Existing Road Purpose: ACCESS,FLUID TRANSPORT

Row(s) Exist? NO

ROW ID(s)

ID:

Do the existing roads need to be improved? NO

Existing Road Improvement Description:

Existing Road Improvement Attachment:

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Section 2 - New or Reconstructed Access Roads

Will new roads be needed? YES

New Road Map:

ARMSTRONG26_23W0HAFEDCOM2H_newroadmap_20190115093315.pdf

New road type: RESOURCE

Length: 226.49 Feet

Width (ft.): 30

Max slope (%): 3

Max grade (%): 3

Army Corp of Engineers (ACOE) permit required? NO

ACOE Permit Number(s):

New road travel width: 14

New road access erosion control: None

New road access plan or profile prepared? NO

New road access plan attachment:

Access road engineering design? NO

Access road engineering design attachment:

Turnout? Y

Access surfacing type: OTHER

Access topsoil source: OFFSITE

Access surfacing type description: Caliche

Access onsite topsoil source depth:

Offsite topsoil source description: Topsoil will be on edge of lease road.

Onsite topsoil removal process:

Access other construction information: None

Access miscellaneous information: None

Number of access turnouts: 3

Access turnout map:

Drainage Control

New road drainage crossing: OTHER

Drainage Control comments: None

Road Drainage Control Structures (DCS) description: None

Road Drainage Control Structures (DCS) attachment:

Access Additional Attachments

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Section 3 - Location of Existing Wells

Existing Wells Map? YES

Attach Well map:

ARMSTRONG26_23W0HAFEDCOM2H_existingwellmap_20190115093334.pdf

Section 4 - Location of Existing and/or Proposed Production Facilities

Submit or defer a Proposed Production Facilities plan? SUBMIT

Production Facilities description: Battery is offsite to the southeast of the well pad. 2246' of surface 2-7/8" steel flowline with a working pressure of 125# will be installed from well pad to production facility within 5' of lease road.

Production Facilities map:

ARMSTRONG26_23W0HAFEDCOM2H_flowlinemap_20190115093354.pdf

ARMSTRONG26_23W0HAFEDCOM2H_productionfacilitymap_20190516103651.pdf

Section 5 - Location and Types of Water Supply

Water Source Table

Water source type: IRRIGATION

Water source use type:

- SURFACE CASING
- STIMULATION
- DUST CONTROL
- INTERMEDIATE/PRODUCTION CASING

Source latitude: 32.53542

Source longitude: -103.44969

Source datum: NAD83

Water source permit type: WATER WELL

Water source transport method: TRUCKING

Source land ownership: PRIVATE

Source transportation land ownership: COMMERCIAL

Water source volume (barrels): 2014

Source volume (acre-feet): 0.2595907

Source volume (gal): 84588

Water source and transportation map:

ARMSTRONG26_23W0HAFEDCOM2H_watersourceandtransmap_20190115093624.pdf

Water source comments:

New water well? NO

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

New Water Well Info

Well latitude: **Well Longitude:** **Well datum:**

Well target aquifer:

Est. depth to top of aquifer(ft): **Est thickness of aquifer:**

Aquifer comments:

Aquifer documentation:

Well depth (ft): **Well casing type:**

Well casing outside diameter (in.): **Well casing inside diameter (in.):**

New water well casing? **Used casing source:**

Drilling method: **Drill material:**

Grout material: **Grout depth:**

Casing length (ft.): **Casing top depth (ft.):**

Well Production type: **Completion Method:**

Water well additional information:

State appropriation permit:

Additional information attachment:

Section 6 - Construction Materials

Using any construction materials: YES

Construction Materials description: Caliche

Construction Materials source location attachment:

ARMSTRONG26_23W0HAFEDCOM2H_calichesourceandtransmap_20190115093638.pdf

Section 7 - Methods for Handling Waste

Waste type: GARBAGE

Waste content description: Garbage & trash

Amount of waste: 1500 pounds

Waste disposal frequency : One Time Only

Safe containment description: Enclosed trash trailer

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL **Disposal location ownership:** PRIVATE
FACILITY

Disposal type description:

Disposal location description: Waste Management facility in Carlsbad.

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Waste type: SEWAGE

Waste content description: Human waste & grey water

Amount of waste: 1500 gallons

Waste disposal frequency : Weekly

Safe containment description: 2,000 gallon plastic container

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** PRIVATE

Disposal type description:

Disposal location description: City of Carlsbad Water Treatment facility

Waste type: DRILLING

Waste content description: Drill cuttings

Amount of waste: 940 barrels

Waste disposal frequency : One Time Only

Safe containment description: Drill cuttings will be properly contained in steel tanks (20 yard roll off bins.)

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL FACILITY **Disposal location ownership:** PRIVATE

Disposal type description:

Disposal location description: NMOCD approved waste disposal locations are CRI or Lea Land, both facilities are located on HWY 62/180, Sec. 27 T20S R32E.

Reserve Pit

Reserve Pit being used? NO

Temporary disposal of produced water into reserve pit?

Reserve pit length (ft.) **Reserve pit width (ft.)**

Reserve pit depth (ft.) **Reserve pit volume (cu. yd.)**

Is at least 50% of the reserve pit in cut?

Reserve pit liner

Reserve pit liner specifications and installation description

Cuttings Area

Cuttings Area being used? NO

Are you storing cuttings on location? NO

Description of cuttings location

Cuttings area length (ft.) **Cuttings area width (ft.)**

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Cuttings area depth (ft.)

Cuttings area volume (cu. yd.)

Is at least 50% of the cuttings area in cut?

WCuttings area liner

Cuttings area liner specifications and installation description

Section 8 - Ancillary Facilities

Are you requesting any Ancillary Facilities?: NO

Ancillary Facilities attachment:

Comments:

Section 9 - Well Site Layout

Well Site Layout Diagram:

ARMSTRONG26_23W0HAFEDCOM2H_wellsitelayout_20190115093659.pdf

Comments:

Section 10 - Plans for Surface Reclamation

Type of disturbance: New Surface Disturbance

Multiple Well Pad Name: ARMSTRONG 26/23 HA WELLS

Multiple Well Pad Number: 2

Recontouring attachment:

Drainage/Erosion control construction: None

Drainage/Erosion control reclamation: None

Well pad proposed disturbance (acres): 3.95	Well pad interim reclamation (acres): 2.024	Well pad long term disturbance (acres): 1.926
Road proposed disturbance (acres): 0.155	Road interim reclamation (acres): 0	Road long term disturbance (acres): 0
Powerline proposed disturbance (acres): 1.025	Powerline interim reclamation (acres): 0	Powerline long term disturbance (acres): 0
Pipeline proposed disturbance (acres): 0	Pipeline interim reclamation (acres): 0	Pipeline long term disturbance (acres): 0
Other proposed disturbance (acres): 1.205	Other interim reclamation (acres): 1.205	Other long term disturbance (acres): 1.205
Total proposed disturbance: 6.335	Total interim reclamation: 3.229	Total long term disturbance: 3.131

Disturbance Comments: In areas to be heavily disturbed, the top 6 inches of soil material, will be stripped and stockpiled on the perimeter of the well location to keep topsoil viable, and to make redistribution of topsoil more efficient during interim reclamation. Stockpiled topsoil should include vegetative material. Topsoil will be clearly segregated and stored separately from subsoils. Contaminated soil will not be stockpiled, but properly treated and handled prior to topsoil salvaging.

Reconstruction method: The areas planned for interim reclamation will then be recontoured to the original contour if feasible, or if not feasible, to an interim contour that blends with the surrounding topography as much as possible. Where applicable, the fill material of the well pad will be backfilled into the cut to bring the area back to the original contour. The

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

interim cut and fill slopes prior to re-seeding will not be steeper than a 3:1 ratio, unless the adjacent native topography is steeper. Note: Constructed slopes may be much steeper during drilling, but will be recontoured to the above ratios during interim reclamation.

Topsoil redistribution: Topsoil will be evenly respread and aggressively revegetated over the entire disturbed area not needed for all-weather operations including cuts & fills. To seed the area, the proper BLM seed mixture, free of noxious weeds, will be used.

Soil treatment: NA

Existing Vegetation at the well pad: Various brush & grasses

Existing Vegetation at the well pad attachment:

Existing Vegetation Community at the road: Various brush & grasses

Existing Vegetation Community at the road attachment:

Existing Vegetation Community at the pipeline: NA

Existing Vegetation Community at the pipeline attachment:

Existing Vegetation Community at other disturbances: NA

Existing Vegetation Community at other disturbances attachment:

Non native seed used? NO

Non native seed description:

Seedling transplant description:

Will seedlings be transplanted for this project? NO

Seedling transplant description attachment:

Will seed be harvested for use in site reclamation? NO

Seed harvest description:

Seed harvest description attachment:

Seed Management

Seed Table

Seed Summary

Total pounds/Acre:

Seed Type	Pounds/Acre
-----------	-------------

Seed reclamation attachment:

Operator Contact/Responsible Official Contact Info

First Name:

Last Name:

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Phone: (575)393-5905

Email: bbishop@mewbourne.com

Seedbed prep: Final seedbed preparation will consist of contour cultivating to a depth of 4 to 6 inches within 24 hours prior to seeding, dozer tracking, or other imprinting in order to break the soil crust and create seed germination micro-sites.

Seed BMP: To seed the area, the proper BLM seed mixture, free of noxious weeds, will be used.

Seed method: drilling or broadcasting seed over entire reclaimed area.

Existing invasive species? NO

Existing invasive species treatment description:

Existing invasive species treatment attachment:

Weed treatment plan description: NA

Weed treatment plan attachment:

Monitoring plan description: vii. All reclaimed areas will be monitored periodically to ensure that revegetation occurs, that the area is not redisturbed, and that erosion and invasive/noxious weeds are controlled.

Monitoring plan attachment:

Success standards: regrowth within 1 full growing season of reclamation.

Pit closure description: NA

Pit closure attachment:

Section 11 - Surface Ownership

Disturbance type: EXISTING ACCESS ROAD

Describe:

Surface Owner:

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Fee Owner: Pecos Valley Artesian Convservation District
Phone: (575)622-7000
Fee Owner Address:
Email:

Surface use plan certification: NO
Surface use plan certification document:

Surface access agreement or bond: Agreement
Surface Access Agreement Need description: SUA in place
Surface Access Bond BLM or Forest Service:
BLM Surface Access Bond number:
USFS Surface access bond number:

Disturbance type: WELL PAD

Describe:

Surface Owner:

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Fee Owner: Pecos Valley Artesian Conservation District
Phone: (575)622-7000
Fee Owner Address:
Email:

Surface use plan certification: NO
Surface use plan certification document:

Surface access agreement or bond: Agreement
Surface Access Agreement Need description: SUA in place
Surface Access Bond BLM or Forest Service:
BLM Surface Access Bond number:
USFS Surface access bond number:

Disturbance type: NEW ACCESS ROAD

Describe:

Surface Owner:

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Disturbance type: OTHER**Describe:** Production Facility**Surface Owner:****Other surface owner description:****BIA Local Office:****BOR Local Office:****COE Local Office:****DOD Local Office:****NPS Local Office:****State Local Office:****Military Local Office:****USFWS Local Office:****Other Local Office:****USFS Region:****USFS Forest/Grassland:****USFS Ranger District:****Section 12 - Other Information****Right of Way needed?** NO**Use APD as ROW?****ROW Type(s):****ROW Applications****SUPO Additional Information:** NONE**Use a previously conducted onsite?** YES

Previous Onsite information: DEC 14 2018 Met w/RRC Surveying & staked location @ 2530' FNL & 380' FEL, Sec 26, T25S, R31E, Eddy Co., NM. Location was unacceptable due to MOC battery & multiple buried pipelines. Re-staked location @ 2500' FNL & 900' FEL, Sec 26, T25S, R31E, Eddy Co., NM. (Elevation @ 3341'). Pad is 400 x 430. Topsoil W. Reclaim all sides 60'. Offsite battery to the SW. Location is in MOA/PA. Will require BLM onsite. Lat.: 32.10166154 N, Long.: -103.74309972 W NAD83. (BPS) DEC 19 2018 Met w/Paul Murphy (BLM-NRS) & Kyle Rybacki (BLM-Cave/Karst). Location approved.

Other SUPO Attachment

ARMSTRONG26_23W0HAFEDCOM2H_gascapturemap_20190115094208.pdf
 ARMSTRONG26_23W0HAFEDCOM2H_interimreclamationdiagram_20190115094048.pdf

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

PWD

Section 1 - General

Would you like to address long-term produced water disposal? NO

Section 2 - Lined Pits

Would you like to utilize Lined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

PWD disturbance (acres):

Lined pit PWD on or off channel:

Lined pit PWD discharge volume (bbl/day):

Lined pit specifications:

Pit liner description:

Pit liner manufacturers information:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Lined pit precipitated solids disposal schedule:

Lined pit precipitated solids disposal schedule attachment:

Lined pit reclamation description:

Lined pit reclamation attachment:

Leak detection system description:

Leak detection system attachment:

Lined pit Monitor description:

Lined pit Monitor attachment:

Lined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Lined pit bond number:

Well Name: ARMSTRONG 26/23 WOHH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Lined pit bond amount:

Additional bond information attachment:

Section 3 - Unlined Pits

Would you like to utilize Unlined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD disturbance (acres):

PWD surface owner:

Unlined pit PWD on or off channel:

Unlined pit PWD discharge volume (bbl/day):

Unlined pit specifications:

Precipitated solids disposal:

Describe precipitated solids disposal:

Precipitated solids disposal permit:

Unlined pit precipitated solids disposal schedule:

Unlined pit precipitated solids disposal schedule attachment:

Unlined pit reclamation description:

Unlined pit reclamation attachment:

Unlined pit Monitor description:

Unlined pit Monitor attachment:

Do you propose to put the produced water to beneficial use?

Beneficial use user confirmation:

Estimated depth of the shallowest aquifer (feet):

Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?

TDS lab results:

Geologic and hydrologic evidence:

State authorization:

Unlined Produced Water Pit Estimated percolation:

Unlined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Unlined pit bond number:

Unlined pit bond amount:

Additional bond information attachment:

Section 4 - Injection

Would you like to utilize Injection PWD options? NO

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Produced Water Disposal (PWD) Location:**PWD surface owner:****PWD disturbance (acres):****Injection PWD discharge volume (bbl/day):****Injection well mineral owner:****Injection well type:****Injection well number:****Injection well name:****Assigned injection well API number?****Injection well API number:****Injection well new surface disturbance (acres):****Minerals protection information:****Mineral protection attachment:****Underground Injection Control (UIC) Permit?****UIC Permit attachment:****Section 5 - Surface Discharge****Would you like to utilize Surface Discharge PWD options? NO****Produced Water Disposal (PWD) Location:****PWD surface owner:****PWD disturbance (acres):****Surface discharge PWD discharge volume (bbl/day):****Surface Discharge NPDES Permit?****Surface Discharge NPDES Permit attachment:****Surface Discharge site facilities information:****Surface discharge site facilities map:****Section 6 - Other****Would you like to utilize Other PWD options? NO****Produced Water Disposal (PWD) Location:****PWD surface owner:****PWD disturbance (acres):****Other PWD discharge volume (bbl/day):****Other PWD type description:****Other PWD type attachment:****Have other regulatory requirements been met?****Other regulatory requirements attachment:**

Operator Certification

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Operator Certification

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

NAME: Bradley Bishop**Signed on:** 02/12/2021**Title:** Regulatory**Street Address:** PO Box 5270**City:** Hobbs**State:** NM**Zip:** 88260**Phone:** (575)393-5905**Email address:** bbishop@mewbourne.com**Field Representative****Representative Name:** Andrew Taylor**Street Address:****City:****State:****Zip:****Phone:****Email address:** ataylor@mewbourne.com**NOI Attachments****Procedure Description**

Armstrong_26_23_W0HH_Fed_Com_1H_Dir_Plan_20210212112538.pdf

Armstrong_26_23_W0HH_Fed_Com_1H_Dir_Plot_20210212112538.pdf

Well Name: ARMSTRONG 26/23 W0HH FED COM	Well Location: T25S / R31E / SEC 26 / SENE / 32.1016615 / -103.7430997	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM 016348, NMNM16348	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546306	Well Status: Approved Application for Permit to Drill	Operator: MEWBOURNE OIL COMPANY

Armstrong_26_23_W0HH_Fed_Com_1H_C_102_20210212112139.pdf

Armstrong_26_23_W0HH_Fed_Com_1H_Sundry_20210212112112.doc

Conditions of Approval

Additional Reviews

Armstrong_26_23_W0HH_Fed_Com_1H_Sundry_1341538_COA_OTA_20210303103217.pdf

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BISHOP

Signed on: FEB 12, 2021 11:27 AM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: P O BOX 5270

City: HOBBS

State: NM

Phone: (505) 393-5905

Email address: NOT ENTERED

Field Representative

Representative Name: Andrew Taylor

Street Address:

City:

State:

Zip:

Phone:

Email address: ataylor@mewbourne.com

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS

BLM POC Phone: 5752342234

Disposition: Approved

Signature: Chris Walls

BLM POC Title: Petroleum Engineer

BLM POC Email Address: cwalls@blm.gov

Disposition Date: 03/03/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-46306		² Pool Code 98220		³ Pool Name Purple Sage; Wolfcamp Gas	
⁴ Property Code 326138		⁵ Property Name ARMSTRONG 26/23 WOHH FED COM			⁶ Well Number 1H
⁷ DGRID NO. 14744		⁸ Operator Name MEWBOURNE OIL COMPANY			⁹ Elevation 3341'
¹⁰ Surface Location					
UL or lot no. H	Section 26	Township 25S	Range 31E	Lot Idn 2500	Feet from the NORTH
		Feet From the 900	East/West line EAST	County EDDY	
¹¹ Bottom Hole Location If Different From Surface					
UL or lot no. H	Section 23	Township 25S	Range 31E	Lot Idn 1418	Feet from the NORTH
		Feet From the 845	East/West line EAST	County EDDY	
¹² Dedicated Acres 480		¹³ Joint or Infill		¹⁴ Consolidation Code	
¹⁵ Order No.					

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.



CORNER DATA
NAD 83 GRID - NM EAST
A: FOUND BRASS CAP "1939"
N 398416.8 - E 719679.1
B: FOUND BRASS CAP "1939"
N 401064.4 - E 719677.2
C: CALCULATED CORNER
N 403712.6 - E 719676.3
D: FOUND BRASS CAP "1939"
N 406360.7 - E 719664.4
E: CALCULATED CORNER
N 409006.7 - E 719654.6
F: FOUND BRASS CAP "1939"
N 408990.9 - E 722331.0
G: FOUND 2" PIPE
N 409003.4 - E 724979.0
H: FOUND BRASS CAP "1939"
N 403723.6 - E 724993.6
I: FOUND BRASS CAP "1939"
N 401083.2 - E 725002.4
J: FOUND BRASS CAP "1939"
N 398442.3 - E 725012.1
K: FOUND BRASS CAP "1939"
N 398432.6 - E 722344.9
L: FOUND BRASS CAP "1939"
N 403715.4 - E 722336.0

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *Andrew Taylor* Date: 2/10/2021
Printed Name: Andrew Taylor
E-mail Address: ataylor@mewbourne.com

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

06-09-20

Date of Survey

Signature and Seal of Professional Surveyor

19680

Certificate Number

BH MOVE - 12/09/2020

RRR - Job No.: LS20060288

Mewbourne Oil Company, Armstrong 26/23 W0HH Fed Com #1H**Sec 26, T25S, R31E****SL: 2500' FNL & 900' FEL (26)****BHL: 1418' FNL & 845' FEL (23)****Casing Program**

Hole Size	Casing Interval		Csg. Size	Weight (lbs)	Grade	Conn.	SF Collapse	SF Burst	SF Jt Tension	SF Body Tension
	From	To								
17.5"	0'	950'	13.375"	48	H40	STC	1.77	3.98	7.06	11.86
12.25"	0'	4220'	9.625"	40	J55	LTC	1.17	1.80	3.08	3.73
8.75"	0'	11,900'	7"	26	P110	LTC	1.34	1.71	2.24	2.68
6.125"	11,242'	18,059'	4.5"	13.5	P110	LTC	1.45	1.68	3.67	4.59
BLM Minimum Safety Factor							1.125	1	1.6 Dry 1.8 Wet	1.6 Dry 1.8 Wet

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h
Must have table for contingency casing

	Y or N
Is casing new? If used, attach certification as required in Onshore Order #1	Y
Is casing API approved? If no, attach casing specification sheet.	Y
Is premium or uncommon casing planned? If yes attach casing specification sheet.	N
Does the above casing design meet or exceed BLM's minimum standards? If not provide justification (loading assumptions, casing design criteria).	Y
Will the pipe be kept at a minimum 1/3 fluid filled to avoid approaching the collapse pressure rating of the casing?	Y
Is well located within Capitan Reef?	N
If yes, does production casing cement tie back a minimum of 50' above the Reef?	
Is well within the designated 4 string boundary.	
Is well located in SOPA but not in R-111-P?	N
If yes, are the first 2 strings cemented to surface and 3 rd string cement tied back 500' into previous casing?	
Is well located in R-111-P and SOPA?	N
If yes, are the first three strings cemented to surface?	
Is 2 nd string set 100' to 600' below the base of salt?	
Is well located in high Cave/Karst?	N
If yes, are there two strings cemented to surface?	
(For 2 string wells) If yes, is there a contingency casing if lost circulation occurs?	
Is well located in critical Cave/Karst?	N
If yes, are there three strings cemented to surface?	

Mewbourne Oil Company, Armstrong 26/23 W0HH Fed Com #1H
Sec 26, T25S, R31E
SL: 2500' FNL & 900' FEL (26)
BHL: 1418' FNL & 845' FEL (23)

Cementing Program

Casing	# Sks	Wt. lb/gal	Yld ft ³ /sack	H ₂ O gal/sk	500# Comp. Strength (hours)	Slurry Description
Surf.	500	12.5	2.12	11	10	Lead: Class C + Salt + Gel + Extender + LCM
	200	14.8	1.34	6.3	8	Tail: Class C + Retarder
Inter.	640	12.5	2.12	11	10	Lead: Class C + Salt + Gel + Extender + LCM
	200	14.8	1.34	6.3	8	Tail: Class C + Retarder
Prod. 1 st Stg	350	12.5	2.12	11	9	Lead: Class C + Salt + Gel + Extender + LCM
	400	15.6	1.18	5.2	10	Tail: Class H + Retarder + Fluid Loss + Defoamer
ECP/DV Tool @ 5485'						
Prod. 2 nd Stg	70	12.5	2.12	11	9	Lead: Class C + Salt + Gel + Extender + LCM
	100	14.8	1.34	6.3	8	Tail: Class C + Retarder
Liner	275	11.2	2.97	18	16	Class H + Salt + Gel + Fluid Loss + Retarder + Dispersant + Defoamer + Anti-Settling Agent

A copy of cement test will be available on location at time of cement job providing pump times & compressive strengths.


Casing String	TOC	% Excess
Surface	0'	100%
Intermediate	0'	25%
Production	4020'	25%
Liner	11,242'	25%

Mud Program

TVD		Type	Weight (ppg)	Viscosity	Water Loss
From	To				
0'	950'	Spud Mud	8.6-8.8	28-34	N/C
950'	4220'	Brine	10.0	28-34	N/C
4220'	11,763'	Cut Brine	8.6-9.7	28-34	N/C
11,763'	18,059'	OBM	10.0-12.0	30-40	<10cc

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

What will be used to monitor the loss or gain of fluid?	Pason/PVT/Visual Monitoring
---------------------------------------------------------	-----------------------------



Mewbourne Oil Company

Eddy County, New Mexico NAD 83

Armstrong 26/23 W0HH Fed Com #1H

Sec 26, T25S, R31E

SHL: 2500' FNL & 900' FEL, Sec 26

BHL: 1418' FNL & 845' FEL, Sec 23

Plan: Design #1

Standard Planning Report

05 February, 2021

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Armstrong 26/23 W0HH Fed Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3369.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3369.0usft (Original Well Elev)
Site:	Armstrong 26/23 W0HH Fed Com #1H	North Reference:	Grid
Well:	Sec 26, T25S, R31E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 1418' FNL & 845' FEL, Sec 23		
Design:	Design #1		

Project	Eddy County, New Mexico NAD 83		
Map System:	US State Plane 1983	System Datum:	Ground Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Armstrong 26/23 W0HH Fed Com #1H			
Site Position:		Northing:	401,221.00 usft	Latitude: 32.1016607
From:	Map	Easting:	724,102.00 usft	Longitude: -103.7431001
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence: 0.31 "

Well	Sec 26, T25S, R31E			
Well Position	+N/-S	0.0 usft	Northing:	401,221.00 usft
	+E/-W	0.0 usft	Easting:	724,102.00 usft
Position Uncertainty	0.0 usft		Wellhead Elevation:	3,369.0 usft
			Ground Level:	3,341.0 usft

Wellbore	BHL: 1418' FNL & 845' FEL, Sec 23				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	12/31/2014	7.22	59.96	48,145

Design	Design #1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	0.32

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
4,300.0	0.00	0.00	4,300.0	0.0	0.0	0.00	0.00	0.00	0.00	
4,358.8	1.18	157.07	4,358.8	-0.6	0.2	2.00	2.00	0.00	157.07	
11,182.7	1.18	157.07	11,181.3	-129.4	54.8	0.00	0.00	0.00	0.00	
11,241.5	0.00	0.00	11,240.0	-130.0	55.0	2.00	-2.00	0.00	180.00	KOP: 2630' FNL & 84
12,144.4	90.29	359.83	11,813.0	445.9	53.3	10.00	10.00	0.00	-0.17	
18,058.6	90.29	359.83	11,783.0	6,360.0	36.0	0.00	0.00	0.00	0.00	BHL: 1418' FNL & 845'

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Armstrong 26/23 W0HH Fed Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3369.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3369.0usft (Original Well Elev)
Site:	Armstrong 26/23 W0HH Fed Com #1H	North Reference:	Grid
Well:	Sec 26, T25S, R31E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 1418' FNL & 845' FEL, Sec 23		
Design:	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
SHL: 2500' FNL & 900' FEL (26)									
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00
1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.0	0.00	0.00	0.00
1,600.0	0.00	0.00	1,600.0	0.0	0.0	0.0	0.00	0.00	0.00
1,700.0	0.00	0.00	1,700.0	0.0	0.0	0.0	0.00	0.00	0.00
1,800.0	0.00	0.00	1,800.0	0.0	0.0	0.0	0.00	0.00	0.00
1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.0	0.00	0.00	0.00
2,000.0	0.00	0.00	2,000.0	0.0	0.0	0.0	0.00	0.00	0.00
2,100.0	0.00	0.00	2,100.0	0.0	0.0	0.0	0.00	0.00	0.00
2,200.0	0.00	0.00	2,200.0	0.0	0.0	0.0	0.00	0.00	0.00
2,300.0	0.00	0.00	2,300.0	0.0	0.0	0.0	0.00	0.00	0.00
2,400.0	0.00	0.00	2,400.0	0.0	0.0	0.0	0.00	0.00	0.00
2,500.0	0.00	0.00	2,500.0	0.0	0.0	0.0	0.00	0.00	0.00
2,600.0	0.00	0.00	2,600.0	0.0	0.0	0.0	0.00	0.00	0.00
2,700.0	0.00	0.00	2,700.0	0.0	0.0	0.0	0.00	0.00	0.00
2,800.0	0.00	0.00	2,800.0	0.0	0.0	0.0	0.00	0.00	0.00
2,900.0	0.00	0.00	2,900.0	0.0	0.0	0.0	0.00	0.00	0.00
3,000.0	0.00	0.00	3,000.0	0.0	0.0	0.0	0.00	0.00	0.00
3,100.0	0.00	0.00	3,100.0	0.0	0.0	0.0	0.00	0.00	0.00
3,200.0	0.00	0.00	3,200.0	0.0	0.0	0.0	0.00	0.00	0.00
3,300.0	0.00	0.00	3,300.0	0.0	0.0	0.0	0.00	0.00	0.00
3,400.0	0.00	0.00	3,400.0	0.0	0.0	0.0	0.00	0.00	0.00
3,500.0	0.00	0.00	3,500.0	0.0	0.0	0.0	0.00	0.00	0.00
3,600.0	0.00	0.00	3,600.0	0.0	0.0	0.0	0.00	0.00	0.00
3,700.0	0.00	0.00	3,700.0	0.0	0.0	0.0	0.00	0.00	0.00
3,800.0	0.00	0.00	3,800.0	0.0	0.0	0.0	0.00	0.00	0.00
3,900.0	0.00	0.00	3,900.0	0.0	0.0	0.0	0.00	0.00	0.00
4,000.0	0.00	0.00	4,000.0	0.0	0.0	0.0	0.00	0.00	0.00
4,100.0	0.00	0.00	4,100.0	0.0	0.0	0.0	0.00	0.00	0.00
4,200.0	0.00	0.00	4,200.0	0.0	0.0	0.0	0.00	0.00	0.00
4,300.0	0.00	0.00	4,300.0	0.0	0.0	0.0	0.00	0.00	0.00
4,358.8	1.18	157.07	4,358.8	-0.6	0.2	-0.6	2.00	2.00	0.00
4,400.0	1.18	157.07	4,400.0	-1.3	0.6	-1.3	0.00	0.00	0.00
4,500.0	1.18	157.07	4,500.0	-3.2	1.4	-3.2	0.00	0.00	0.00
4,600.0	1.18	157.07	4,599.9	-5.1	2.2	-5.1	0.00	0.00	0.00
4,700.0	1.18	157.07	4,699.9	-7.0	3.0	-7.0	0.00	0.00	0.00
4,800.0	1.18	157.07	4,799.9	-8.9	3.8	-8.9	0.00	0.00	0.00
4,900.0	1.18	157.07	4,899.9	-10.8	4.6	-10.8	0.00	0.00	0.00
5,000.0	1.18	157.07	4,999.9	-12.7	5.4	-12.6	0.00	0.00	0.00
5,100.0	1.18	157.07	5,099.8	-14.6	6.2	-14.5	0.00	0.00	0.00

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Armstrong 26/23 W0HH Fed Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3369.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3369.0usft (Original Well Elev)
Site:	Armstrong 26/23 W0HH Fed Com #1H	North Reference:	Grid
Well:	Sec 26, T25S, R31E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 1418' FNL & 845' FEL, Sec 23		
Design:	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,200.0	1.18	157.07	5,199.8	-16.4	7.0	-16.4	0.00	0.00	0.00
5,300.0	1.18	157.07	5,299.8	-18.3	7.8	-18.3	0.00	0.00	0.00
5,400.0	1.18	157.07	5,399.8	-20.2	8.6	-20.2	0.00	0.00	0.00
5,500.0	1.18	157.07	5,499.8	-22.1	9.4	-22.1	0.00	0.00	0.00
5,600.0	1.18	157.07	5,599.7	-24.0	10.2	-23.9	0.00	0.00	0.00
5,700.0	1.18	157.07	5,699.7	-25.9	11.0	-25.8	0.00	0.00	0.00
5,800.0	1.18	157.07	5,799.7	-27.8	11.8	-27.7	0.00	0.00	0.00
5,900.0	1.18	157.07	5,899.7	-29.7	12.6	-29.6	0.00	0.00	0.00
6,000.0	1.18	157.07	5,999.7	-31.6	13.3	-31.5	0.00	0.00	0.00
6,100.0	1.18	157.07	6,099.6	-33.4	14.1	-33.4	0.00	0.00	0.00
6,200.0	1.18	157.07	6,199.6	-35.3	14.9	-35.2	0.00	0.00	0.00
6,300.0	1.18	157.07	6,299.6	-37.2	15.7	-37.1	0.00	0.00	0.00
6,400.0	1.18	157.07	6,399.6	-39.1	16.5	-39.0	0.00	0.00	0.00
6,500.0	1.18	157.07	6,499.5	-41.0	17.3	-40.9	0.00	0.00	0.00
6,600.0	1.18	157.07	6,599.5	-42.9	18.1	-42.8	0.00	0.00	0.00
6,700.0	1.18	157.07	6,699.5	-44.8	18.9	-44.7	0.00	0.00	0.00
6,800.0	1.18	157.07	6,799.5	-46.7	19.7	-46.6	0.00	0.00	0.00
6,900.0	1.18	157.07	6,899.5	-48.6	20.5	-48.4	0.00	0.00	0.00
7,000.0	1.18	157.07	6,999.4	-50.4	21.3	-50.3	0.00	0.00	0.00
7,100.0	1.18	157.07	7,099.4	-52.3	22.1	-52.2	0.00	0.00	0.00
7,200.0	1.18	157.07	7,199.4	-54.2	22.9	-54.1	0.00	0.00	0.00
7,300.0	1.18	157.07	7,299.4	-56.1	23.7	-56.0	0.00	0.00	0.00
7,400.0	1.18	157.07	7,399.4	-58.0	24.5	-57.9	0.00	0.00	0.00
7,500.0	1.18	157.07	7,499.3	-59.9	25.3	-59.7	0.00	0.00	0.00
7,600.0	1.18	157.07	7,599.3	-61.8	26.1	-61.6	0.00	0.00	0.00
7,700.0	1.18	157.07	7,699.3	-63.7	26.9	-63.5	0.00	0.00	0.00
7,800.0	1.18	157.07	7,799.3	-65.6	27.7	-65.4	0.00	0.00	0.00
7,900.0	1.18	157.07	7,899.3	-67.4	28.5	-67.3	0.00	0.00	0.00
8,000.0	1.18	157.07	7,999.2	-69.3	29.3	-69.2	0.00	0.00	0.00
8,100.0	1.18	157.07	8,099.2	-71.2	30.1	-71.0	0.00	0.00	0.00
8,200.0	1.18	157.07	8,199.2	-73.1	30.9	-72.9	0.00	0.00	0.00
8,300.0	1.18	157.07	8,299.2	-75.0	31.7	-74.8	0.00	0.00	0.00
8,400.0	1.18	157.07	8,399.1	-76.9	32.5	-76.7	0.00	0.00	0.00
8,500.0	1.18	157.07	8,499.1	-78.8	33.3	-78.6	0.00	0.00	0.00
8,600.0	1.18	157.07	8,599.1	-80.7	34.1	-80.5	0.00	0.00	0.00
8,700.0	1.18	157.07	8,699.1	-82.6	34.9	-82.4	0.00	0.00	0.00
8,800.0	1.18	157.07	8,799.1	-84.4	35.7	-84.2	0.00	0.00	0.00
8,900.0	1.18	157.07	8,899.0	-86.3	36.5	-86.1	0.00	0.00	0.00
9,000.0	1.18	157.07	8,999.0	-88.2	37.3	-88.0	0.00	0.00	0.00
9,100.0	1.18	157.07	9,099.0	-90.1	38.1	-89.9	0.00	0.00	0.00
9,200.0	1.18	157.07	9,199.0	-92.0	38.9	-91.8	0.00	0.00	0.00
9,300.0	1.18	157.07	9,299.0	-93.9	39.7	-93.7	0.00	0.00	0.00
9,400.0	1.18	157.07	9,398.9	-95.8	40.5	-95.5	0.00	0.00	0.00
9,500.0	1.18	157.07	9,498.9	-97.7	41.3	-97.4	0.00	0.00	0.00
9,600.0	1.18	157.07	9,598.9	-99.6	42.1	-99.3	0.00	0.00	0.00
9,700.0	1.18	157.07	9,698.9	-101.4	42.9	-101.2	0.00	0.00	0.00
9,800.0	1.18	157.07	9,798.9	-103.3	43.7	-103.1	0.00	0.00	0.00
9,900.0	1.18	157.07	9,898.8	-105.2	44.5	-105.0	0.00	0.00	0.00
10,000.0	1.18	157.07	9,998.8	-107.1	45.3	-106.8	0.00	0.00	0.00
10,100.0	1.18	157.07	10,098.8	-109.0	46.1	-108.7	0.00	0.00	0.00
10,200.0	1.18	157.07	10,198.8	-110.9	46.9	-110.6	0.00	0.00	0.00
10,300.0	1.18	157.07	10,298.7	-112.8	47.7	-112.5	0.00	0.00	0.00
10,400.0	1.18	157.07	10,398.7	-114.7	48.5	-114.4	0.00	0.00	0.00
10,500.0	1.18	157.07	10,498.7	-116.5	49.3	-116.3	0.00	0.00	0.00

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Armstrong 26/23 W0HH Fed Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3369.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3369.0usft (Original Well Elev)
Site:	Armstrong 26/23 W0HH Fed Com #1H	North Reference:	Grid
Well:	Sec 26, T25S, R31E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 1418' FNL & 845' FEL, Sec 23		
Design:	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
10,600.0	1.18	157.07	10,598.7	-118.4	50.1	-118.2	0.00	0.00	0.00
10,700.0	1.18	157.07	10,698.7	-120.3	50.9	-120.0	0.00	0.00	0.00
10,800.0	1.18	157.07	10,798.6	-122.2	51.7	-121.9	0.00	0.00	0.00
10,900.0	1.18	157.07	10,898.6	-124.1	52.5	-123.8	0.00	0.00	0.00
11,000.0	1.18	157.07	10,998.6	-126.0	53.3	-125.7	0.00	0.00	0.00
11,100.0	1.18	157.07	11,098.6	-127.9	54.1	-127.6	0.00	0.00	0.00
11,182.7	1.18	157.07	11,181.3	-129.4	54.8	-129.1	0.00	0.00	0.00
11,200.0	0.83	157.07	11,198.6	-129.7	54.9	-129.4	2.00	-2.00	0.00
11,241.5	0.00	0.00	11,240.0	-130.0	55.0	-129.7	2.00	-2.00	0.00
KOP: 2630' FNL & 845' FEL (26)									
11,300.0	5.85	359.83	11,298.5	-127.0	55.0	-126.7	10.00	10.00	0.00
11,400.0	15.85	359.83	11,396.5	-108.2	54.9	-107.9	10.00	10.00	0.00
11,500.0	25.85	359.83	11,489.9	-72.7	54.8	-72.4	10.00	10.00	0.00
11,567.0	32.55	359.83	11,548.3	-40.0	54.7	-39.7	10.00	10.00	0.00
FTP: 2540' FNL & 845' FEL (26)									
11,600.0	35.85	359.83	11,575.6	-21.4	54.7	-21.1	10.00	10.00	0.00
11,700.0	45.85	359.83	11,651.2	43.9	54.5	44.2	10.00	10.00	0.00
11,800.0	55.85	359.83	11,714.2	121.3	54.3	121.6	10.00	10.00	0.00
11,900.0	65.85	359.83	11,762.9	208.6	54.0	208.9	10.00	10.00	0.00
12,000.0	75.85	359.83	11,795.6	302.9	53.7	303.2	10.00	10.00	0.00
12,100.0	85.85	359.83	11,811.5	401.5	53.4	401.8	10.00	10.00	0.00
12,144.4	90.29	359.83	11,813.0	445.9	53.3	446.2	9.99	9.99	0.00
LP: 2054' FNL & 845' FEL (26)									
12,200.0	90.29	359.83	11,812.7	501.5	53.2	501.8	0.00	0.00	0.00
12,300.0	90.29	359.83	11,812.2	601.5	52.9	601.8	0.00	0.00	0.00
12,400.0	90.29	359.83	11,811.7	701.5	52.6	701.7	0.00	0.00	0.00
12,500.0	90.29	359.83	11,811.2	801.5	52.3	801.7	0.00	0.00	0.00
12,600.0	90.29	359.83	11,810.7	901.5	52.0	901.7	0.00	0.00	0.00
12,700.0	90.29	359.83	11,810.2	1,001.5	51.7	1,001.7	0.00	0.00	0.00
12,800.0	90.29	359.83	11,809.7	1,101.5	51.4	1,101.7	0.00	0.00	0.00
12,900.0	90.29	359.83	11,809.2	1,201.5	51.1	1,201.7	0.00	0.00	0.00
13,000.0	90.29	359.83	11,808.7	1,301.5	50.8	1,301.7	0.00	0.00	0.00
13,100.0	90.29	359.83	11,808.2	1,401.4	50.5	1,401.7	0.00	0.00	0.00
13,200.0	90.29	359.83	11,807.6	1,501.4	50.2	1,501.7	0.00	0.00	0.00
13,300.0	90.29	359.83	11,807.1	1,601.4	49.9	1,601.7	0.00	0.00	0.00
13,400.0	90.29	359.83	11,806.6	1,701.4	49.6	1,701.7	0.00	0.00	0.00
13,500.0	90.29	359.83	11,806.1	1,801.4	49.3	1,801.7	0.00	0.00	0.00
13,600.0	90.29	359.83	11,805.6	1,901.4	49.1	1,901.7	0.00	0.00	0.00
13,700.0	90.29	359.83	11,805.1	2,001.4	48.8	2,001.7	0.00	0.00	0.00
13,800.0	90.29	359.83	11,804.6	2,101.4	48.5	2,101.7	0.00	0.00	0.00
13,900.0	90.29	359.83	11,804.1	2,201.4	48.2	2,201.7	0.00	0.00	0.00
14,000.0	90.29	359.83	11,803.6	2,301.4	47.9	2,301.7	0.00	0.00	0.00
14,100.0	90.29	359.83	11,803.1	2,401.4	47.6	2,401.7	0.00	0.00	0.00
14,200.0	90.29	359.83	11,802.6	2,501.4	47.3	2,501.7	0.00	0.00	0.00
14,300.0	90.29	359.83	11,802.1	2,601.4	47.0	2,601.7	0.00	0.00	0.00
14,400.0	90.29	359.83	11,801.6	2,701.4	46.7	2,701.6	0.00	0.00	0.00
14,500.0	90.29	359.83	11,801.1	2,801.4	46.4	2,801.6	0.00	0.00	0.00
14,600.0	90.29	359.83	11,800.5	2,901.4	46.1	2,901.6	0.00	0.00	0.00
14,700.0	90.29	359.83	11,800.0	3,001.4	45.8	3,001.6	0.00	0.00	0.00
14,800.0	90.29	359.83	11,799.5	3,101.4	45.5	3,101.6	0.00	0.00	0.00
14,900.0	90.29	359.83	11,799.0	3,201.4	45.2	3,201.6	0.00	0.00	0.00
15,000.0	90.29	359.83	11,798.5	3,301.4	45.0	3,301.6	0.00	0.00	0.00
15,100.0	90.29	359.83	11,798.0	3,401.4	44.7	3,401.6	0.00	0.00	0.00

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Armstrong 26/23 W0HH Fed Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3369.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3369.0usft (Original Well Elev)
Site:	Armstrong 26/23 W0HH Fed Com #1H	North Reference:	Grid
Well:	Sec 26, T25S, R31E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 1418' FNL & 845' FEL, Sec 23		
Design:	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	±N/S (usft)	±E/W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
15,200.0	90.29	359.83	11,797.5	3,501.4	44.4	3,501.6	0.00	0.00	0.00	
15,300.0	90.29	359.83	11,797.0	3,601.4	44.1	3,601.6	0.00	0.00	0.00	
15,400.0	90.29	359.83	11,796.5	3,701.4	43.8	3,701.6	0.00	0.00	0.00	
15,500.0	90.29	359.83	11,796.0	3,801.4	43.5	3,801.6	0.00	0.00	0.00	
15,600.0	90.29	359.83	11,795.5	3,901.4	43.2	3,901.6	0.00	0.00	0.00	
15,700.0	90.29	359.83	11,795.0	4,001.4	42.9	4,001.6	0.00	0.00	0.00	
15,800.0	90.29	359.83	11,794.5	4,101.4	42.6	4,101.6	0.00	0.00	0.00	
15,900.0	90.29	359.83	11,793.9	4,201.4	42.3	4,201.6	0.00	0.00	0.00	
16,000.0	90.29	359.83	11,793.4	4,301.4	42.0	4,301.6	0.00	0.00	0.00	
16,100.0	90.29	359.83	11,792.9	4,401.4	41.7	4,401.6	0.00	0.00	0.00	
16,200.0	90.29	359.83	11,792.4	4,501.4	41.4	4,501.6	0.00	0.00	0.00	
16,300.0	90.29	359.83	11,791.9	4,601.4	41.1	4,601.6	0.00	0.00	0.00	
16,400.0	90.29	359.83	11,791.4	4,701.4	40.9	4,701.5	0.00	0.00	0.00	
16,500.0	90.29	359.83	11,790.9	4,801.4	40.6	4,801.5	0.00	0.00	0.00	
16,600.0	90.29	359.83	11,790.4	4,901.4	40.3	4,901.5	0.00	0.00	0.00	
16,700.0	90.29	359.83	11,789.9	5,001.4	40.0	5,001.5	0.00	0.00	0.00	
16,800.0	90.29	359.83	11,789.4	5,101.4	39.7	5,101.5	0.00	0.00	0.00	
16,835.8	90.29	359.83	11,789.2	5,137.2	39.6	5,137.3	0.00	0.00	0.00	
PPP2: 2640' FNL & 845' FEL (23)										
16,900.0	90.29	359.83	11,788.9	5,201.4	39.4	5,201.5	0.00	0.00	0.00	
17,000.0	90.29	359.83	11,788.4	5,301.4	39.1	5,301.5	0.00	0.00	0.00	
17,100.0	90.29	359.83	11,787.9	5,401.4	38.8	5,401.5	0.00	0.00	0.00	
17,200.0	90.29	359.83	11,787.4	5,501.4	38.5	5,501.5	0.00	0.00	0.00	
17,300.0	90.29	359.83	11,786.8	5,601.4	38.2	5,601.5	0.00	0.00	0.00	
17,400.0	90.29	359.83	11,786.3	5,701.4	37.9	5,701.5	0.00	0.00	0.00	
17,500.0	90.29	359.83	11,785.8	5,801.4	37.6	5,801.5	0.00	0.00	0.00	
17,600.0	90.29	359.83	11,785.3	5,901.4	37.3	5,901.5	0.00	0.00	0.00	
17,700.0	90.29	359.83	11,784.8	6,001.4	37.0	6,001.5	0.00	0.00	0.00	
17,800.0	90.29	359.83	11,784.3	6,101.4	36.8	6,101.5	0.00	0.00	0.00	
17,900.0	90.29	359.83	11,783.8	6,201.4	36.5	6,201.5	0.00	0.00	0.00	
18,000.0	90.29	359.83	11,783.3	6,301.4	36.2	6,301.5	0.00	0.00	0.00	
18,058.6	90.29	359.83	11,783.0	6,360.0	36.0	6,360.1	0.00	0.00	0.00	
BHL: 1418' FNL & 845' FEL (23)										

Planning Report

Database:	Hobbs	Local Co-ordinate Reference:	Site Armstrong 26/23 W0HH Fed Com #1H
Company:	Mewbourne Oil Company	TVD Reference:	WELL @ 3369.0usft (Original Well Elev)
Project:	Eddy County, New Mexico NAD 83	MD Reference:	WELL @ 3369.0usft (Original Well Elev)
Site:	Armstrong 26/23 W0HH Fed Com #1H	North Reference:	Grid
Well:	Sec 26, T25S, R31E	Survey Calculation Method:	Minimum Curvature
Wellbore:	BHL: 1418' FNL & 845' FEL, Sec 23		
Design:	Design #1		

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
SHL: 2500' FNL & 900' F - plan hits target center - Point	0.00	0.00	0.0	0.0	0.0	401,221.00	724,102.00	32.1016607	-103.7431001
KOP: 2630' FNL & 845' F - plan hits target center - Point	0.00	0.00	11,240.0	-130.0	55.0	401,091.00	724,157.00	32.1013025	-103.7429248
FTP: 2540' FNL & 845' F - plan hits target center - Point	0.00	0.00	11,548.3	-40.0	54.7	401,181.00	724,156.73	32.1015499	-103.7429241
BHL: 1418' FNL & 845' F - plan hits target center - Point	0.00	0.00	11,783.0	6,360.0	36.0	407,581.00	724,138.00	32.1191425	-103.7428714
PPP2: 2640' FNL & 845' F - plan hits target center - Point	0.00	0.00	11,789.2	5,137.2	39.6	406,358.20	724,141.58	32.1157813	-103.7428814
LP: 2054' FNL & 845' FE - plan hits target center - Point	0.00	0.00	11,813.0	445.9	53.3	401,666.90	724,155.31	32.1028856	-103.7429201

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME:	Mewbourne Oil Company
LEASE NO.:	NMNM016348
WELL NAME & NO.:	Armstrong 26-23 W0HH Fed Com 1H
SURFACE HOLE FOOTAGE:	2500'/N & 900'/E
BOTTOM HOLE FOOTAGE	1418'/N & 845'/E
LOCATION:	Section 26, T.25 S., R.31 E., NMP
COUNTY:	Eddy County, New Mexico

COA

H2S	<input type="radio"/> Yes	<input checked="" type="radio"/> No	
Potash	<input checked="" type="radio"/> None	<input type="radio"/> Secretary	<input type="radio"/> R-111-P
Cave/Karst Potential	<input type="radio"/> Low	<input checked="" type="radio"/> Medium	<input type="radio"/> High
Cave/Karst Potential	<input type="radio"/> Critical		
Variance	<input type="radio"/> None	<input checked="" type="radio"/> Flex Hose	<input type="radio"/> Other
Wellhead	<input type="radio"/> Conventional	<input checked="" type="radio"/> Multibowl	<input type="radio"/> Both
Other	<input type="checkbox"/> 4 String Area	<input type="checkbox"/> Capitan Reef	<input type="checkbox"/> WIPP
Other	<input checked="" type="checkbox"/> Fluid Filled	<input type="checkbox"/> Cement Squeeze	<input type="checkbox"/> Pilot Hole
Special Requirements	<input type="checkbox"/> Water Disposal	<input checked="" type="checkbox"/> COM	<input type="checkbox"/> Unit

All Previous COAs Still Apply.

A. CASING

Casing Design:

1. The 13-3/8 inch surface casing shall be set at approximately **950 feet** (a minimum of **70 feet (Eddy County)** into the Rustler Anhydrite and above the salt) and cemented to the surface.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
 - b. Wait on cement (WOC) time for a primary cement job will be a minimum of **8 hours** or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
 - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.

- d. If cement falls back, remedial cementing will be done prior to drilling out that string.
2. The minimum required fill of cement behind the 9-5/8 inch intermediate casing shall be set at approximately 4220 feet is:
 - Cement to surface. If cement does not circulate see B.1.a, c-d above.
**Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.
Excess cement calculates to 18%, additional cement might be required.**
 - ❖ In Medium Cave/Karst Areas if cement does not circulate to surface on the first two casing strings, the cement on the 3rd casing string must come to surface.

Production casing must be kept fluid filled to meet BLM minimum collapse requirement.

3. The minimum required fill of cement behind the 7 inch production casing is:

Option 1 (Single Stage):

- Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.
Excess cement calculates to 2%, additional cement might be required.

Option 2:

Operator has proposed a DV tool, the depth may be adjusted as long as the cement is changed proportionally. The DV tool may be cancelled if cement circulates to surface on the first stage.

- a. First stage to DV tool: Cement to circulate. If cement does not circulate off the DV tool, contact the appropriate BLM office before proceeding with second stage cement job.
- b. Second stage above DV tool:
 - Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification.
4. The minimum required fill of cement behind the 4-1/2 inch production liner is:
 - Cement should tie-back **100 feet** into the previous casing. Operator shall provide method of verification.

B. PRESSURE CONTROL

1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).'
2. Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **10,000 (10M) psi. Variance is approved to use a 5000 (5M) Annular which shall be tested to 5000 (5M) psi.**
 - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
 - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
 - c. Manufacturer representative shall install the test plug for the initial BOP test.
 - d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
 - e. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.

C. SPECIAL REQUIREMENT (S)**Communitization Agreement**

- The operator will submit a Communitization Agreement to the Carlsbad Field Office, 620 E Greene St. Carlsbad, New Mexico 88220, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. When the Communitization Agreement number is known, it shall also be on the sign.

OTA03022021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 19980

COMMENTS

Operator:	MEWBOURNE OIL CO	P.O. Box 5270	Hobbs, NM88241	OGRID:	14744	Action Number:	19980	Action Type:	C-103A
Created By	Comment					Comment Date			
kpickford	KP GEO Review 3/11/2021					03/11/2021			
jagarcia	New property code is 330285					03/11/2021			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 19980

CONDITIONS OF APPROVAL

Operator:	MEWBOURNE OIL CO	P.O. Box 5270	Hobbs, NM88241	OGRID:	14744	Action Number:	19980	Action Type:	C-103A
OCD Reviewer	Condition								
kpickford	Adhere to previous NMOCD Conditions of Approval								