Well Number: 228H

# U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

PRODUCTION COMPANY

Well Name: BOROS FEDERAL Well Location: T26S / R31E / SEC 15 / County or Parish/State: EDDY /

NENE / 32.048964 / -103.7593591

Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM138865 Unit or CA Name: Unit or CA Number:

**US Well Number:** 3001546850 **Well Status:** Approved Application for **Operator:** MATADOR

Permit to Drill

# **Subsequent Report**

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 03/08/2021 Time Sundry Submitted: 08:48

Date Operation Actually Began: 02/23/2021

Actual Procedure: BLM Bond NO.NMB001079 Surety Bond No. RLB0015172 See attached for production casing

information.

#### **SR Attachments**

#### **PActual Procedure**

Boros\_228\_Prod\_Casing\_and\_Cementing\_Actuals\_20210308084815.pdf

### **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JENNINGS Signed on: MAR 08, 2021 08:48 AM

Name: MATADOR PRODUCTION COMPANY

Title: Regulatory Analyst

Street Address: 5400 LBJ Freeway, Suite 1500

City: Dallas State: TX

Phone: (972) 371-5200

**Email address:** 

### **Field Representative**

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

**Email address:** 

County or Parish/State: EDDY / Well Location: T26S / R31E / SEC 15 /

NENE / 32.048964 / -103.7593591

Well Number: 228H **Allottee or Tribe Name:** Type of Well: OIL WELL

**Unit or CA Name: Unit or CA Number:** Lease Number: NMNM138865

**US Well Number: 3001546850** Well Status: Approved Application for Operator: MATADOR

Permit to Drill PRODUCTION COMPANY

# **BLM Point of Contact**

**BLM POC Title:** Petroleum Engineer **BLM POC Name:** Jonathon W Shepard

**BLM POC Phone:** 5752345972 **BLM POC Email Address:** jshepard@blm.gov

**Disposition:** Accepted Disposition Date: 03/10/2021

Signature: Jonathon Shepard

\*100 bbls cement circulated off top of DV tool

| Boros Federal #228H | oros Federal #228H  |                       |           |         |          |            |            |            |        |                 |            |       |                  |       |          |      |          |       |          |        |        |             |                 |                 |                 |
|---------------------|---|-----------------------|-----------|---------|----------|------------|------------|------------|--------|-----------------|------------|-------|------------------|-------|----------|------|----------|-------|----------|--------|--------|-------------|-----------------|-----------------|-----------------|
|                     | "estimated due to batch drilling/will have actuals at time of setting next string |                       |           |         |          |            |            |            |        |                 |            |       |                  |       |          |      |          |       |          |        |        |             |                 |                 |                 |
| DATE                | STRING  | FLUID TYPE            | WT LB/FT  | GRADE   | CONN     | HOLE SZ    | CSG SZ     | HOLE DEPTH |        |                 | PRESS HELD | STAGE | STAGE TOOL DEPTH | LD SX | LD YIELD | TLSX | TL YIELD | TTLSX | TTL BBIs | CLASS  |        | METHOD USED | BBLS TO SURF    | SX TO SURF      | LENGTH 1" RAN   |
|                     |   | (list)                | (decimal) |         |          | (fraction) | (fraction) | (feet)     | (feet) | (decimal hours) | (psi)      |       | (Btm)            |       |          |      |          |       |          | (list) | (feet) | (list)      | (if circulated) | (if circulated) | (if topped out) |
| 12/9/2020           | SURF  | Fresh Water           | 54.50     | J-55    | Buttress | 17-1/2"    | 13-3/8"    | 1523       | 1503   | 9.0             | 1500       | 1     | 0                | 920   | 1.73     | 345  | 1.34     | 1265  | 365.79   | C      | 0      | Circ        | 206             | 863             | 0               |
| 12/17/2020          | INT 1   | Diesel Brine Emulsion | 29.70     | P-110   | Buttress | 9-7/8"     | 7-5/8"     | 11873      | 11858  | 1407.0          | 2710       | 1     | 0                | 430   | 3.68     | 620  | 1.37     | 1050  | 433.09   | C      | 3911   | Circ        | 0               |                 | 0               |
|                     |   |                       |           |         |          |            |            |            | 0      |                 |            | 2     | 3930             | 1355  | 1.74     | 0    | 0        | 1355  | 419.89   | С      | 0      | Circ        | 80              | 258             | 0               |
| 2/23/2021           | PROD  | Oil-Based Mud         | 20.00     | P-110CY | TLW-SC   | 6-3/4"     | 5-1/2"     | 22764      | 22758  | *1500           | *2710      | 1     |                  | 525   | 1.36     | 875  | 1.24     | 1400  | 320.39   | Н      | 2700   | Calc        | 0               |                 |                 |
|                     |   |                       |           |         |          |            |            |            |        |                 |            |       |                  |       |          |      |          |       |          |        |        |             |                 |                 |                 |
|                     | KOP: 12,010 MD / 11,976 TVD   |                       |           |         |          |            |            |            |        |                 |            |       |                  |       |          |      |          |       |          |        |        |             |                 |                 |                 |
|                     | TD: 22,773' MD / 12,493' TVD  |                       |           |         |          |            |            |            |        |                 |            |       |                  |       |          |      |          |       |          |        |        |             |                 |                 |                 |
|                     | Top of Prod Casing Float Collar (feet): 22,674'                                   |                       |           |         |          |            |            |            |        |                 |            |       |                  |       |          |      |          |       |          |        |        |             |                 |                 |                 |
|                     |   |                       |           |         |          |            |            |            |        |                 |            |       |                  |       |          |      |          |       |          |        |        |             |                 |                 |                 |

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 20581

#### **CONDITIONS OF APPROVAL**

| Operator:                                     | OGRID: | Action Number: | Action Type: |
|---|--------|----------------|--------------|
| MATADOR PRODUCTION COMPANY One Lincoln Centre | 228937 | 20581          | C-103N       |
| 5400 LBJ Freeway, Ste 1500 Dallas, TX75240    |        |                |              |

| OCD Reviewer | Condition |
|--------------|-----------|
| ksimmons     | None      |