

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address DJR Operating, LLC 1 Road 3263 Aztec, NM 87410		² OGRID Number 371838	
		³ Reason for Filing Code/ Effective Date RT	
⁴ API Number 30-045-38181	⁵ Pool Name Alamito N; Mancos (Oil)		⁶ Pool Code 98174
⁷ Property Code 325267	⁸ Property Name North Alamito Unit		⁹ Well Number 401H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 36	Township 23N	Range 8W	Lot Idn	Feet from the 450'	North/South Line South	Feet from the 644'	East/West line East	County San Juan
--------------------	---------------	-----------------	-------------	---------	-----------------------	---------------------------	-----------------------	------------------------	--------------------

¹¹ Bottom Hole Location

UL or lot no. D	Section 36	Township 23N	Range 8W	Lot Idn	Feet from the 1170'	North/South line North	Feet from the 424'	East/West line West	County San Juan
¹² Lse Code F	¹³ Producing Method Code F		¹⁴ Gas Connection Date TBD		¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date	

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining Company, LP 6500 Townbridge Drive, El Paso, TX 79905	O
151618	Enterprise Field Services, LLC Post Office Box 4503, Houston, TX 77001	G
	~Gas will be flared during flowback & until N2 & O2 is cleaned from the wellbore~	

IV. Well Completion Data

²¹ Spud Date 03/23/20	²² Ready Date 04/22/2021	²³ TD 10,476' MD 5,042' TVD	²⁴ PBTD 10,461' MD 5,042' TVD	²⁵ Perforations 5,332'-10,403' MD 5,021'-5,042' TVD Frac Sleeve @ 10,439'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
12.25		9.625" 36# J55		367'	109
8.75		7" 26# J55		5,256'	Lead: 374 Tail: 234
6.125		4.5" 11.6# P110		TOL:5,080' BOL: 10,474'	455

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Shaw-Marie Ford			OIL CONSERVATION DIVISION Approved by: Amy Kammisch		
Printed name: Shaw-Marie Ford			Title: Data Compliance Manager		
Title: Regulatory Specialist			Approval Date: 4/21/21		
E-mail Address: sford@djrlc.com					
Date: 02/09/2021		Phone: 505-716-3297			

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, N.M. 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, N.M. 87505

☐ AMENDED REPORT**WELL LOCATION AND ACREAGE DEDICATION PLAT**

¹ API Number 30-045-38181	² Pool Code 98174	³ Pool Name North Alamito Unit Mancos Oil Pool
⁴ Property Code 325267	⁵ Property Name North Alamito Unit	⁶ Well Number 401H
⁷ OGRID No. 371838	⁸ Operator Name DJR Operating, LLC	⁹ Elevation 6950

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	36	23 N	8 W		450	South	644	East	San Juan

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	36	23 N	8 W		1170	North	424	West	San Juan

¹² Dedicated Acres


SEC. 36=E/2 SE/4, W/2 SE/4, SW/NE, NE/SW, W/2 NW/4,
SE/4 NW/4
TOTAL = 360.00 ACRES

¹³ Joint or Infill**¹⁴ Consolidation Code****¹⁵ Order No.**

R-14081, R-14081A

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



SHL
450' FSL & 644' FEL
Sec 36 T23N R8W
Lat. 36.1772846° N
Long. 107.6265426° W
NAD 83

FTP
770' FSL & 1010' FEL
Sec 36 T23N R8W
Lat. 36.1871711° N
Long. 107.6277798° W
NAD 83

LTP
1170' FNL & 424' FWL
Sec 36 T23N R8W
Lat. 36.1874669° N
Long. 107.6405711° W
NAD 83

Legend:

- = Surface Location (SHL)
- △ = First Take Point (FTP)
- = Last Take Point (LTP)
- ⊙ = Found 1947 USGLO Brass Cap
- ⊙ = Found 1948 USGLO Brass Cap

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shaw-Marie Ford 4/8/21
Signature Date

Shaw-Marie Ford

Printed Name

sford@djrlc.com

E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

3/27/19

Date of Survey

Plat Revised: 2/5/21

Signature and Seal of Professional Surveyor:

Preliminary

Certificate Number

**Directional Survey Certification**

2948 I-70 Business Loop
Grand Junction, CO 81504
(970)-245-9447 Fax (970)-245-9454

Operator	DJR Operating
Well Name & No.	North Alamito P36 2308 401H
County & State	Sadoval, NM
SDI Job No.	OP.024786
Rig	Aztec 920

I, Janie Collins, having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 381 feet to a measured depth of 10,476 feet is true and correct as determined from all available records.

A handwritten signature in blue ink, appearing to read 'Janie Collins', written over a horizontal line.

Signature

3-May-20

Date

Janie Collins

Colorado District Well Planner
Scientific Drilling International



Scientific Drilling, Intl Survey Report

Company:	DJR Operating	Local Co-ordinate Reference:	Well NAU 401H
Project:	North Alamito Unit	TVD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Site:	P36 2308	MD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Well:	NAU 401H	North Reference:	True
Wellbore:	Original drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original drilling	Database:	Grand Junction

Project	North Alamito Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site	P36 2308				
Site Position:		Northing:	1,883,911.47 usft	Latitude:	36.1773337
From:	Lat/Long	Easting:	2,784,111.65 usft	Longitude:	-107.6265728
Position Uncertainty:	0.00 usft	Slot Radius:	16.00 in	Grid Convergence:	0.12 °

Well		NAU 401H				
Well Position	+N/-S	0.00 usft	Northing:	1,883,893.62 usft	Latitude:	36.1772846
	+E/-W	0.00 usft	Easting:	2,784,120.60 usft	Longitude:	-107.6265426
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	6,948.00 usft

Wellbore	Original drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM_FILE	4/10/2020	8.70	62.75	49,285.30000000

Design	Original drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	311.682	

Survey Program	Date	5/3/2020			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
381.00	4,238.00	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
4,287.00	5,214.00	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
5,313.00	10,476.00	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
381.00	0.89	119.250	380.98	-1.45	2.58	-2.89	0.23	0.23	0.00	
441.00	0.57	133.520	440.98	-1.88	3.20	-3.64	0.61	-0.53	23.78	
502.00	0.71	109.650	501.98	-2.22	3.78	-4.30	0.49	0.23	-39.13	
562.00	0.80	131.300	561.97	-2.62	4.45	-5.06	0.50	0.15	36.08	
622.00	0.76	134.220	621.97	-3.17	5.05	-5.88	0.09	-0.07	4.87	
684.00	0.81	147.020	683.96	-3.82	5.58	-6.71	0.29	0.08	20.65	
745.00	0.59	142.450	744.96	-4.44	6.00	-7.43	0.37	-0.36	-7.49	
805.00	0.68	164.200	804.95	-5.02	6.29	-8.04	0.43	0.15	36.25	



Scientific Drilling, Intl Survey Report

Company:	DJR Operating	Local Co-ordinate Reference:	Well NAU 401H
Project:	North Alamito Unit	TVD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Site:	P36 2308	MD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Well:	NAU 401H	North Reference:	True
Wellbore:	Original drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original drilling	Database:	Grand Junction

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
865.00	0.88	167.330	864.95	-5.82	6.49	-8.71	0.34	0.33	5.22
926.00	1.41	112.010	925.94	-6.55	7.29	-9.80	1.91	0.87	-90.69
987.00	1.40	112.870	986.92	-7.12	8.67	-11.21	0.04	-0.02	1.41
1,048.00	0.92	116.780	1,047.90	-7.63	9.79	-12.39	0.80	-0.79	6.41
1,108.00	0.86	107.530	1,107.90	-7.99	10.65	-13.27	0.26	-0.10	-15.42
1,169.00	1.29	136.830	1,168.89	-8.63	11.56	-14.37	1.12	0.70	48.03
1,230.00	0.81	168.010	1,229.88	-9.55	12.12	-15.40	1.20	-0.79	51.11
1,292.00	0.83	109.930	1,291.87	-10.13	12.63	-16.17	1.28	0.03	-93.68
1,354.00	1.94	111.140	1,353.85	-10.66	14.03	-17.57	1.79	1.79	1.95
1,414.00	1.88	111.050	1,413.82	-11.38	15.90	-19.44	0.10	-0.10	-0.15
1,475.00	2.77	104.770	1,474.77	-12.12	18.26	-21.69	1.52	1.46	-10.30
1,536.00	2.98	116.350	1,535.69	-13.20	21.10	-24.54	1.01	0.34	18.98
1,597.00	2.12	127.630	1,596.63	-14.59	23.42	-27.19	1.63	-1.41	18.49
1,658.00	1.35	115.000	1,657.60	-15.58	24.96	-29.00	1.40	-1.26	-20.70
1,719.00	0.62	54.620	1,718.59	-15.69	25.88	-29.77	1.93	-1.20	-98.98
1,781.00	1.36	99.140	1,780.59	-15.62	26.88	-30.46	1.64	1.19	71.81
1,840.00	3.06	107.300	1,839.54	-16.20	29.08	-32.49	2.92	2.88	13.83
1,904.00	2.56	106.900	1,903.46	-17.12	32.08	-35.34	0.78	-0.78	-0.63
1,967.00	2.73	117.820	1,966.40	-18.23	34.75	-38.07	0.84	0.27	17.33
2,030.00	2.79	101.340	2,029.32	-19.23	37.58	-40.85	1.26	0.10	-26.16
2,093.00	1.87	103.350	2,092.27	-19.77	40.08	-43.08	1.47	-1.46	3.19
2,156.00	2.11	101.270	2,155.23	-20.23	42.22	-44.99	0.40	0.38	-3.30
2,220.00	2.35	82.000	2,219.19	-20.28	44.68	-46.85	1.22	0.38	-30.11
2,283.00	2.24	77.070	2,282.14	-19.83	47.15	-48.40	0.36	-0.17	-7.83
2,346.00	2.22	92.390	2,345.09	-19.60	49.57	-50.06	0.94	-0.03	24.32
2,409.00	1.93	104.100	2,408.05	-19.91	51.82	-51.94	0.81	-0.46	18.59
2,473.00	2.71	103.110	2,471.99	-20.52	54.34	-54.23	1.22	1.22	-1.55
2,536.00	3.08	134.760	2,534.92	-22.05	56.99	-57.23	2.57	0.59	50.24
2,598.00	3.65	138.730	2,596.81	-24.70	59.48	-60.85	0.99	0.92	6.40
2,661.00	3.89	123.990	2,659.68	-27.40	62.57	-64.96	1.58	0.38	-23.40
2,725.00	3.65	123.180	2,723.54	-29.73	66.08	-69.12	0.38	-0.38	-1.27
2,788.00	3.50	125.140	2,786.41	-31.94	69.33	-73.02	0.31	-0.24	3.11
2,851.00	3.53	135.280	2,849.30	-34.42	72.27	-76.86	0.99	0.05	16.10
2,914.00	2.78	142.380	2,912.20	-37.01	74.56	-80.30	1.34	-1.19	11.27
2,977.00	1.71	134.600	2,975.15	-38.88	76.16	-82.74	1.76	-1.70	-12.35
3,040.00	1.48	150.990	3,038.13	-40.25	77.23	-84.45	0.81	-0.37	26.02
3,103.00	1.30	115.790	3,101.11	-41.27	78.27	-85.90	1.36	-0.29	-55.87
3,166.00	1.82	128.560	3,164.09	-42.21	79.69	-87.59	0.99	0.83	20.27
3,229.00	1.23	146.010	3,227.06	-43.39	80.85	-89.24	1.18	-0.94	27.70
3,292.00	1.69	119.610	3,290.04	-44.41	82.04	-90.80	1.27	0.73	-41.90
3,356.00	0.80	110.200	3,354.03	-45.03	83.28	-92.14	1.42	-1.39	-14.70
3,419.00	0.87	160.500	3,417.02	-45.64	83.85	-92.97	1.13	0.11	79.84
3,482.00	1.42	133.890	3,480.01	-46.63	84.57	-94.17	1.19	0.87	-42.24



Scientific Drilling, Intl Survey Report

Company:	DJR Operating	Local Co-ordinate Reference:	Well NAU 401H
Project:	North Alamito Unit	TVD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Site:	P36 2308	MD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Well:	NAU 401H	North Reference:	True
Wellbore:	Original drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original drilling	Database:	Grand Junction

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
3,545.00	0.92	159.180	3,543.00	-47.64	85.32	-95.40	1.12	-0.79	40.14
3,608.00	1.07	177.950	3,605.99	-48.70	85.52	-96.25	0.57	0.24	29.79
3,671.00	0.86	133.880	3,668.98	-49.62	85.88	-97.13	1.19	-0.33	-69.95
3,734.00	0.74	135.040	3,731.97	-50.23	86.51	-98.01	0.19	-0.19	1.84
3,797.00	1.21	133.540	3,794.96	-50.98	87.28	-99.08	0.75	0.75	-2.38
3,860.00	1.31	168.620	3,857.95	-52.14	87.90	-100.32	1.21	0.16	55.68
3,923.00	0.67	174.030	3,920.94	-53.22	88.08	-101.17	1.03	-1.02	8.59
3,986.00	0.97	186.490	3,983.93	-54.11	88.06	-101.75	0.55	0.48	19.78
4,049.00	0.71	87.010	4,046.93	-54.62	88.39	-102.34	2.05	-0.41	-157.90
4,112.00	0.44	24.610	4,109.93	-54.38	88.88	-102.54	1.01	-0.43	-99.05
4,175.00	0.37	1.820	4,172.93	-53.96	88.99	-102.34	0.28	-0.11	-36.17
4,238.00	0.24	199.280	4,235.93	-53.88	88.95	-102.26	0.96	-0.21	-258.00
4,287.00	0.29	335.250	4,284.93	-53.86	88.86	-102.19	1.00	0.10	277.49
4,350.00	5.08	298.920	4,347.84	-52.37	86.35	-99.32	7.70	7.60	-57.67
4,413.00	11.41	301.930	4,410.16	-47.72	78.62	-90.45	10.07	10.05	4.78
4,476.00	16.54	301.200	4,471.27	-39.77	65.65	-75.48	8.15	8.14	-1.16
4,540.00	21.13	303.480	4,531.83	-28.69	48.22	-55.09	7.26	7.17	3.56
4,603.00	24.60	304.940	4,589.87	-14.91	28.00	-30.82	5.58	5.51	2.32
4,666.00	25.96	305.560	4,646.83	0.62	6.03	-4.09	2.20	2.16	0.98
4,729.00	27.95	308.090	4,702.99	17.75	-16.81	24.36	3.65	3.16	4.02
4,792.00	31.37	308.890	4,757.73	37.16	-41.20	55.48	5.46	5.43	1.27
4,856.00	33.14	310.290	4,811.85	58.93	-67.51	89.61	3.00	2.77	2.19
4,919.00	35.83	309.080	4,863.77	81.70	-94.97	125.26	4.41	4.27	-1.92
4,982.00	44.49	308.830	4,911.88	107.21	-126.54	165.80	13.75	13.75	-0.40
5,045.00	55.36	310.250	4,952.38	137.89	-163.63	213.90	17.34	17.25	2.25
5,108.00	65.21	312.010	4,983.57	173.87	-204.76	268.55	15.82	15.63	2.79
5,171.00	74.92	312.060	5,005.02	213.48	-248.70	327.70	15.41	15.41	0.08
5,214.00	82.02	312.240	5,013.61	241.73	-279.91	369.80	16.52	16.51	0.42
5,313.00	88.38	313.660	5,021.89	308.92	-352.08	468.38	6.58	6.42	1.43
5,374.00	89.46	313.600	5,023.04	351.00	-396.22	529.33	1.77	1.77	-0.10
5,437.00	89.93	313.340	5,023.38	394.34	-441.94	592.30	0.85	0.75	-0.41
5,500.00	89.50	313.860	5,023.69	437.79	-487.56	655.26	1.07	-0.68	0.83
5,562.00	89.43	313.480	5,024.27	480.60	-532.41	717.22	0.62	-0.11	-0.61
5,622.00	88.52	312.370	5,025.34	521.45	-576.34	777.20	2.39	-1.52	-1.85
5,682.00	89.16	313.090	5,026.56	562.16	-620.40	837.17	1.61	1.07	1.20
5,743.00	89.60	314.070	5,027.22	604.20	-664.59	898.14	1.76	0.72	1.61
5,804.00	89.87	313.590	5,027.50	646.45	-708.59	959.09	0.90	0.44	-0.79
5,864.00	89.80	313.830	5,027.67	687.91	-751.96	1,019.05	0.42	-0.12	0.40
5,925.00	89.87	313.370	5,027.85	729.97	-796.13	1,080.02	0.76	0.11	-0.75
5,986.00	89.56	313.130	5,028.15	771.77	-840.56	1,141.00	0.64	-0.51	-0.39
6,047.00	89.50	312.740	5,028.65	813.32	-885.22	1,201.98	0.65	-0.10	-0.64
6,108.00	89.33	312.040	5,029.27	854.44	-930.27	1,262.97	1.18	-0.28	-1.15
6,169.00	89.13	311.710	5,030.09	895.16	-975.69	1,323.97	0.63	-0.33	-0.54



Scientific Drilling, Intl Survey Report

Company:	DJR Operating	Local Co-ordinate Reference:	Well NAU 401H
Project:	North Alamito Unit	TVD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Site:	P36 2308	MD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Well:	NAU 401H	North Reference:	True
Wellbore:	Original drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original drilling	Database:	Grand Junction

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
6,230.00	89.03	311.680	5,031.07	935.72	-1,021.23	1,384.96	0.17	-0.16	-0.05	
6,291.00	88.86	311.690	5,032.20	976.29	-1,066.78	1,445.95	0.28	-0.28	0.02	
6,351.00	88.52	311.390	5,033.57	1,016.06	-1,111.68	1,505.93	0.76	-0.57	-0.50	
6,412.00	90.23	312.170	5,034.23	1,056.70	-1,157.16	1,566.92	3.08	2.80	1.28	
6,472.00	90.57	311.750	5,033.81	1,096.82	-1,201.78	1,626.92	0.90	0.57	-0.70	
6,533.00	90.20	312.030	5,033.40	1,137.55	-1,247.19	1,687.92	0.76	-0.61	0.46	
6,593.00	90.57	312.140	5,033.00	1,177.76	-1,291.71	1,747.92	0.64	0.62	0.18	
6,654.00	90.23	312.200	5,032.58	1,218.71	-1,336.92	1,808.91	0.57	-0.56	0.10	
6,714.00	89.90	311.830	5,032.51	1,258.87	-1,381.50	1,868.91	0.83	-0.55	-0.62	
6,775.00	89.77	311.850	5,032.68	1,299.56	-1,426.95	1,929.91	0.22	-0.21	0.03	
6,835.00	89.23	310.740	5,033.21	1,339.15	-1,472.02	1,989.91	2.06	-0.90	-1.85	
6,896.00	88.49	309.550	5,034.42	1,378.47	-1,518.64	2,050.87	2.30	-1.21	-1.95	
6,958.00	88.79	309.560	5,035.89	1,417.94	-1,566.43	2,112.81	0.48	0.48	0.02	
7,018.00	89.87	312.300	5,036.59	1,457.24	-1,611.75	2,172.80	4.91	1.80	4.57	
7,079.00	89.70	312.450	5,036.82	1,498.36	-1,656.82	2,233.79	0.37	-0.28	0.25	
7,140.00	89.63	312.120	5,037.18	1,539.40	-1,701.94	2,294.79	0.55	-0.11	-0.54	
7,201.00	88.76	310.910	5,038.04	1,579.83	-1,747.61	2,355.78	2.44	-1.43	-1.98	
7,262.00	88.29	310.610	5,039.61	1,619.64	-1,793.80	2,416.75	0.91	-0.77	-0.49	
7,323.00	89.19	312.400	5,040.95	1,660.05	-1,839.47	2,477.73	3.28	1.48	2.93	
7,384.00	89.03	312.670	5,041.90	1,701.28	-1,884.42	2,538.72	0.51	-0.26	0.44	
7,444.00	89.26	312.520	5,042.79	1,741.89	-1,928.58	2,598.70	0.46	0.38	-0.25	
7,504.00	89.43	312.130	5,043.48	1,782.29	-1,972.94	2,658.70	0.71	0.28	-0.65	
7,565.00	90.10	312.440	5,043.73	1,823.33	-2,018.07	2,719.69	1.21	1.10	0.51	
7,626.00	90.30	312.390	5,043.51	1,864.47	-2,063.10	2,780.69	0.34	0.33	-0.08	
7,686.00	90.34	311.680	5,043.18	1,904.64	-2,107.66	2,840.68	1.19	0.07	-1.18	
7,747.00	90.13	310.610	5,042.93	1,944.78	-2,153.60	2,901.68	1.79	-0.34	-1.75	
7,808.00	89.13	310.550	5,043.32	1,984.46	-2,199.93	2,962.67	1.64	-1.64	-0.10	
7,869.00	89.09	310.140	5,044.27	2,023.95	-2,246.41	3,023.64	0.68	-0.07	-0.67	
7,930.00	89.53	310.350	5,045.00	2,063.35	-2,292.97	3,084.62	0.80	0.72	0.34	
7,991.00	89.97	310.040	5,045.27	2,102.72	-2,339.56	3,145.60	0.88	0.72	-0.51	
8,051.00	89.66	309.380	5,045.46	2,141.05	-2,385.72	3,205.56	1.22	-0.52	-1.10	
8,113.00	89.60	309.330	5,045.87	2,180.37	-2,433.66	3,267.51	0.13	-0.10	-0.08	
8,173.00	90.23	309.200	5,045.95	2,218.34	-2,480.11	3,327.45	1.07	1.05	-0.22	
8,233.00	90.60	309.980	5,045.52	2,256.58	-2,526.35	3,387.41	1.44	0.62	1.30	
8,293.00	90.50	310.430	5,044.94	2,295.31	-2,572.17	3,447.39	0.77	-0.17	0.75	
8,354.00	90.44	310.340	5,044.44	2,334.83	-2,618.63	3,508.37	0.18	-0.10	-0.15	
8,414.00	90.10	309.740	5,044.16	2,373.43	-2,664.57	3,568.35	1.15	-0.57	-1.00	
8,475.00	88.86	310.720	5,044.71	2,412.82	-2,711.14	3,629.32	2.59	-2.03	1.61	
8,535.00	88.32	312.320	5,046.19	2,452.58	-2,756.04	3,689.30	2.81	-0.90	2.67	
8,597.00	88.62	312.440	5,047.85	2,494.36	-2,801.83	3,751.27	0.52	0.48	0.19	
8,657.00	88.45	312.060	5,049.38	2,534.69	-2,846.23	3,811.25	0.69	-0.28	-0.63	
8,718.00	88.25	311.940	5,051.14	2,575.49	-2,891.54	3,872.23	0.38	-0.33	-0.20	
8,777.00	89.93	312.170	5,052.07	2,615.00	-2,935.34	3,931.21	2.87	2.85	0.39	
8,839.00	90.00	312.860	5,052.11	2,656.90	-2,981.04	3,993.21	1.12	0.11	1.11	



Scientific Drilling, Intl Survey Report

Company:	DJR Operating	Local Co-ordinate Reference:	Well NAU 401H
Project:	North Alamito Unit	TVD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Site:	P36 2308	MD Reference:	GL 6948' & RKB 14' @ 6962.00usft (Aztec 920)
Well:	NAU 401H	North Reference:	True
Wellbore:	Original drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original drilling	Database:	Grand Junction

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8,900.00	90.77	313.050	5,051.70	2,698.47	-3,025.68	4,054.19	1.30	1.26	0.31
8,961.00	90.47	312.330	5,051.04	2,739.82	-3,070.52	4,115.18	1.28	-0.49	-1.18
9,022.00	89.19	311.530	5,051.22	2,780.58	-3,115.90	4,176.17	2.47	-2.10	-1.31
9,081.00	90.03	312.530	5,051.62	2,820.08	-3,159.72	4,235.17	2.21	1.42	1.69
9,142.00	90.44	313.020	5,051.37	2,861.51	-3,204.49	4,296.16	1.05	0.67	0.80
9,203.00	89.83	312.430	5,051.23	2,902.90	-3,249.31	4,357.15	1.39	-1.00	-0.97
9,264.00	90.67	313.430	5,050.96	2,944.44	-3,293.97	4,418.13	2.14	1.38	1.64
9,325.00	90.27	312.930	5,050.46	2,986.18	-3,338.45	4,479.11	1.05	-0.66	-0.82
9,386.00	89.83	311.620	5,050.41	3,027.22	-3,383.58	4,540.10	2.27	-0.72	-2.15
9,447.00	92.19	312.270	5,049.34	3,067.98	-3,428.94	4,601.09	4.01	3.87	1.07
9,508.00	93.05	312.440	5,046.55	3,109.03	-3,473.97	4,662.02	1.44	1.41	0.28
9,570.00	89.93	311.850	5,044.93	3,150.62	-3,519.92	4,723.99	5.12	-5.03	-0.95
9,631.00	90.03	312.040	5,044.96	3,191.39	-3,565.29	4,784.99	0.35	0.16	0.31
9,691.00	90.34	311.700	5,044.76	3,231.44	-3,609.97	4,844.99	0.77	0.52	-0.57
9,751.00	89.46	310.940	5,044.87	3,271.05	-3,655.03	4,904.99	1.94	-1.47	-1.27
9,812.00	90.30	311.180	5,044.99	3,311.12	-3,701.03	4,965.98	1.43	1.38	0.39
9,871.00	88.09	310.050	5,045.82	3,349.52	-3,745.81	5,024.96	4.21	-3.75	-1.92
9,933.00	90.47	311.280	5,046.60	3,389.91	-3,792.83	5,086.94	4.32	3.84	1.98
9,994.00	91.17	310.830	5,045.73	3,429.97	-3,838.82	5,147.93	1.36	1.15	-0.74
10,056.00	90.30	309.820	5,044.93	3,470.09	-3,886.08	5,209.91	2.15	-1.40	-1.63
10,117.00	90.64	310.730	5,044.43	3,509.52	-3,932.62	5,270.88	1.59	0.56	1.49
10,179.00	89.23	310.030	5,044.50	3,549.69	-3,979.85	5,332.87	2.54	-2.27	-1.13
10,240.00	90.91	311.710	5,044.43	3,589.60	-4,025.97	5,393.86	3.89	2.75	2.75
10,300.00	91.38	312.450	5,043.23	3,629.80	-4,070.50	5,453.84	1.46	0.78	1.23
10,362.00	91.24	311.730	5,041.81	3,671.35	-4,116.50	5,515.82	1.18	-0.23	-1.16
10,424.00	89.36	309.810	5,041.49	3,711.83	-4,163.45	5,577.81	4.33	-3.03	-3.10
10,476.00	89.36	309.810	5,042.07	3,745.12	-4,203.39	5,629.78	0.00	0.00	0.00

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
381.00	380.98	-1.45	2.58	First SDI Surface MWD Survey
4,238.00	4,235.93	-53.88	88.95	Last SDI Surface MWD Survey
4,287.00	4,284.93	-53.86	88.86	First SDI Curve MWD Survey
5,214.00	5,013.61	241.73	-279.91	Last SDI Curve MWD Survey
5,313.00	5,021.89	308.92	-352.08	First SDI Lateral MWD Survey
10,424.00	5,041.49	3,711.83	-4,163.45	Last SDI Lateral MWD Survey
10,476.00	5,042.07	3,745.12	-4,203.39	Projection to TD

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 23569

COMMENTS

Operator:			OGRID:	Action Number:	Action Type:
DJR OPERATING, LLC 1 Road 3263 Aztec, NM87410			371838	23569	C-104C
Created By	Comment				Comment Date
kpickford	KP GEO Review 4/16/2021				04/16/2021
ahvermersch	Admin review completed; need geo review				04/15/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 23569

CONDITIONS OF APPROVAL

Operator:	DJR OPERATING, LLC	1 Road 3263	Aztec, NM87410	OGRID:	371838	Action Number:	23569	Action Type:	C-104C
OCD Reviewer									Condition
ahvermersch									None