

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: HUERFANITO UNIT Well Location: T27N / R9W / SEC 34 / County or Parish/State: SAN

SENW / JUAN / NM

Well Number: 34R Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF080117 Unit or CA Name: HUERFANITO UNIT-- Unit or CA Number:

C NMNM78394A

US Well Number: 3004530864 Well Status: Temporarily Abandoned Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Type of Submission: Notice of Intent

Type of Action Mechanical Integrity Test

Date Sundry Submitted: 02/23/2021 Time Sundry Submitted: 01:18

Date proposed operation will begin: 03/02/2021

Procedure Description: Hilcorp Energy Company requests to conduct a Mechanical Integrity Test to extend the Temporary Abandon status of the subject well per the attached procedure. Subject well was Temporary Abandon 5/18/2011.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Huerfanito_Unit_34R_MIT_Procedure_20210223131807.pdf

Well Name: HUERFANITO UNIT

Well Location: T27N / R9W / SEC 34 / County or Parish/State: SAN

SENW /

Well Number: 34R Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF080117 Unit or CA Name: HUERFANITO UNIT-- Unit or CA Number:

PC NMNM78394A

US Well Number: 3004530864 Well Status: Temporarily Abandoned Operator: HILCORP ENERGY

COMPANY

JUAN / NM

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: ROLAND Signed on: FEB 23, 2021 01:16 PM

Name: HILCORP ENERGY COMPANY

Title: Operation Regulatory Tech **Street Address:** 1111 Travis Street

City: Houston State: TX

Phone: (713) 209-2400

Email address:

Field Representative

Representative Name:

City: State: Zip:

Phone:

Email address:

Street Address:

BLM Point of Contact

BLM POC Name: JOE D KILLINS BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647731 BLM POC Email Address: jkillins@blm.gov

Disposition: Approved **Disposition Date:** 03/24/2021

Signature: Joe Killins

Page 2 of 2




HILCORP ENERGY COMPANY HUERFANITO UNIT 34R Mechanical Integrity Test

API: 30-045-30864 Date: 2-16-2021

JOB PROCEDURES

- 1) Hold pre-job safety meeting. Comply with all NMOCD, BLM, and HEC safety and environmental regulations.
- 2) Check and record all well pressures including casing, tubing, and bradenhead pressures.
- 3) MIRU pump truck.
- 4) Load casing. Any lines or strings in communication with the casing should have all compressible gas purged by pressure test fluid.
- 5) PT csg to 500 psi. If PT passes, notify agencies for witness MIT to TA. If fails, notify agencies within 5 days and proceed.
- 6) RDMO pump truck.



<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 21879

CONDITIONS OF APPROVAL

Operator:			OGRID:	Action Number:	Action Type:
HILCORP ENERGY COMPANY	1111 Travis Street	Houston, TX77002	372171	21879	C-103X

OCD Reviewer	Condition	
ahvermersch	Future filings of this type need to be filed as: [C-103] NOI Temporary Abandonment (C-103I)	
mkuehling	Notify NMOCD 24 hours prior to testing - bradenhead test required prior to MIT - if well in a good cell service area a face time witness can be performed. 1000 lb spring on 1 hour clock	