

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address Kaiser-Francis Oil Company P. O. Box 21468, Tulsa, OK 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 025-47207	⁵ Pool Name WC-025 G-08 S253235G; Lo. Bone Sprg	⁶ Pool Code 97903
⁷ Property Code 5467	⁸ Property Name Red Hills Federal	⁹ Well Number 201H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
D	31	25S	33E	D	300	North	505	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	6	26S	33E	N	161	South	1025	West	Lea

¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 1/25/2021	¹⁵ C-129 Permit Number -	¹⁶ C-129 Effective Date -	¹⁷ C-129 Expiration Date -
-----------------------------	--	--	--	---	--

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC 1515 Araphoe St., Suite 1600 Denver, CO 80202	G
	Plains Pipeline LP 333 Clay St., #1600 Houston, TX 77002	O

IV. Well Completion Data

10625 (TVD)

10625 (TVD)


²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBDT	²⁵ Perforations	²⁶ DHC, MC
8/24/2020	1/22/2021	20915 (MD)	20815 (MD)	11054 - 20782	-

²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement
17 1/2	13 3/8	920	725
12 1/4	9 5/8	4869	1145
8 1/2	5 1/2	20885	3800

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
1/25/2021	1/25/2021	2/1/2021	24 hrs	-	1690

³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas	⁴¹ Test Method
32	713	3523	1296	Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Charlotte Van Valkenburg			Approved by: PATRICIA MARTINEZ		
Title: Mgr., Regulatory Compliance			Title: PETROLEUM SPECIALIST		
E-mail Address: Charlotv@kfoc.net			Approval Date: 5/14/2021		
Date: 3/9/2021		Phone: 918-491-4314			

District I
1625 N French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47207	² Pool Code 97903	³ Pool Name WC-025 G-08 S253235G; Lower Bone Spring
⁴ Property Code 5467	⁵ Property Name RED HILLS Federal	⁶ Well Number 201H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁹ Elevation 3430.3

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	31	25 S	33 E	D	300	NORTH	505	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	6	26 S	33 E	M	161	SOUTH	1025	WEST	LEA

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
640	-	-	-

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 31 LAT. = 32.0943129°N LONG. = 103.6199197°W NMSP EAST (FT) N = 398778.60 E = 762263.04 W/4 CORNER SEC. 31 LAT. = 32.0970551°N LONG. = 103.6193216°W NMSP EAST (FT) N = 396138.31 E = 762279.92 SECTION CORNER LAT. = 32.0797982°N LONG. = 103.6198947°W NMSP EAST (FT) N = 393498.44 E = 762305.72 W/4 CORNER SEC. 6 LAT. = 32.0724791°N LONG. = 103.6198675°W NMSP EAST (FT) N = 390835.89 E = 762331.74 SW CORNER SEC. 6 LAT. = 32.0652928°N LONG. = 103.6198397°W NMSP EAST (FT) N = 388221.69 E = 762357.64		↑ 589°33'55"W 2650.83 FT 589°36'15"W 2635.02 FT KOP FTP SURFACE LOCATION RED HILLS 201H ELEV. = 3430.3' LAT. = 32.0934897°N (NAD83) LONG. = 103.6182896°W NMSP EAST (FT) N = 398482.48 E = 762769.85 KICK OFF POINT 53' FNL, 1113' FWL LAT. = 32.0941709°N LONG. = 103.6163250°W FIRST TAKE POINT 500' FNL, 1182' FWL LAT. = 32.0926658°N LONG. = 103.6161043°W SEC. 31 AS-DRILLED SECTION CORNER LAT. = 32.0797953°N LONG. = 103.6028596°W NMSP EAST (FT) N = 393532.70 E = 767582.02 E/4 CORNER SEC. 6 LAT. = 32.0725247°N LONG. = 103.6028542°W NMSP EAST (FT) N = 390887.75 E = 767601.57 SE CORNER SEC. 6 LAT. = 32.0652983°N LONG. = 103.6028496°W NMSP EAST (FT) N = 388258.92 E = 767620.79		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Charlotte Van Valkenburg</i> Signature Date 3/9/2021 Charlotte Van Valkenburg Printed Name Charlotv@kfoc.net E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. FEBRUARY 16, 2021 Date of Survey <i>William F. Jaramila</i> Signature and Seal of Professional Surveyor Certificate Number: 12797 PROFESSIONAL SURVEYOR NO. 7564A	
--	--	--	--	---	--

Intent ☐ As Drilled ☒

API # 30-025-47207		
Operator Name: KAISER-FRANCIS OIL COMPANY	Property Name: RED HILLS Federal	Well Number 201H

Kick Off Point (KOP)

UL D	Section 31	Township 25S	Range 33E	Lot 1	Feet 53	From N/S NORTH	Feet 1113	From E/W WEST	County LEA
Latitude 32.0941709					Longitude 103.6163250			NAD 83	

First Take Point (FTP)

UL D	Section 31	Township 25S	Range 33E	Lot 1	Feet 600	From N/S NORTH	Feet 1182	From E/W WEST	County LEA
Latitude 32.0926658					Longitude 103.6161043			NAD 83	

Last Take Point (LTP)

UL M	Section 6	Township 26S	Range 33E	Lot 4	Feet 242	From N/S SOUTH	Feet 1024	From E/W WEST	County LEA
Latitude 32.0659601					Longitude 103.6165387			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit?

☒

Is this well an infill well?

☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

KAISER FRANCIS OIL CO.
201H - HORIZONTAL

LEA COUNTY, N.M. 83

SEC 31 T25S R33E

Your Ref:

MD (usft)	CL (usft)	Inc (°)	Azi (°)	TVD (usft)	N/S (usft)	E/W (usft)	Northing (usft)	Easting (usft)	V.Sec (usft)	Dogleg (°/100)
0		0	0	0	0	0	398482.49	762769.84	0	0
142	142	0.31	242.96	142	-0.17	-0.34	398482.31	762769.5	0.18	0.22
233	91	0.4	105.67	233	-0.37	-0.26	398482.11	762769.59	0.37	0.73
328	95	0.48	90.91	328	-0.47	0.46	398482.02	762770.3	0.47	0.15
419	91	0.04	50.22	418.99	-0.45	0.87	398482.03	762770.71	0.45	0.49
511	92	0.31	271.61	510.99	-0.43	0.64	398482.06	762770.49	0.43	0.37
602	91	0.88	263.44	601.99	-0.5	-0.3	398481.99	762769.54	0.5	0.63
695	93	1.71	258.34	694.96	-0.86	-2.37	398481.62	762767.48	0.86	0.9
786	91	2.42	252.8	785.9	-1.7	-5.53	398480.78	762764.31	1.71	0.81
877	91	2.55	252.63	876.82	-2.88	-9.3	398479.61	762760.54	2.89	0.14
974	97	2.24	251.4	973.73	-4.13	-13.15	398478.36	762756.69	4.14	0.32
1069	95	0.44	321.71	1068.71	-4.43	-15.14	398478.06	762754.7	4.45	2.24
1164	95	1.1	52.41	1163.7	-3.59	-14.64	398478.9	762755.2	3.61	1.25
1259	95	2.07	74.74	1258.66	-2.58	-12.27	398479.91	762757.58	2.6	1.19
1354	95	3.08	72.01	1353.57	-1.34	-8.18	398481.15	762761.66	1.35	1.07
1448	94	3.12	59.97	1447.43	0.72	-3.57	398483.21	762766.28	-0.71	0.69
1543	95	2.95	60.23	1542.3	3.23	0.79	398485.71	762770.64	-3.23	0.18
1638	95	3.16	67.62	1637.16	5.44	5.34	398487.92	762775.18	-5.44	0.47
1733	95	2.81	63.4	1732.03	7.48	9.84	398489.96	762779.68	-7.49	0.43
1827	94	2.73	68.67	1825.92	9.32	13.99	398491.81	762783.83	-9.34	0.28
1922	95	2.07	70.34	1920.84	10.72	17.71	398493.21	762787.55	-10.75	0.7
2017	95	2.24	62.61	2015.77	12.15	20.97	398494.64	762790.82	-12.18	0.35

2111	94	2.33	66.48	2109.7	13.76	24.36	398496.25	762794.2	-13.79	0.19
2206	95	2.15	72.28	2204.63	15.08	27.82	398497.56	762797.67	-15.11	0.3
2301	95	2.02	57.33	2299.56	16.52	30.93	398499.01	762800.77	-16.56	0.59
2396	95	2.15	63.93	2394.5	18.21	33.94	398500.69	762803.78	-18.25	0.29
2491	95	1.93	56.1	2489.44	19.88	36.87	398502.37	762806.71	-19.93	0.37
2586	95	2.02	52.59	2584.38	21.79	39.53	398504.28	762809.37	-21.84	0.16
2681	95	2.29	63.75	2679.32	23.65	42.56	398506.14	762812.4	-23.7	0.52
2775	94	2.55	52.15	2773.23	25.76	45.9	398508.25	762815.74	-25.82	0.59
2870	95	2.81	62.61	2868.13	28.13	49.63	398510.62	762819.47	-28.19	0.58
2965	95	3.16	54.87	2963	30.71	53.84	398513.2	762823.68	-30.78	0.56
3060	95	3.16	53.82	3057.86	33.76	58.1	398516.25	762827.94	-33.83	0.06
3155	95	2.95	54.35	3152.72	36.73	62.2	398519.22	762832.04	-36.81	0.22
3249	94	2.95	49.86	3246.6	39.7	66.01	398522.19	762835.85	-39.78	0.25
3344	95	2.86	44.94	3341.48	42.96	69.55	398525.44	762839.4	-43.04	0.28
3439	95	3.08	41.43	3436.35	46.55	72.92	398529.03	762842.76	-46.64	0.3
3534	95	3.56	41.69	3531.19	50.66	76.57	398533.15	762846.41	-50.76	0.51
3629	95	3.3	41.34	3626.02	54.92	80.33	398537.4	762850.18	-55.02	0.27
3723	94	3.3	35.36	3719.86	59.16	83.69	398541.64	762853.53	-59.26	0.37
3818	95	3.3	42.31	3814.71	63.41	87.11	398545.89	762856.95	-63.52	0.42
3913	95	3.03	45.38	3909.56	67.19	90.74	398549.68	762860.58	-67.31	0.34
4008	95	2.51	44.59	4004.45	70.44	93.99	398552.92	762863.83	-70.55	0.55
4103	95	2.37	48.46	4099.36	73.22	96.92	398555.71	762866.76	-73.34	0.23
4197	94	2.64	59.62	4193.27	75.61	100.24	398558.09	762870.08	-75.73	0.59
4292	95	2.51	73.77	4288.18	77.29	104.12	398559.78	762873.97	-77.42	0.68
4387	95	2.99	78.25	4383.07	78.38	108.55	398560.87	762878.39	-78.51	0.55
4482	95	2.64	34.92	4477.97	80.68	112.22	398563.16	762882.07	-80.82	2.21
4577	95	3.91	107.96	4572.84	81.47	116.56	398563.96	762886.4	-81.62	4.24
4671	94	3.65	106.99	4666.64	79.61	122.47	398562.1	762892.31	-79.76	0.28
4766	95	3.47	108.4	4761.46	77.82	128.09	398560.31	762897.93	-77.98	0.21
4828	62	3.43	110.16	4823.34	76.59	131.61	398559.08	762901.45	-76.75	0.18
4947	119	2.95	104.62	4942.16	74.59	137.92	398557.08	762907.76	-74.76	0.48
5042	95	3.08	98.82	5037.03	73.58	142.8	398556.07	762912.65	-73.76	0.35
5137	95	4.57	72.72	5131.82	74.31	148.94	398556.8	762918.78	-74.5	2.37
5232	95	5.76	69.29	5226.43	77.12	157.01	398559.61	762926.86	-77.32	1.29

5327	95	7.25	64.72	5320.82	81.37	166.89	398563.86	762936.74	-81.58	1.66
5422	95	8.48	69.02	5414.92	86.44	178.86	398568.92	762948.7	-86.66	1.43
5517	95	8.04	66.39	5508.94	91.61	191.48	398574.09	762961.32	-91.84	0.61
5611	94	8.13	68.41	5602.01	96.69	203.69	398579.17	762973.53	-96.94	0.32
5706	95	9.36	67.53	5695.9	102.11	217.07	398584.6	762986.91	-102.38	1.3
5801	95	9.36	68.85	5789.63	107.85	231.42	398590.34	763001.26	-108.14	0.23
5896	95	8.26	66.83	5883.51	113.32	244.89	398595.81	763014.74	-113.63	1.2
5991	95	7.65	66.65	5977.6	118.51	256.97	398601	763026.82	-118.83	0.64
6086	95	9.14	66.83	6071.58	123.99	269.72	398606.48	763039.56	-124.32	1.57
6181	95	8.84	65.42	6165.41	129.99	283.29	398612.48	763053.13	-130.34	0.39
6275	94	9.05	68.76	6258.27	135.68	296.75	398618.16	763066.59	-136.04	0.6
6370	95	9.19	70.25	6352.07	140.95	310.85	398623.43	763080.7	-141.33	0.29
6465	95	9.14	69.9	6445.85	146.1	325.08	398628.59	763094.92	-146.51	0.08
6560	95	9.14	69.81	6539.65	151.3	339.25	398633.79	763109.09	-151.72	0.02
6655	95	9.01	68.94	6633.46	156.58	353.27	398639.06	763123.11	-157.02	0.2
6750	95	8.7	68.76	6727.33	161.85	366.91	398644.34	763136.75	-162.31	0.33
6844	94	8.4	68.85	6820.28	166.91	379.94	398649.39	763149.78	-167.38	0.32
6939	95	7.91	67.88	6914.32	171.87	392.47	398654.36	763162.31	-172.36	0.54
7034	95	7.43	67.62	7008.47	176.67	404.2	398659.16	763174.04	-177.17	0.51
7129	95	8.04	69.02	7102.61	181.39	416.09	398663.88	763185.93	-181.9	0.67
7224	95	8.04	70.87	7196.67	185.95	428.57	398668.43	763198.41	-186.48	0.27
7319	95	7.69	70.08	7290.78	190.29	440.82	398672.77	763210.66	-190.83	0.39
7414	95	8.04	69.73	7384.88	194.76	453.03	398677.24	763222.87	-195.32	0.37
7509	95	7.34	67.97	7479.03	199.33	464.88	398681.82	763234.73	-199.91	0.78
7603	94	6.95	67.53	7572.3	203.76	475.71	398686.25	763245.55	-204.35	0.42
7698	95	7.82	70.96	7666.51	208.06	487.13	398690.55	763256.97	-208.67	1.03
7793	95	8.09	71.57	7760.6	212.29	499.58	398694.77	763269.42	-212.9	0.3
7888	95	7.47	73.15	7854.72	216.19	511.83	398698.68	763281.67	-216.82	0.69
7983	95	6.73	73.86	7948.99	219.53	523.09	398702.01	763292.93	-220.17	0.78
8078	95	5.89	74.03	8043.42	222.42	533.12	398704.9	763302.96	-223.08	0.88
8173	95	5.85	68.58	8137.92	225.52	542.31	398708.01	763312.16	-226.2	0.59
8268	95	5.76	68.23	8232.43	229.06	551.25	398711.55	763321.09	-229.74	0.1
8362	94	4.84	69.55	8326.03	232.2	559.34	398714.68	763329.19	-232.89	0.99
8457	95	4.62	69.81	8420.71	234.92	566.69	398717.4	763336.53	-235.62	0.23

8552	95	4.04	72.98	8515.43	237.22	573.48	398719.7	763343.32	-237.93	0.66
8647	95	3.82	74.21	8610.21	239.06	579.73	398721.54	763349.57	-239.77	0.25
8742	95	3.52	78.25	8705.02	240.51	585.63	398723	763355.47	-241.24	0.42
8837	95	3.21	82.73	8799.85	241.44	591.12	398723.93	763360.96	-242.17	0.43
8932	95	2.9	84.14	8894.72	242.03	596.15	398724.51	763365.99	-242.76	0.34
9026	94	2.33	74.47	8988.62	242.78	600.36	398725.27	763370.2	-243.52	0.76
9121	95	1.98	76.76	9083.55	243.67	603.81	398726.16	763373.66	-244.42	0.38
9216	95	1.63	53.64	9178.51	244.85	606.5	398727.34	763376.34	-245.6	0.84
9311	95	1.49	47.14	9273.47	246.49	608.49	398728.98	763378.34	-247.24	0.24
9406	95	1.49	68.85	9368.44	247.78	610.55	398730.26	763380.39	-248.53	0.59
9501	95	0.66	67.71	9463.42	248.43	612.21	398730.92	763382.05	-249.19	0.87
9596	95	0.48	278.91	9558.42	248.7	612.32	398731.18	763382.16	-249.46	1.16
9691	95	0.22	223.36	9653.42	248.63	611.8	398731.11	763381.65	-249.38	0.42
9786	95	0.53	273.9	9748.42	248.52	611.24	398731.01	763381.08	-249.28	0.45
9880	94	1.54	316.26	9842.4	249.47	609.93	398731.95	763379.78	-250.22	1.28
9918	38	1.93	305.36	9880.38	250.21	609.06	398732.69	763378.9	-250.96	1.34
10013	95	1.41	310.99	9975.34	251.9	606.87	398734.38	763376.71	-252.65	0.57
10108	95	5.58	109.98	10070.22	251.09	610.33	398733.57	763380.18	-251.84	7.28
10202	94	18.33	141.62	10162.06	237.87	623.87	398720.36	763393.71	-238.65	14.77
10297	95	25.89	152.43	10250.05	207.72	642.78	398690.21	763412.62	-208.52	9.01
10392	95	25.45	160.61	10335.7	170.07	659.16	398652.56	763429.01	-170.89	3.76
10487	95	27.47	161.22	10420.74	130.07	673	398612.55	763442.84	-130.9	2.15
10562	75	31.21	160.87	10486.11	95.32	684.94	398577.8	763454.78	-96.17	4.99
10582	20	33.14	159.11	10503.04	85.31	688.58	398567.8	763458.43	-86.17	10.73
10676	94	37.67	168.43	10579.69	33.1	703.53	398515.59	763473.37	-33.98	7.49
10771	95	50.15	179.94	10648.11	-32.16	709.42	398450.32	763479.26	31.28	15.55
10866	95	64.97	185.13	10698.95	-111.98	705.59	398370.51	763475.43	111.11	16.26
10961	95	82.07	188.47	10725.81	-202.07	694.72	398280.41	763464.57	201.21	18.31
11056	95	87.25	190.84	10734.64	-295.28	678.86	398187.21	763448.7	294.44	5.99
11151	95	88.84	188.12	10737.89	-388.92	663.22	398093.57	763433.07	388.1	3.31
11246	95	91.74	184.42	10737.41	-483.32	652.85	397999.17	763422.69	482.51	4.95
11340	94	93.23	180.82	10733.33	-577.12	648.56	397905.37	763418.4	576.31	4.14
11373	33	91.78	180.12	10731.89	-610.08	648.29	397872.4	763418.13	609.28	4.88
11468	95	91.69	179.5	10729.01	-705.04	648.6	397777.45	763418.44	704.23	0.66

11563	95	92.35	179.94	10725.66	-799.98	649.07	397682.51	763418.91	799.17	0.83
11658	95	91.3	181	10722.64	-894.92	648.29	397587.56	763418.13	894.12	1.57
11753	95	90.11	180.29	10721.47	-989.91	647.22	397492.58	763417.06	989.11	1.46
11847	94	90.33	181	10721.11	-1083.9	646.16	397398.59	763416	1083.1	0.79
11942	95	91.12	180.73	10719.9	-1178.88	644.73	397303.61	763414.57	1178.08	0.88
12037	95	91.03	180.73	10718.12	-1273.86	643.52	397208.63	763413.36	1273.06	0.09
12132	95	92.53	180.47	10715.17	-1368.8	642.52	397113.68	763412.36	1368.01	1.6
12227	95	92.88	180.56	10710.69	-1463.69	641.67	397018.79	763411.51	1462.9	0.38
12322	95	91.43	179.41	10707.11	-1558.62	641.69	396923.87	763411.54	1557.83	1.95
12417	95	91.56	178.98	10704.64	-1653.58	643.03	396828.91	763412.87	1652.78	0.47
12511	94	89.36	179.15	10703.88	-1747.56	644.56	396734.93	763414.4	1746.76	2.35
12606	95	87.34	179.5	10706.62	-1842.51	645.68	396639.98	763415.52	1841.71	2.16
12701	95	91.34	183.19	10707.71	-1937.44	643.45	396545.05	763413.29	1936.64	5.73
12796	95	89.54	182.67	10706.98	-2032.31	638.59	396450.18	763408.44	2031.52	1.97
12891	95	88.92	182.58	10708.26	-2127.2	634.24	396355.29	763404.09	2126.41	0.66
12986	95	88.7	182.14	10710.23	-2222.1	630.33	396260.39	763400.17	2221.32	0.52
13081	95	88.53	182.05	10712.53	-2317.01	626.86	396165.48	763396.7	2316.23	0.2
13176	95	90.2	182.84	10713.58	-2411.91	622.81	396070.58	763392.65	2411.14	1.94
13271	95	88.97	179.77	10714.27	-2506.87	620.64	395975.62	763390.49	2506.1	3.48
13365	94	88.66	179.5	10716.21	-2600.85	621.24	395881.64	763391.09	2600.08	0.44
13460	95	89.54	178.89	10717.7	-2695.82	622.58	395786.66	763392.42	2695.05	1.13
13555	95	91.25	178.89	10717.05	-2790.8	624.42	395691.69	763394.26	2790.03	1.8
13650	95	92.84	180.38	10713.66	-2885.73	625.02	395596.75	763394.87	2884.96	2.29
13745	95	92.88	181.08	10708.92	-2980.61	623.81	395501.88	763393.66	2979.83	0.74
13840	95	89.27	181.08	10707.14	-3075.56	622.02	395406.93	763391.87	3074.78	3.8
13959	119	88.75	181.44	10709.19	-3194.51	619.41	395287.98	763389.25	3193.74	0.53
14054	95	89.45	181.44	10710.69	-3289.47	617.02	395193.02	763386.86	3288.7	0.74
14149	95	89.89	181.96	10711.23	-3384.42	614.2	395098.06	763384.05	3383.66	0.72
14244	95	92	181.61	10709.67	-3479.36	611.24	395003.13	763381.09	3478.6	2.25
14339	95	93.23	181.26	10705.33	-3574.23	608.87	394908.26	763378.71	3573.47	1.35
14434	95	93.19	180.38	10700.01	-3669.07	607.51	394813.42	763377.35	3668.31	0.93
14529	95	92.97	180.29	10694.91	-3763.93	606.96	394718.56	763376.8	3763.18	0.25
14624	95	92.22	180.12	10690.61	-3858.83	606.62	394623.66	763376.46	3858.08	0.81
14718	94	91.78	179.94	10687.33	-3952.77	606.57	394529.71	763376.41	3952.02	0.51

14813	95	92.44	179.77	10683.83	-4047.71	606.81	394434.78	763376.65	4046.95	0.72
14908	95	92.66	180.38	10679.6	-4142.61	606.68	394339.87	763376.53	4141.86	0.68
15003	95	91.74	179.5	10675.96	-4237.54	606.78	394244.94	763376.62	4236.79	1.34
15109	106	83.56	179.68	10680.3	-4343.36	607.54	394139.13	763377.38	4342.6	7.72
15204	95	87.38	179.94	10687.8	-4438.04	607.85	394044.44	763377.7	4437.29	4.03
15299	95	88.66	179.41	10691.08	-4532.98	608.39	393949.5	763378.23	4532.23	1.46
15393	94	92.13	180.82	10690.43	-4626.96	608.2	393855.52	763378.05	4626.21	3.98
15488	95	92.66	181.7	10686.46	-4721.86	606.12	393760.63	763375.96	4721.1	1.08
15583	95	91.74	181.08	10682.82	-4816.76	603.81	393665.73	763373.66	4816.01	1.17
15678	95	91.56	181.26	10680.08	-4911.7	601.88	393570.79	763371.72	4910.95	0.27
15773	95	92	181.79	10677.13	-5006.62	599.35	393475.87	763369.19	5005.87	0.72
15868	95	90.33	181.08	10675.2	-5101.57	596.97	393380.92	763366.81	5100.82	1.91
15963	95	89.54	180.91	10675.31	-5196.55	595.32	393285.94	763365.16	5195.81	0.85
16058	95	89.14	179.94	10676.4	-5291.54	594.62	393190.95	763364.46	5290.8	1.1
16152	94	90.11	179.06	10677.02	-5385.53	595.44	393096.95	763365.28	5384.79	1.39
16247	95	90.11	178.71	10676.83	-5480.51	597.29	393001.97	763367.13	5479.77	0.37
16342	95	94.24	180.29	10673.23	-5575.42	598.12	392907.07	763367.96	5574.67	4.65
16437	95	90.81	180.03	10669.04	-5670.31	597.85	392812.17	763367.69	5669.57	3.62
16532	95	89.8	179.85	10668.54	-5765.31	597.95	392717.18	763367.79	5764.56	1.08
16627	95	89.58	179.77	10669.05	-5860.31	598.26	392622.18	763368.11	5859.56	0.25
16721	94	87.65	179.59	10671.33	-5954.27	598.79	392528.21	763368.63	5953.53	2.06
16816	95	87.25	179.59	10675.55	-6049.18	599.47	392433.31	763369.31	6048.43	0.42
16911	95	87.47	180.03	10679.93	-6144.08	599.78	392338.41	763369.63	6143.33	0.52
17006	95	86.99	180.82	10684.52	-6238.96	599.08	392243.53	763368.92	6238.21	0.97
17101	95	87.65	181.61	10688.96	-6333.83	597.07	392148.65	763366.91	6333.09	1.08
17196	95	89.41	180.91	10691.4	-6428.78	594.98	392053.71	763364.82	6428.03	1.99
17291	95	90.64	179.15	10691.36	-6523.77	594.93	391958.72	763364.77	6523.03	2.26
17386	95	91.69	178.45	10689.42	-6618.73	596.92	391863.76	763366.76	6617.98	1.33
17481	95	92.84	178.71	10685.67	-6713.62	599.27	391768.86	763369.11	6712.88	1.24
17576	95	93.41	179.15	10680.49	-6808.46	601.04	391674.02	763370.88	6807.71	0.76
17670	94	93.23	179.33	10675.05	-6902.3	602.29	391580.19	763372.13	6901.55	0.27
17765	95	93.14	179.41	10669.77	-6997.15	603.33	391485.34	763373.17	6996.39	0.13
17860	95	92.79	179.06	10664.86	-7092.01	604.6	391390.48	763374.44	7091.26	0.52
17955	95	92.79	179.33	10660.23	-7186.89	605.93	391295.6	763375.77	7186.13	0.28

18050	95	92.4	179.15	10655.93	-7281.78	607.19	391200.7	763377.03	7281.02	0.45
18145	95	92.04	178.98	10652.25	-7376.7	608.74	391105.79	763378.58	7375.94	0.42
18240	95	91.43	180.29	10649.37	-7471.65	609.34	391010.84	763379.18	7470.89	1.52
18335	95	91.6	180.47	10646.86	-7566.61	608.71	390915.87	763378.55	7565.85	0.26
18429	94	90.81	180.56	10644.89	-7660.59	607.87	390821.9	763377.71	7659.83	0.85
18524	95	89.45	180.91	10644.67	-7755.58	606.65	390726.91	763376.49	7754.82	1.48
18619	95	89.05	181.17	10645.91	-7850.55	604.93	390631.93	763374.77	7849.8	0.5
18714	95	90.02	180.91	10646.68	-7945.53	603.2	390536.95	763373.04	7944.78	1.06
18809	95	90.33	180.56	10646.39	-8040.53	601.98	390441.96	763371.82	8039.77	0.49
18903	94	90.2	180.73	10645.96	-8134.52	600.92	390347.97	763370.77	8133.77	0.23
18998	95	90.11	180.73	10645.7	-8229.51	599.71	390252.98	763369.56	8228.76	0.09
19093	95	89.54	180.29	10645.99	-8324.51	598.87	390157.98	763368.71	8323.76	0.76
19188	95	89.36	179.94	10646.9	-8419.5	598.68	390062.99	763368.52	8418.75	0.41
19283	95	90.86	180.12	10646.72	-8514.5	598.63	389967.99	763368.47	8513.75	1.59
19378	95	91.38	180.38	10644.86	-8609.48	598.21	389873.01	763368.06	8608.73	0.61
19473	95	91.38	180.47	10642.58	-8704.45	597.51	389778.04	763367.35	8703.7	0.09
19567	94	91.3	180.29	10640.38	-8798.42	596.89	389684.07	763366.73	8797.68	0.21
19662	95	91.16	180.38	10638.34	-8893.4	596.33	389589.09	763366.17	8892.65	0.18
19757	95	91.08	180.38	10636.48	-8988.38	595.7	389494.11	763365.54	8987.63	0.08
19852	95	90.95	180.38	10634.8	-9083.36	595.07	389399.13	763364.91	9082.62	0.14
19947	95	89.8	179.59	10634.18	-9178.36	595.1	389304.13	763364.94	9177.61	1.47
20042	95	89.76	179.41	10634.54	-9273.35	595.92	389209.14	763365.77	9272.61	0.19
20137	95	90.15	178.98	10634.62	-9368.34	597.26	389114.14	763367.1	9367.59	0.61
20232	95	90.46	179.06	10634.11	-9463.33	598.88	389019.16	763368.73	9462.58	0.34
20326	94	90.59	179.33	10633.25	-9557.31	600.2	388925.17	763370.05	9556.56	0.32
20421	95	90.99	179.15	10631.94	-9652.29	601.46	388830.19	763371.31	9651.54	0.46
20516	95	91.12	178.89	10630.19	-9747.26	603.09	388735.22	763372.93	9746.51	0.31
20611	95	90.9	178.89	10628.52	-9842.23	604.93	388640.25	763374.77	9841.48	0.23
20706	95	90.59	178.62	10627.28	-9937.2	606.99	388545.28	763376.84	9936.44	0.43
20801	95	90.9	178.54	10626.05	-10032.2	609.35	388450.32	763379.19	10031.4	0.34
20863	62	90.64	178.36	10625.21	-10094.1	611.02	388388.35	763380.87	10093.37	0.51
20915	52	90.64	178.36	10624.63	-10146.1	612.51	388336.37	763382.35	10145.35	0

State of New Mexico
 Energy, Minerals and Natural Resources

District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-47207
5. Indicate Type of Lease STATE ☐ FEE ☐ Fed. ☐
6. State Oil & Gas Lease No. -
7. Lease Name or Unit Agreement Name Red Hills Federal
8. Well Number 201H
9. OGRID Number 12361
10. Pool name or Wildcat WC-025 G-08 S253235G; Lo. Bone Sprg.
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3430 GR

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Kaiser-Francis Oil Company

3. Address of Operator
P. O. Box 21468, Tulsa, OK 74121-1468

4. Well Location
 Unit Letter D : 300 feet from the North line and 505 feet from the West line
 Section 31 Township 25S Range 33E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Completion began 10/15/2020 Completion finished 1/22/2021

- MIRU WL.
- TCP'd first stage @ 20660'-20782'. Broke down perfs.
- Stage frac'd lateral 11054'-20782' in 57 stages w/650020 bbls fluid + 27232070# sd.
- Drilled out plugs and cleaned out lateral to PBTD w/coiled tbg. Flowed back well.

Spud Date:

8/24/2020

Rig Release Date:

9/12/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Charlotte Van Valkenburg TITLE Mgr., Regulatory Compliance DATE 3/9/2021

Type or print name Charlotte Van Valkenburg E-mail address: Charlotv@kfoc.net PHONE: 918-491-4314

For State Use Only

APPROVED BY: John Garcia TITLE Petroleum Specialist DATE 5/10/2021

Conditions of Approval (if any):

Two Copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form 10-1
Revised April 3, 2017

1. WELL API NO. 30-025-47207
2. Type of Lease
☐ STATE ☐ FEE ☐ FED/INDIAN Fed.
3. State Oil & Gas Lease No. -

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)
☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name
Red Hills Federal

6. Well Number:
201H

7. Type of Completion:
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator
Kaiser-Francis Oil Company

9. OGRID
12361

10. Address of Operator
P. O. Box 21468, Tulsa, OK 74121-1468

11. Pool name or Wildcat
WC-025 G-08 S253235G; Lo. Bone Sprg

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	D	31	25S	33E	D	300	North	505	West	Lea
BH:	N	6	26S	33E	N	161	South	1025	West	Lea

13. Date Spudded 8/24/2020 14. Date T.D. Reached 9/9/2020 15. Date Rig Released 9/12/2020 16. Date Completed (Ready to Produce) 1/22/2021 17. Elevations (DF and RKB. RT. GR. etc.) 3430 GR

18. Total Measured Depth of Well 20915 (MD) 10625 (TVD) 19. Plug Back Measured Depth 20815 (MD) 10625 (TVD) 20. Was Directional Survey Made? Yes 21. Type Electric and Other Logs Run None

22. Producing Interval(s) of this completion - Top, Bottom, Name
11054 - 20782 Lo. Bone Spring

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8	54.5	920	17 1/2	725 sxs	-0-
9 5/8	40	4869	12 1/4	1145 sxs	-0-
5 1/2	20	20885	8 1/2	3800 sxs	-0-

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN
None	-	-	-	-

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
None	-	-

26. Perforation record (interval, size, and number)
11054' - 20782' .42 2740

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL 11054 - 20782 AMOUNT AND KIND MATERIAL USED 650020 bbls fluid + 27232070# sd

28. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod. or Shut-in)
1/25/2021	Flowing	Producing

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
2/1/2021	24	32		713	1296	3523	1818

Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)
-	1690		713	1296	3523	54.

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Sold

30. Test Witnessed By
-

31. List Attachments
Tags: C-104 NW, C-102 As-Drilled w/HSU, C-103 Casing, C-103 Completion, Final Survey.

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.
-

33. Rig Release Date: - WBD

34. If an on-site burial was used at the well, report the exact location of the on-site burial:
n/a

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature: *Charlotte Van Valkenburg* Printed Name: Charlotte Van Valkenburg Title: Mgr., Regulatory Compliance Date: 3/9/2021

E-mail Address: Charlottv@kfoc.net

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 4896	T. Morrison	
T. Drinkard	T. Bone Springs 1st 10082	T. Todilto	
T. Abo	T. Up Avalon 9096	T. Entrada	
T. Wolfcamp	T. 2 Bone Sprg Lm 10581	T. Wingate	
T. Penn	T. 2 Bone Sprg Sd 10678	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS
SANDS OR ZONES

No. 1, from 11054 to 20782

No. 3, from to

No. 2, from to

No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from Unk. to feet

No. 2, from to feet

No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
4896			Delaware				
9096			Up Avalon				
10082			1st Bone Sprg				
10581			2nd Bone Sprg Lm				
10678			2nd Bone Sprg Sd				



State of New Mexico
Energy, Minerals and Natural Resources

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-47207
5. Indicate Type of Lease STATE ☐ FEE ☐ Fed. ☐
6. State Oil & Gas Lease No. -

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		7. Lease Name or Unit Agreement Name Red Hills Federal
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	2. Name of Operator Kaiser-Francis Oil Company	8. Well Number 201H
3. Address of Operator P. O. Box 21468, Tulsa, OK 74121-1468	9. OGRID Number 12361	
4. Well Location Unit Letter D : 300 feet from the North line and 505 feet from the West line Section 31 Township 25S Range 33E NMPM Lea County	10. Pool name or Wildcat WC-025 G-08 S253235G; Lo. Bone Sprg.	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3430 GR		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: Casing Detail ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8/26/2020 13 3/8", 54.5#, J55 set @ 920' & cmt'd w/725 sxs. TOC @ surface.. Pressure tested to 1500# for 30 minutes - good test.

8/28/2020 9 5/8", 40#, P110 set @ 4869' & cmt'd w/1145 sxs. TOC @ surface. Pressure tested to 1500# for 30 minutes - good test.

9/11/2020 5 1/2", 20#, P110 set @ 20885' & cmt'd w/3800 sxs. TOC @ surface. Pressure tested to 10000# for 30 minutes - good test.

Spud Date:

8/24/2020

Rig Release Date:

9/12/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Charlotte Van Valkenburg TITLE Mgr., Regulatory Compliance DATE 3/9/2021

Type or print name Charlotte Van Valkenburg E-mail address: Charlotv@kfoc.net PHONE: 918-491-4314

For State Use Only

APPROVED BY: John Garcia TITLE Petroleum Specialist DATE 5/10/2021

Conditions of Approval (if any):

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 20217

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK74121	12361	20217	C-104C

OCD Reviewer	Condition
plmartinez	File BLM Completion Sundry and BLM Completion Report within 10 day to NMOCD after BLM approval.