

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address Kaiser-Francis Oil Company P. O. Box 21468, Tulsa, OK 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-47208	⁵ Pool Name WC-025 G-08 S253235G; Lo Bone Springs	⁶ Pool Code 97903
⁷ Property Code 5467	⁸ Property Name Red Hills Federal	⁹ Well Number 203H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
D	31	25S	33E	D	240	North	1050	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	6	26S	33E	N	94	South	2277	West	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 1/28/2021	¹⁵ C-129 Permit Number -	¹⁶ C-129 Effective Date -	¹⁷ C-129 Expiration Date -				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC 1515 Araphoe St., Suite 1600 Denver, CO 80202	G
	Plains Pipeline LP 333 Clay St., #1600 Houston, TX 77002	O


IV. Well Completion Data

10918 (TVD)

10922 (TVD)

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTD	²⁵ Perforations	²⁶ DHC, MC
8/22/2020	1/26/2021	21146 (MD)	21051 (MD)	11172 - 21897	-
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2	13 3/8	1000	655		
12 1/4	9 5/8	4824	1265		
8 3/4	5 1/2	21126	4080		

V. Well Test Data

³¹ Date New Oil 1/29/2021	³² Gas Delivery Date 1/28/2021	³³ Test Date 2/5/2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure -	³⁶ Csg. Pressure 2260
³⁷ Choke Size 32	³⁸ Oil 812	³⁹ Water 4670	⁴⁰ Gas 1660		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Charlotte Van Valkenburg			Approved by:		
Title: Mgr., Regulatory Compliance			Title:		
E-mail Address: Charlotv@kfoc.net			Approval Date:		
Date: 3/9/2021		Phone: 918-491-4314			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47208	² Pool Code 97903	³ Pool Name WC-025 G-08 S253235G; Lower Bone Spring
⁴ Property Code 5467	⁵ Property Name RED HILLS Federal	
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁶ Well Number 203H
		⁹ Elevation 3423.5

¹⁰ Surface Location

UL or lot no. D	Section 31	Township 25 S	Range 33 E	Lot Idn D	Feet from the 240	North/South line NORTH	Feet from the 1050	East/West line WEST	County LEA
--------------------	---------------	------------------	---------------	--------------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. N	Section 6	Township 26 S	Range 33 E	Lot Idn N	Feet from the 94	North/South line SOUTH	Feet from the 2277	East/West line WEST	County LEA
--------------------	--------------	------------------	---------------	--------------	---------------------	---------------------------	-----------------------	------------------------	---------------

¹² Dedicated Acres 640	¹³ Joint or Infill -	¹⁴ Consolidation Code -	¹⁵ Order No. -
--------------------------------------	------------------------------------	---------------------------------------	------------------------------

No allowance will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>Charlotte Van Valkenburg</i> Date: 3/9/2021 Printed Name: Charlotte Van Valkenburg E-mail Address: Charlotv@kfoc.net		18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. FEBRUARY 16, 2021 Date of Survey: _____ Signature and Seal of Professional Surveyor: <i>William F. Jaramillo</i> Certificate Number: 12797 PROFESSIONAL SURVEYOR NO. 7547C	
--	--	--	--

Intent ☐ As Drilled ☒

API # 30-025-47208		
Operator Name: KAISER-FRANCIS OIL COMPANY	Property Name: RED HILLS Federal	Well Number 203H

Kick Off Point (KOP)

UL C	Section 31	Township 25S	Range 33E	Lot	Feet 156	From N/S NORTH	Feet 2291	From E/W WEST	County LEA
Latitude 32.0938887					Longitude 103.6125235			NAD 83	

First Take Point (FTP)

UL C	Section 31	Township 25S	Range 33E	Lot	Feet 509	From N/S NORTH	Feet 2313	From E/W WEST	County LEA
Latitude 32.0929200					Longitude 103.6124543			NAD 83	

Last Take Point (LTP)

UL N	Section 6	Township 26S	Range 33E	Lot	Feet 223	From N/S SOUTH	Feet 2277	From E/W WEST	County LEA
Latitude 32.0659088					Longitude 103.6124935			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☒Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

KAISER FRANCIS OIL CO.
RED HILLS 203H - HORIZONTAL

LEA COUNTY, N.M. 83
SEC 31 T25S R33E
Your Ref:

MD (usft)	Inc (°)	Azi (°)	TVD (usft)	N/S (usft)	E/W (usft)	Northing (usft)	Easting (usft)	V.Sec (usft)	Dogleg (°/100)	Build (°/100)	Turn (°/100)
0	0	0	0	0	0	398546.57	763314.33	0	0	0	0
149	0.88	192.23	148.99	-1.12	-0.24	398545.45	763314.09	1.12	0.59	0.59	0
238	1.19	194.16	237.98	-2.68	-0.61	398543.89	763313.72	2.68	0.35	0.35	2.17
332	1.49	202.34	331.95	-4.76	-1.32	398541.81	763313.01	4.76	0.38	0.32	8.7
425	1.93	189.15	424.91	-7.42	-2.03	398539.15	763312.3	7.42	0.63	0.47	-14.18
516	2.59	197.24	515.84	-10.9	-2.88	398535.67	763311.45	10.9	0.8	0.73	8.89
607	2.77	200.58	606.74	-14.92	-4.26	398531.65	763310.07	14.92	0.26	0.2	3.67
698	2.51	218.86	697.65	-18.53	-6.28	398528.04	763308.05	18.53	0.96	-0.29	20.09
787	2.77	216.4	786.55	-21.78	-8.78	398524.79	763305.55	21.78	0.32	0.29	-2.76
879	2.11	222.11	878.47	-24.83	-11.24	398521.74	763303.09	24.83	0.76	-0.72	6.21
954	1.32	214.55	953.43	-26.56	-12.65	398520.01	763301.68	26.56	1.09	-1.05	-10.08
1061	1.54	211.83	1060.4	-28.8	-14.11	398517.77	763300.22	28.8	0.22	0.21	-2.54
1151	1.93	200.49	1150.36	-31.25	-15.28	398515.32	763299.05	31.25	0.58	0.43	-12.6
1242	2.33	193.11	1241.3	-34.48	-16.24	398512.09	763298.09	34.48	0.53	0.44	-8.11
1334	2.29	193.72	1333.22	-38.09	-17.1	398508.48	763297.23	38.09	0.05	-0.04	0.66
1425	2.15	193.55	1424.15	-41.52	-17.93	398505.05	763296.4	41.52	0.15	-0.15	-0.19
1520	2.02	139.85	1519.1	-44.53	-17.26	398502.04	763297.07	44.53	1.99	-0.14	-56.53
1614	2.42	110.4	1613.03	-46.49	-14.34	398500.08	763299.99	46.49	1.27	0.43	-31.33
1708	3.78	82.45	1706.9	-46.77	-9.4	398499.8	763304.93	46.77	2.12	1.45	-29.73
1802	5.71	71.47	1800.57	-44.88	-1.9	398501.69	763312.43	44.88	2.26	2.05	-11.68
1897	8.09	66.72	1894.88	-40.73	8.73	398505.84	763323.06	40.73	2.57	2.51	-5
1992	8.92	65.49	1988.83	-35.04	21.57	398511.53	763335.9	35.04	0.89	0.87	-1.29
2086	10.15	70.24	2081.53	-29.21	35.99	398517.36	763350.32	29.21	1.55	1.31	5.05
2181	11.3	73.84	2174.87	-23.79	52.81	398522.78	763367.14	23.79	1.4	1.21	3.79

2275	11.82	73.49	2266.97	-18.49	70.89	398528.08	763385.22	18.49	0.56	0.55	-0.37
2369	12	72.35	2358.94	-12.8	89.43	398533.77	763403.76	12.8	0.32	0.19	-1.21
2464	13.27	76.65	2451.64	-7.28	109.45	398539.29	763423.78	7.28	1.66	1.34	4.53
2559	13.14	75.77	2544.13	-2.11	130.53	398544.46	763444.86	2.11	0.25	-0.14	-0.93
2653	13.89	77	2635.53	3.05	151.88	398549.62	763466.21	-3.05	0.85	0.8	1.31
2748	13.85	76.04	2727.76	8.36	174.02	398554.93	763488.35	-8.36	0.25	-0.04	-1.01
2842	14.59	78.85	2818.88	13.36	196.56	398559.93	763510.89	-13.36	1.08	0.79	2.99
2937	14.68	79.11	2910.8	17.95	220.12	398564.52	763534.45	-17.95	0.12	0.09	0.27
3031	14.68	78.32	3001.73	22.61	243.48	398569.18	763557.81	-22.61	0.21	0	-0.84
3125	14.15	77.53	3092.77	27.5	266.36	398574.07	763580.69	-27.5	0.6	-0.56	-0.84
3219	14.15	75.86	3183.92	32.79	288.72	398579.36	763603.05	-32.79	0.43	0	-1.78
3314	14.15	74.63	3276.03	38.71	311.18	398585.28	763625.51	-38.71	0.32	0	-1.29
3408	14.24	72.96	3367.16	45.14	333.31	398591.71	763647.64	-45.14	0.45	0.1	-1.78
3503	15.96	78.76	3458.89	51.11	357.3	398597.68	763671.63	-51.11	2.41	1.81	6.11
3597	16.18	77.27	3549.21	56.51	382.75	398603.08	763697.08	-56.51	0.5	0.23	-1.59
3692	15.52	78.15	3640.6	62.04	408.1	398608.61	763722.43	-62.04	0.74	-0.69	0.93
3787	14.68	77.18	3732.32	67.32	432.27	398613.89	763746.6	-67.32	0.92	-0.88	-1.02
3881	13.98	75.77	3823.4	72.75	454.9	398619.32	763769.23	-72.75	0.83	-0.74	-1.5
3975	12.84	75.95	3914.83	78.08	476.03	398624.65	763790.36	-78.08	1.21	-1.21	0.19
4069	12.26	79.46	4006.59	82.44	495.98	398629.01	763810.31	-82.44	1.02	-0.62	3.73
4164	11.69	82.89	4099.52	85.48	515.45	398632.05	763829.78	-85.48	0.96	-0.6	3.61
4258	11.08	82.72	4191.67	87.8	533.86	398634.37	763848.19	-87.8	0.65	-0.65	-0.18
4352	11.12	84.47	4283.91	89.82	551.84	398636.39	763866.17	-89.82	0.36	0.04	1.86
4447	11.78	83.16	4377.02	91.86	570.58	398638.43	763884.91	-91.86	0.75	0.69	-1.38
4542	11.3	87.55	4470.1	93.41	589.51	398639.98	763903.84	-93.41	1.05	-0.51	4.62
4637	11.3	93.09	4563.26	93.3	608.11	398639.87	763922.44	-93.3	1.14	0	5.83
4731	10.73	93	4655.53	92.35	626.04	398638.92	763940.37	-92.35	0.61	-0.61	-0.1
4779	10.02	93.35	4702.75	91.87	634.67	398638.44	763949	-91.87	1.48	-1.48	0.73
4907	9.14	88.43	4828.96	91.5	655.95	398638.07	763970.28	-91.5	0.94	-0.69	-3.84
5002	10.15	86.5	4922.62	92.22	671.85	398638.79	763986.18	-92.22	1.12	1.06	-2.03
5096	10.73	82.19	5015.06	93.91	688.79	398640.48	764003.12	-93.91	1.03	0.62	-4.59
5190	10.9	81.13	5107.39	96.47	706.24	398643.04	764020.57	-96.47	0.28	0.18	-1.13
5285	11.38	81.57	5200.6	99.23	724.38	398645.8	764038.71	-99.23	0.51	0.51	0.46
5380	10.55	81.93	5293.87	101.82	742.27	398648.39	764056.6	-101.82	0.88	-0.87	0.38

5474	10.73	78.59	5386.25	104.76	759.36	398651.33	764073.69	-104.76	0.68	0.19	-3.55
5568	13.49	81.22	5478.15	108.17	778.78	398654.74	764093.11	-108.17	2.99	2.94	2.8
5663	12.97	79.38	5570.63	111.82	800.21	398658.39	764114.54	-111.82	0.7	-0.55	-1.94
5757	13.32	78.41	5662.17	115.94	821.19	398662.51	764135.52	-115.94	0.44	0.37	-1.03
5852	13.98	88.25	5754.5	118.49	843.38	398665.06	764157.71	-118.49	2.54	0.69	10.36
5946	12.31	87.02	5846.03	119.36	864.74	398665.93	764179.07	-119.36	1.8	-1.78	-1.31
6041	11.38	83.33	5939.01	120.97	884.16	398667.54	764198.49	-120.97	1.26	-0.98	-3.88
6136	10.73	83.33	6032.24	123.09	902.25	398669.66	764216.58	-123.09	0.68	-0.68	0
6230	11.6	88.52	6124.47	124.35	920.39	398670.92	764234.72	-124.35	1.41	0.93	5.52
6325	11.34	87.02	6217.57	125.08	939.27	398671.65	764253.6	-125.08	0.42	-0.27	-1.58
6420	11.12	86.14	6310.75	126.18	957.74	398672.75	764272.07	-126.18	0.29	-0.23	-0.93
6515	11.3	85.18	6403.94	127.58	976.15	398674.15	764290.48	-127.58	0.27	0.19	-1.01
6609	13.14	92.12	6495.81	127.96	996.01	398674.53	764310.34	-127.96	2.5	1.96	7.38
6704	13.32	92.3	6588.29	127.12	1017.73	398673.69	764332.06	-127.12	0.19	0.19	0.19
6798	12.22	91.33	6679.96	126.46	1038.5	398673.03	764352.83	-126.46	1.19	-1.17	-1.03
6893	11.52	92.47	6772.93	125.81	1058.03	398672.38	764372.36	-125.81	0.78	-0.74	1.2
6987	10.33	93.18	6865.22	124.94	1075.82	398671.51	764390.15	-124.94	1.27	-1.27	0.76
7082	9.76	93.88	6958.77	123.92	1092.36	398670.49	764406.69	-123.92	0.61	-0.6	0.74
7176	9.54	93.35	7051.44	122.93	1108.08	398669.5	764422.41	-122.93	0.25	-0.23	-0.56
7271	8.92	94.14	7145.21	121.94	1123.29	398668.51	764437.62	-121.94	0.67	-0.65	0.83
7365	8.79	94.76	7238.09	120.81	1137.72	398667.38	764452.05	-120.81	0.17	-0.14	0.66
7460	8.13	95.46	7332.05	119.57	1151.64	398666.14	764465.97	-119.57	0.7	-0.69	0.74
7555	8.35	94.93	7426.07	118.34	1165.2	398664.91	764479.53	-118.34	0.24	0.23	-0.56
7649	6.37	95.99	7519.29	117.21	1177.18	398663.78	764491.51	-117.21	2.11	-2.11	1.13
7744	6.02	96.78	7613.74	116.07	1187.37	398662.64	764501.7	-116.07	0.38	-0.37	0.83
7839	5.27	101	7708.28	114.65	1196.6	398661.22	764510.93	-114.65	0.9	-0.79	4.44
7933	4.26	103.28	7801.95	113.02	1204.24	398659.59	764518.57	-113.02	1.09	-1.07	2.43
8028	4.09	105.83	7896.7	111.29	1210.93	398657.86	764525.26	-111.29	0.26	-0.18	2.68
8122	3.69	108.82	7990.48	109.4	1217.02	398655.97	764531.35	-109.4	0.48	-0.43	3.18
8216	3.38	111.11	8084.3	107.43	1222.47	398654	764536.8	-107.43	0.36	-0.33	2.44
8311	3.38	112.51	8179.14	105.35	1227.67	398651.92	764542	-105.35	0.09	0	1.47
8405	2.77	115.68	8273	103.3	1232.27	398649.87	764546.6	-103.3	0.67	-0.65	3.37
8500	2.33	117.26	8367.91	101.42	1236.06	398647.99	764550.39	-101.42	0.47	-0.46	1.66
8595	2.42	123.59	8462.83	99.43	1239.45	398646	764553.78	-99.43	0.29	0.09	6.66

8690	1.14	84.65	8557.78	98.4	1242.06	398644.97	764556.39	-98.4	1.78	-1.35	-40.99
8784	1.14	53.71	8651.76	99.05	1243.74	398645.62	764558.07	-99.05	0.65	0	-32.91
8878	0.84	65.58	8745.75	99.88	1245.12	398646.45	764559.45	-99.88	0.38	-0.32	12.63
8973	0.84	70.76	8840.74	100.4	1246.41	398646.97	764560.74	-100.4	0.08	0	5.45
9068	0.75	93.7	8935.73	100.59	1247.69	398647.16	764562.02	-100.59	0.35	-0.09	24.15
9162	0.84	89.48	9029.72	100.56	1249	398647.13	764563.33	-100.56	0.11	0.1	-4.49
9256	0.7	84.39	9123.71	100.62	1250.26	398647.19	764564.59	-100.62	0.17	-0.15	-5.41
9350	0.66	31.13	9217.71	101.14	1251.11	398647.71	764565.44	-101.14	0.65	-0.04	-56.66
9444	0.92	345.6	9311.7	102.33	1251.2	398648.9	764565.53	-102.33	0.7	0.28	-48.44
9538	0.35	307.45	9405.69	103.24	1250.78	398649.81	764565.11	-103.24	0.72	-0.61	-40.59
9632	0.53	299.89	9499.69	103.63	1250.18	398650.2	764564.51	-103.63	0.2	0.19	-8.04
9727	1.14	231.43	9594.68	103.26	1249.06	398649.83	764563.39	-103.26	1.12	0.64	-72.06
9821	1.85	216.84	9688.65	101.46	1247.42	398648.03	764561.75	-101.46	0.85	0.76	-15.52
9916	2.07	218.16	9783.59	98.89	1245.44	398645.46	764559.77	-98.89	0.24	0.23	1.39
10010	1.58	217.1	9877.55	96.52	1243.61	398643.09	764557.94	-96.52	0.52	-0.52	-1.13
10104	1.27	218.07	9971.52	94.66	1242.18	398641.23	764556.51	-94.66	0.33	-0.33	1.03
10169	0.84	233.27	10036.51	93.81	1241.36	398640.38	764555.69	-93.81	0.78	-0.66	23.38
10227	0.62	242.94	10094.5	93.41	1240.74	398639.98	764555.07	-93.41	0.43	-0.38	16.67
10322	0.75	263.24	10189.49	93.11	1239.66	398639.68	764553.99	-93.11	0.29	0.14	21.37
10416	0.57	292.78	10283.49	93.22	1238.62	398639.79	764552.95	-93.22	0.4	-0.19	31.43
10510	3.74	129.47	10377.43	91.45	1240.56	398638.02	764554.89	-91.45	4.56	3.37	-173.73
10605	12.88	181.07	10471.42	78.85	1242.76	398625.42	764557.09	-78.85	11.53	9.62	54.32
10700	20.7	171.57	10562.32	51.61	1245.03	398598.18	764559.36	-51.61	8.7	8.23	-10
10795	30.11	175.27	10648.04	11.16	1249.46	398557.73	764563.79	-11.16	10.04	9.91	3.89
10890	37.85	180.36	10726.77	-41.82	1251.25	398504.75	764565.58	41.82	8.67	8.15	5.36
10984	46.29	172.8	10796.53	-104.52	1255.33	398442.05	764569.66	104.52	10.46	8.98	-8.04
11078	56.97	177.11	10854.81	-177.81	1261.59	398368.76	764575.92	177.81	11.91	11.36	4.59
11173	65.32	179.57	10900.63	-260.9	1263.93	398285.67	764578.26	260.9	9.08	8.79	2.59
11268	71.52	175.44	10935.56	-349.09	1267.84	398197.48	764582.17	349.09	7.68	6.53	-4.35
11362	82.42	176.94	10956.72	-440.33	1273.89	398106.24	764588.22	440.33	11.7	11.6	1.6
11457	83.16	176.58	10968.65	-534.43	1279.21	398012.14	764593.54	534.43	0.86	0.78	-0.38
11551	88.48	177.38	10975.5	-628.01	1284.15	397918.56	764598.48	628.01	5.72	5.66	0.85
11646	90.24	177.2	10976.56	-722.9	1288.64	397823.67	764602.97	722.9	1.86	1.85	-0.19
11740	91.56	180.1	10975.08	-816.85	1290.85	397729.72	764605.18	816.85	3.39	1.4	3.09

11834	91.43	180.19	10972.63	-910.81	1290.61	397635.76	764604.94	910.81	0.17	-0.14	0.1
11929	90.99	180.54	10970.62	-1005.79	1290	397540.78	764604.33	1005.79	0.59	-0.46	0.37
12024	91.78	182.82	10968.33	-1100.72	1287.22	397445.85	764601.55	1100.72	2.54	0.83	2.4
12118	91.34	183.62	10965.77	-1194.53	1281.94	397352.04	764596.27	1194.53	0.97	-0.47	0.85
12212	90.95	182.21	10963.89	-1288.39	1277.16	397258.18	764591.49	1288.39	1.56	-0.41	-1.5
12307	89.1	181.59	10963.85	-1383.33	1274.01	397163.24	764588.34	1383.33	2.05	-1.95	-0.65
12402	87.52	182.03	10966.65	-1478.24	1271.01	397068.33	764585.34	1478.24	1.73	-1.66	0.46
12497	86.2	181.42	10971.85	-1573.05	1268.15	396973.52	764582.48	1573.05	1.53	-1.39	-0.64
12591	87.82	181.24	10976.76	-1666.89	1265.97	396879.68	764580.3	1666.89	1.73	1.72	-0.19
12685	89.19	180.8	10979.21	-1760.85	1264.29	396785.72	764578.62	1760.85	1.53	1.46	-0.47
12779	90.33	179.84	10979.6	-1854.84	1263.77	396691.73	764578.1	1854.84	1.59	1.21	-1.02
12873	88.79	180.63	10980.32	-1948.83	1263.38	396597.74	764577.71	1948.83	1.84	-1.64	0.84
12968	89.27	180.98	10981.93	-2043.81	1262.04	396502.76	764576.37	2043.81	0.63	0.51	0.37
13062	90.55	180.89	10982.08	-2137.8	1260.51	396408.77	764574.84	2137.8	1.37	1.36	-0.1
13156	88.66	179.4	10982.73	-2231.79	1260.27	396314.78	764574.6	2231.79	2.56	-2.01	-1.59
13251	88.7	179.4	10984.92	-2326.76	1261.26	396219.81	764575.59	2326.76	0.04	0.04	0
13345	89.85	178.69	10986.11	-2420.73	1262.83	396125.84	764577.16	2420.73	1.44	1.22	-0.76
13439	91.16	177.55	10985.28	-2514.67	1265.91	396031.9	764580.24	2514.67	1.85	1.39	-1.21
13534	91.12	178.17	10983.39	-2609.59	1269.46	395936.98	764583.79	2609.59	0.65	-0.04	0.65
13627	91.43	178.08	10981.32	-2702.52	1272.5	395844.05	764586.83	2702.52	0.35	0.33	-0.1
13721	90.73	177.9	10979.55	-2796.44	1275.79	395750.13	764590.12	2796.44	0.77	-0.74	-0.19
13816	89.19	178.96	10979.61	-2891.4	1278.39	395655.17	764592.72	2891.4	1.97	-1.62	1.12
13910	89.19	178.43	10980.94	-2985.37	1280.53	395561.2	764594.86	2985.37	0.56	0	-0.56
14005	89.71	179.84	10981.85	-3080.35	1281.96	395466.22	764596.29	3080.35	1.58	0.55	1.48
14099	91.43	180.54	10980.92	-3174.34	1281.65	395372.23	764595.98	3174.34	1.98	1.83	0.74
14193	92.44	181.68	10977.74	-3268.27	1279.83	395278.3	764594.16	3268.27	1.62	1.07	1.21
14288	89.41	181.95	10976.21	-3363.2	1276.82	395183.37	764591.15	3363.2	3.2	-3.19	0.28
14382	89.76	181.77	10976.89	-3457.14	1273.77	395089.43	764588.1	3457.14	0.42	0.37	-0.19
14477	90.24	181.77	10976.89	-3552.1	1270.83	394994.47	764585.16	3552.1	0.51	0.51	0
14572	88.53	181.07	10977.91	-3647.06	1268.48	394899.51	764582.81	3647.06	1.94	-1.8	-0.74
14668	88.35	180.8	10980.52	-3743.01	1266.91	394803.56	764581.24	3743.01	0.34	-0.19	-0.28
14763	88.84	179.84	10982.85	-3837.98	1266.38	394708.59	764580.71	3837.98	1.13	0.52	-1.01
14858	88.92	178.69	10984.71	-3932.95	1267.59	394613.62	764581.92	3932.95	1.21	0.08	-1.21
14953	89.01	177.9	10986.43	-4027.89	1270.42	394518.68	764584.75	4027.89	0.84	0.09	-0.83

15047	88.92	178.96	10988.13	-4121.84	1272.99	394424.73	764587.32	4121.84	1.13	-0.1	1.13
15142	89.98	178.87	10989.04	-4216.82	1274.79	394329.75	764589.12	4216.82	1.12	1.12	-0.09
15236	90.33	180.28	10988.78	-4310.81	1275.48	394235.76	764589.81	4310.81	1.55	0.37	1.5
15331	90.37	180.28	10988.2	-4405.81	1275.02	394140.76	764589.35	4405.81	0.04	0.04	0
15426	90.46	179.22	10987.51	-4500.8	1275.43	394045.77	764589.76	4500.8	1.12	0.09	-1.12
15520	90.59	180.45	10986.65	-4594.8	1275.7	393951.77	764590.03	4594.8	1.32	0.14	1.31
15615	90.9	180.98	10985.42	-4689.78	1274.51	393856.79	764588.84	4689.78	0.65	0.33	0.56
15710	91.52	180.54	10983.41	-4784.75	1273.25	393761.82	764587.58	4784.75	0.8	0.65	-0.46
15804	92.04	180.28	10980.49	-4878.7	1272.58	393667.87	764586.91	4878.7	0.62	0.55	-0.28
15899	90.81	180.01	10978.13	-4973.67	1272.34	393572.9	764586.67	4973.67	1.33	-1.29	-0.28
15993	90.95	179.31	10976.69	-5067.66	1272.89	393478.91	764587.22	5067.66	0.76	0.15	-0.74
16088	91.38	178.69	10974.75	-5162.62	1274.55	393383.95	764588.88	5162.62	0.79	0.45	-0.65
16182	89.89	179.13	10973.71	-5256.6	1276.34	393289.97	764590.67	5256.6	1.65	-1.59	0.47
16276	89.67	179.57	10974.07	-5350.59	1277.4	393195.98	764591.73	5350.59	0.52	-0.23	0.47
16370	90.15	178.96	10974.22	-5444.58	1278.6	393101.99	764592.93	5444.58	0.83	0.51	-0.65
16465	90.9	178.78	10973.35	-5539.56	1280.48	393007.01	764594.81	5539.56	0.81	0.79	-0.19
16559	91.3	178.69	10971.55	-5633.52	1282.55	392913.05	764596.88	5633.52	0.44	0.43	-0.1
16654	91.47	178.08	10969.25	-5728.45	1285.23	392818.12	764599.56	5728.45	0.67	0.18	-0.64
16748	90.37	179.48	10967.74	-5822.42	1287.22	392724.15	764601.55	5822.42	1.89	-1.17	1.49
16843	90.73	179.4	10966.83	-5917.41	1288.15	392629.16	764602.48	5917.41	0.39	0.38	-0.08
16937	89.67	180.36	10966.5	-6011.4	1288.35	392535.17	764602.68	6011.4	1.52	-1.13	1.02
17032	90.29	180.36	10966.53	-6106.4	1287.75	392440.17	764602.08	6106.4	0.65	0.65	0
17127	90.73	180.63	10965.69	-6201.39	1286.93	392345.18	764601.26	6201.39	0.54	0.46	0.28
17222	90.29	181.07	10964.84	-6296.38	1285.52	392250.19	764599.85	6296.38	0.65	-0.46	0.46
17316	90.42	181.33	10964.26	-6390.36	1283.55	392156.21	764597.88	6390.36	0.31	0.14	0.28
17411	90.51	180.8	10963.49	-6485.34	1281.78	392061.23	764596.11	6485.34	0.57	0.09	-0.56
17506	90.68	180.63	10962.5	-6580.32	1280.59	391966.25	764594.92	6580.32	0.25	0.18	-0.18
17600	89.63	181.42	10962.25	-6674.31	1278.91	391872.26	764593.24	6674.31	1.4	-1.12	0.84
17695	89.98	181.33	10962.57	-6769.28	1276.63	391777.29	764590.96	6769.28	0.38	0.37	-0.09
17790	90.86	181.42	10961.87	-6864.25	1274.35	391682.32	764588.68	6864.25	0.93	0.93	0.09
17884	91.34	181.42	10960.07	-6958.2	1272.02	391588.37	764586.35	6958.2	0.51	0.51	0
17979	90.2	180.98	10958.79	-7053.17	1270.02	391493.4	764584.35	7053.17	1.29	-1.12	-0.46
18073	90.2	180.89	10958.47	-7147.16	1268.49	391399.41	764582.82	7147.16	0.1	0	-0.1
18168	87.56	181.24	10960.32	-7242.11	1266.72	391304.46	764581.05	7242.11	2.8	-2.78	0.37

18263	86.42	180.54	10965.31	-7336.97	1265.25	391209.6	764579.58	7336.97	1.41	-1.2	-0.74
18357	87.52	179.84	10970.28	-7430.84	1264.93	391115.73	764579.26	7430.84	1.39	1.17	-0.74
18450	88.09	179.84	10973.84	-7523.77	1265.19	391022.8	764579.52	7523.77	0.61	0.61	0
18544	89.76	178.87	10975.6	-7617.74	1266.25	390928.83	764580.58	7617.74	2.05	1.78	-1.03
18639	92.31	179.48	10973.89	-7712.71	1267.62	390833.86	764581.95	7712.71	2.76	2.68	0.64
18733	92.7	178.87	10969.78	-7806.61	1268.97	390739.96	764583.3	7806.61	0.77	0.41	-0.65
18827	92.62	177.73	10965.42	-7900.46	1271.75	390646.11	764586.08	7900.46	1.21	-0.09	-1.21
18921	92.79	176.67	10960.98	-7994.24	1276.34	390552.33	764590.67	7994.24	1.14	0.18	-1.13
19015	92.26	177.38	10956.84	-8088.03	1281.21	390458.54	764595.54	8088.03	0.94	-0.56	0.76
19110	91.56	178.43	10953.67	-8182.91	1284.68	390363.66	764599.01	8182.91	1.33	-0.74	1.11
19204	90.37	177.73	10952.09	-8276.84	1287.82	390269.73	764602.15	8276.84	1.47	-1.27	-0.74
19299	89.49	177.46	10952.21	-8371.75	1291.81	390174.82	764606.14	8371.75	0.97	-0.93	-0.28
19393	90.73	178.61	10952.03	-8465.7	1295.03	390080.87	764609.36	8465.7	1.8	1.32	1.22
19488	90.33	180.01	10951.15	-8560.68	1296.17	389985.89	764610.5	8560.68	1.53	-0.42	1.47
19583	90.68	179.57	10950.31	-8655.68	1296.52	389890.89	764610.85	8655.68	0.59	0.37	-0.46
19677	91.47	178.52	10948.55	-8749.65	1298.08	389796.92	764612.41	8749.65	1.4	0.84	-1.12
19772	91.12	178.69	10946.4	-8844.59	1300.4	389701.98	764614.73	8844.59	0.41	-0.37	0.18
19866	92.44	178.61	10943.48	-8938.52	1302.61	389608.05	764616.94	8938.52	1.41	1.4	-0.09
19961	92.04	178.43	10939.77	-9033.41	1305.06	389513.16	764619.39	9033.41	0.46	-0.42	-0.19
20055	90.81	179.84	10937.43	-9127.37	1306.47	389419.2	764620.8	9127.37	1.99	-1.31	1.5
20150	91.16	180.01	10935.8	-9222.36	1306.6	389324.21	764620.93	9222.36	0.41	0.37	0.18
20245	89.71	180.54	10935.07	-9317.35	1306.14	389229.22	764620.47	9317.35	1.63	-1.53	0.56
20340	90.42	180.28	10934.97	-9412.35	1305.46	389134.22	764619.79	9412.35	0.8	0.75	-0.27
20435	89.63	180.1	10934.93	-9507.35	1305.14	389039.22	764619.47	9507.35	0.85	-0.83	-0.19
20530	90.55	180.28	10934.78	-9602.34	1304.83	388944.23	764619.16	9602.34	0.99	0.97	0.19
20624	91.82	179.31	10932.83	-9696.32	1305.16	388850.25	764619.49	9696.32	1.7	1.35	-1.03
20719	90.64	180.45	10930.79	-9791.29	1305.36	388755.28	764619.69	9791.29	1.73	-1.24	1.2
20814	90.51	180.28	10929.84	-9886.29	1304.75	388660.28	764619.08	9886.29	0.23	-0.14	-0.18
20909	91.96	179.84	10927.79	-9981.26	1304.65	388565.31	764618.98	9981.26	1.6	1.53	-0.46
21003	91.82	179.48	10924.69	-10075.2	1305.21	388471.36	764619.54	10075.21	0.41	-0.15	-0.38
21084	93.01	179.75	10921.28	-10156.1	1305.75	388390.44	764620.08	10156.13	1.51	1.47	0.33
21146	93.01	179.75	10918.02	-10218.1	1306.02	388328.52	764620.35	10218.05	0	0	0

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North. Vertical depths are relative to GE+23. Northings and Eastings are relative to Well.

The Dogleg Severity is in Degrees per 100 feet.

Vertical Section is from Slot and calculated along an Azimuth of 180.000° (Grid).

Coordinate System is North American Datum 1983 US State Plane 1983, New Mexico Eastern Zone.

Central meridian is -104.333°.

Grid Convergence at Surface is 0.381°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 21146.00ft., the Bottom Hole Displacement is 10301.17ft., in the Direction of 180.000° (Grid).

District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87303

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-47208
5. Indicate Type of Lease STATE ☐ FEE ☐ Fed. ☐
6. State Oil & Gas Lease No. -
7. Lease Name or Unit Agreement Name Red Hills Federal
8. Well Number 203H
9. OGRID Number 12361
10. Pool name or Wildcat WC-025 G-08 S253235G; Lo. Bone Sprg
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3424 GR

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
 DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
 PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐
 2. Name of Operator
Kaiser-Francis Oil Company
 3. Address of Operator
P. O. Box 21468, Tulsa, OK 74121-1468
 4. Well Location
Unit Letter D : 240 feet from the North line and 1050 feet from the West line
 Section 31 Township 25S Range 33E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
 3424 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐
 OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date
 of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of
 proposed completion or recompletion.

Completion began 10/19/2020

Completion finished 1/26/2021

- MIRU WL.
- TCP'd first stage @ 21015' - 21897'. Broke down perms.
- Stage frac'd lateral 11172 - 21897 in 57 stages w/655669 bbls fluid + 25306574# sd.
- Drilled out plugs and cleaned out lateral to PBTD w/coiled tbg. Flowed back well.

Spud Date:

8/22/2020

Rig Release Date:

9/7/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Charlotte Van Valkenburg

TITLE Mgr., Regulatory Compliance DATE 3/9/2021

Type or print name Charlotte Van Valkenburg E-mail address: Charlottv@kfoc.net PHONE: 918-491-4314

For State Use Only

APPROVED BY: John Garcia

TITLE Petroleum Specialist

DATE 5/10/2021

Conditions of Approval (if any):

Submit to Appropriate District Office

Two Copies

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural ResourcesOil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

Revised April 3, 2017

1. WELL API NO. 30-025-47208

2. Type of Lease
☐ STATE ☐ FEE ☐ FED/INDIAN Fed.

3. State Oil & Gas Lease No. -

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:

☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)5. Lease Name or Unit Agreement Name
Red Hills Federal6. Well Number:
203H

7. Type of Completion:

☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator

Kaiser-Francis Oil Company

9. OGRID 12361

10. Address of Operator

P. O. Box 21468, Tulsa, OK 74121-1468

11. Pool name or Wildcat

WC-025 G-08 S253235G; Lo Bone Spring

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	D	31	25S	33E	D	240	North	1050	West	Lea
BH:	N	6	26S	33E	N	94	South	2277	West	Lea

13. Date Spudded 8/22/2020	14. Date T.D. Reached 9/5/2020	15. Date Rig Released 9/7/2020	16. Date Completed (Ready to Produce) 1/26/2021	17. Elevations (DF and RKB, RT, GR, etc.) 3424 GR
18. Total Measured Depth of Well 21146 (MD) 10918 (TVD)	19. Plug Back Measured Depth 21051 (MD) 10922 (TVD)	20. Was Directional Survey Made? Yes	21. Type Electric and Other Logs Run None	
22. Producing Interval(s), of this completion - Top, Bottom, Name 11172 - 21897	Lo Bone Spring			

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8	54.5	1000	17 1/2	655 sxs	-0-
9 5/8	40	4824	12 1/4	1265 sxs	-0-
5 1/2	20	21126	8 3/4	4080 sxs	-0-

24. LINER RECORD	25. TUBING RECORD
SIZE TOP BOTTOM SACKS CEMENT SCREEN	SIZE DEPTH SET PACKER SET
None - - - -	None - - - -
26. Perforation record (interval, size, and number) 11172 - 21897 .42 2748	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 11172 - 21897 655669 bbls fluid + 25306574# sd

28. PRODUCTION							
Date First Production 1/28/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing			Well Status (Prod. or Shut-in) Producing		
Date of Test 2/5/2021	Hours Tested 24	Choke Size 32	Prod'n For Test Period	Oil - Bbl 812	Gas - MCF 1660	Water - Bbl. 4670	Gas - Oil Ratio 2044
Flow Tubing Press. -	Casing Pressure 2260	Calculated 24- Hour Rate	Oil - Bbl. 812	Gas - MCF 1660	Water - Bbl. 4670	Oil Gravity - API - (Corr.) 54.	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold					30. Test Witnessed By -		

31. List Attachments
Tags: C-104 NW, C-102 As-Drilled w/HSU, C-103 Casing, C-103 Completion, Final Survey,

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. - 33. Rig Release Date: - WBD

34. If an on-site burial was used at the well, report the exact location of the on-site burial:

n/a

Latitude

Longitude

NAD83

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature: *Charlotte Van Valkenburg* Printed Name: Charlotte Van Valkenburg Title: Mgr., Regulatory Compliance Date: 3/9/2021

E-mail Address: Charlottv@kfoc.net

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinberry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 5027	T. Morrison	
T. Drinkard	T. Bone Springs 1st 10166	T. Todilto	
T. Abo	T. Up Avalon 9191	T. Entrada	
T. Wolfcamp	T. 2 Bone Sprg Lm 10666	T. Wingate	
T. Penn	T. 2 Bone Sprg Sd 10735	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS
SANDS OR ZONES

No. 1, from.....11172.....to.....21897.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....Unk.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
5027			Delaware				
9191			Up Avalon				
10166			1st Bone Spring				
10666			2nd Bone Spring Lm				
10735			2nd Bone Spring Sd				



State of New Mexico
 Energy, Minerals and Natural Resources

District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.	30-025-47208
5. Indicate Type of Lease STATE ☐ FEE ☐ Fed. ☐	
6. State Oil & Gas Lease No.	-
7. Lease Name or Unit Agreement Name	Red Hills Federal
8. Well Number	203H
9. OGRID Number	12361
10. Pool name or Wildcat	WC-025 G-08 S253235G; Lo. Bone Sprg

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐
2. Name of Operator Kaiser-Francis Oil Company
3. Address of Operator P. O. Box 21468, Tulsa, OK 74121-1468
4. Well Location Unit Letter D : 240 feet from the North line and 1050 feet from the West line Section 31 Township 25S Range 33E NMPM Lea County
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3424 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: Casing Detail ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8/23/2020 13 3/8", 54.5#, J55 set @ 1000' & cmt'd w/655 sxs. TOC @ surface. Pressure test to 1500# for 30 minutes - good test.

8/25/2020 9 5/8", 40#, P110 set @ 4824' & cmt'd w/1265 sxs. TOC @ surface. Pressure tested to 3000# for 30 minutes - good test.

9/7/2020 5 1/2", 20#, P110 set @ 21126' & cmt'd w/4080 sxs. TOC @ surface. Pressure tested to 9900# for 30 minutes - good test.

Spud Date:

8/22/2020

Rig Release Date:

9/7/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Charlotte Van Valkenburg TITLE Mgr., Regulatory Compliance DATE 3/9/2021

Type or print name Charlotte Van Valkenburg E-mail address: Charlotv@kfoc.net PHONE: 918-491-4314

For State Use Only

APPROVED BY: John Garcia TITLE Petroleum Specialist DATE 5/10/2021

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 20277

CONDITIONS OF APPROVAL

Operator: KAISER-FRANCIS OIL CO P.O. Box 21468 Tulsa, OK74121			OGRID: 12361	Action Number: 20277	Action Type: C-104C
OCD Reviewer	Condition				
plmartinez	File BLM 3160-4 Completion Sundry and BLM 3160-4 Completion Report within 10 days to NMOCD after BLM approval.				