

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. <u>30-015-20606</u>
1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator <u>BXP operating</u>		6. State Oil & Gas Lease No.
3. Address of Operator <u>1515 Calle Sur, Hobbs St. 174, NM 88240</u>		7. Lease Name or Unit Agreement Name <u>Nan-Bet Cam</u>
4. Well Location Unit Letter <u>E</u> : <u>1980</u> feet from the <u>North</u> line and <u>660</u> feet from the <u>West</u> line Section <u>19</u> Township <u>21S</u> Range <u>26E</u> NMPM County <u>Eddy</u>		8. Well Number <u>01</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3363' GL</u>		9. OGRID Number <u>329487</u>
		10. Pool name or Wildcat <u>Catclaw Draw Morrow</u>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Notified NMED. Artesia by phone/email 24 hrs. prior to start 4/28/2021 - 5/11/2021

MT. RU WSL. Bled well down. Next a.m. killed well w/ 30 bbls 10" brine. Cut off frozen bolts. NU Bol
 Attempt to release PKY failed. PU power swivel. No luck. FP calc. showed stuck @ 9800'.
 Cut pipe @ 9700'. TDH w/ lbs. Ran bit & scraper to 9700'. Ran WL w/ CBP. Set @ 9700'. Confirmed @ 9700'.
 Circ hole w/ 10" gelled brine. spotted 25 sx & class H on top of CBP. WUC. 4 hrs. Tagged TDC @ 9350'.
 Perf @ 450' @ 8070'. TH w/ PKY. Pump 135 SXS Class H. 9D tur weekend.
 Mon a.m. Tagged TDC @ 7900'. RU WL. Perf @ 4320'. Pump & set 60 SX. Class C. WUC 4 hrs. Tag @ 4190'.
 Perf @ 2100'. Circ & 842 w/ 100 SXS. Class C. After overnight SI tossed top of cement @ 1850'.
 Jack hammered cellar full of cement left by a former operator. Verified surface CSG valve open.
 Perf @ 540'. Set circ. w/ 10" brine. Pumped 150 SXS Class C. Circulated to surface. RD P&A equipment.
 Will cut at well head, install marker. Hauled 1/2 pit contents to approved disposal.

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending receipt of C-103 (Subsequent Report of Well Plugging) which may be found at OCD Web Page under Forms, www.emnrd.state.nm.us

Within 90 days
 Loc. bc ready for inspection

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

M. G. Merchant

TITLE

Production Manager

DATE

5/14/2021

Type or print name

M. G. Merchant

E-mail address: mymarch@penncol.com PHONE: (575) 492-1236

For State Use Only

APPROVED BY:

[Signature]

TITLE

Staff Manager

DATE

5/17/2021

Conditions of Approval (if any):

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		WELL API NO. <u>30-015-20606</u>
2. Name of Operator <u>BXP operating</u>		5. Indicate Type of Lease STATE ☒ FEE ☐
3. Address of Operator <u>1515 Calle Sur, Hobbs St. 174, NM 88240</u>		6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>E</u> : <u>1980</u> feet from the <u>North</u> line and <u>660</u> feet from the <u>West</u> line Section <u>19</u> Township <u>21S</u> Range <u>26E</u> NMPM County <u>Eddy</u>		7. Lease Name or Unit Agreement Name <u>Nan-Bet Cam</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3363' GL</u>		8. Well Number <u>01</u>
		9. OGRID Number <u>329487</u>
		10. Pool name or Wildcat <u>Catclaw Draw Morrow</u>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Notified NMED Artesia by phone/email 24 hrs. prior to start 4/28/2021 - 5/11/2021

MT. RU WSL. Bled well down. Next a.m. killed well w/ 30 bbls 10" brine. Cut off frozen bolts. NU Bol
 Attempt to release PKY failed. PU power swivel. No luck. FP calc. showed stuck @ 9800'.
 Cut pipe @ 9700'. TDH w/ lbs. Ran bit & scraper to 9700'. Ran WL w/ CBP. Set @ 9700'. Confirmed @ 9700'.
 Circ hole w/ 10" gelled brine. spotted 25 sx & class H on top of CBP. WUC. 4 hrs. Tagged TDC @ 9350'.
 Perf @ 450' @ 8070'. TDH w/ PKY. Pump 135 SXS Class H. 9D for weekend.
 Mon a.m. Tagged TDC @ 7900'. RU WL. Perf @ 4320'. Pump & set 60 SX. Class E. WUC 4 hrs. Tag @ 4190'.
 Perf @ 2100'. Circ & 842 w/ 100 SXS. Class C. After overnight SI tossed top of cement @ 1850'.
 Jack hammered cellar full of cement left by a former operator. Verified surface CSG valve open.
 Perf @ 540'. Set circ. w/ 10" brine. Pumped 150 SXS Class C. Circulated to surface. RD P&A equipment.
 Will cut at well head, install marker. Hauled 1/2 pit contents to approved disposal.

Spud Date:

Rig Release Date:

Within 90 days
 Loc. bc ready for inspection

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

DATE

Type or print name

E-mail address:

PHONE:

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

Nan-Bel Com #1 Current Wellbore Diagram (After PPA)

Created: 5/14/21 By: WCM
 Updated: _____ By: _____
 Lessor: Nan-Bel Com
 Field: Catchlaw Draw
 Surf. Loc.: 1,880' FNL & 660' FWL
 Bot. Loc.: _____
 County: Eddy St.: NM
 Status: Active Gas Well

Well #: 1 FD/SL #: 000012
 API: 50-015-20005
 Surface: Tshp/Rng: S-21 & E-28
 Unit Ltr.: E Section: 19
 Bottom hole: Tshp/Rng:
 Unit Ltr.: Section:
 Cost Code: BCT600500
 Chavo: FG9704


Surface Casing
 Size: 13 3/8
 Wt., Grd.: 54#
 Depth: 490
 Sgs Cmt: 500
 Circulate: Yes, 100
 TOC: Surface
 Hole Size: 17-1/2"

Intermediate Casing
 Size: 8 5/8
 Wt., Grd.: 24#
 Depth: 1,894
 Sgs Cmt: 750
 Circulate: Yes, 250
 TOC: Surface
 Hole Size: 12-1/4" & 11"

Production Casing
 Size: 5 1/2
 Wt., Grd.: 17#
 Depth: 10,904
 Sgs Cmt: 300
 Circulate: No
 TOC: 8,500'
 Hole Size: 7-7/8"
 DV Tool: No
 'N-80 & K-55

Perforations
 10580-588, 646-654, 766-784

Tubing Detail
 334 Jts. 2 3/8" 4.7# N & L-80
 Seal Nipple @ 10,009'



PBTD: 10,844
 TD: 10,904

Geology - Tops
 Delaware 2,050
 Bone Spring 4,270
 3rd Bone Spring 7,683
 Wellcamp 8,020
 Penn 9,133
 Aloka 9,986
 Morrow 10,432
 Barnett 10,830

- 0 Part @ 540' and sgs 155 sx CL "C" cmt // Surface V 540' (Shoe, Surf) ✓
 5 Part @ 2,100' and sgs 75 sx CL "C" cmt // 1,750' V 2,100' WOC & top (Delaware, Shoe) ✓
 4 Part @ 4,320' and sgs 80 sx CL "C" cmt // 4,120' V 4,320' WOC & top (Bone Springs) ✓
 3 Part @ 8,070' and sgs 135 sx CL "H" cmt // 7,630' V 8,070' WOC & top (Wellcamp, 3rd Bone Springs) ✓
 ← ADD A RLUC 9550' TO 9950' TO C
 2 Sgs 30 sx CL "H" cmt // 10,050' V 9,850' (Aloka)
 1 Sgs CIBP @ 900' - 1 WOC MLE, sgs 25 sx CL "H" cmt, WOC/top/heel csg cut off tbg 9700'

Stuck pickup

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 28353

CONDITIONS OF APPROVAL

Operator:	BXP OPERATING, LLC	P.O. Box 7227	Dallas, TX75209	OGRID:	329487	Action Number:	28353	Action Type:	C-103P
OCD Reviewer									Condition
gcordero									None