

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: PEGASUS 3 FED COM Well Location: T24S / R32E / SEC 3 /

SESE / 32.2411777 / -103.6582044

County or Parish/State: LEA /

NM

Well Number: 582H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: Unit or CA Name: Unit or CA Number:

US Well Number: 300254725300X1 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Notification Type of Action: Well Spud

Date Sundry Submitted: 04/06/2021 **Time Sundry Submitted:** 1:47:52 PM

Date Operation Will Begin: 03/28/2021 Time Operation Will Begin: 11:00:00 AM

APD Approved Date: 03/31/2020

US Well Number 3002547253

Field Contact Name: C RENDALL Field Contact Number: (432) 636-3600

Rig Name: Rig Number: M1210

Spud Type: Conductor Hole, Rathole and/or Mousehole

Procedure Description: 3-29-2021 20" Conductor @ 120'

Disposition: Accepted

Accepted Date: 05/13/2021



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: PEGASUS 3 FED COM Well Location: T24S / R32E / SEC 3 / County or Parish/State: LEA /

SESE / 32.2411777 / -103.6582044

Well Number: 582H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: Unit or CA Name: Unit or CA Number:

US Well Number: 300254725300X1 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Apr 7, 2021 Time Sundry Submitted: 9:49:53 AM

Date Operation will begin: Mar 28, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: C RENDALL Field Contact Number: 4326363600

Rig Name: NABORS Rig Number: M1210

Well Casing Table:

String Type	Top Setting Depth MD			_	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	4000	4000	-431	4775	4775	-1130
INTERMEDIATE	0	0		4000	4000	-355
SURFACE	0	0	3645	1275	1275	2370
INTERMEDIATE	0	О	3667	11897	11897	-8252

Procedure Description: 3-29-2021 12 1/4" HOLE

3-29-2021 Surface Hole @ 1,303' MD, 1,303' TVD

Casing shoe @ 1,288' MDm 1288' TVD

Ran 13-3/8" 54.5# J-55 STC

Cement w/ 980 sx Class C (1.68 yld, 13.5 ppg), Trail w/ 220 sx Class C (1.36 yld, 14.8 ppg)

Test casing to 1,500 psi for 30 min, Circ (162 bbls) 541 sx cement to surface

3-31-2021 8 3/4" hole

3-31-2021 1st Intermediate Hole @ 4,922' MD, 4,842' TVD

Casing shoe @ 4,912' MD, 4,887' TVD Ran 9-5/8", 40#, J-55 LTC (0' - 3,755')

Ran 9-5/8", 40#, HCK-55 LTC (3,755' - 4,912')

Cement w/ 1,345 sx Class C (1.90 yld, 12.9 ppg), Trail w/ 305 sx Class C (1.36 yld, 14.8 ppg) Test casing to 2,200 psi for 30 min good, Circ (190 bbls) 562 sx cement to surface Resume

drilling 8 1/2" hole

Disposition: Accepted

Accepted Date: 05/12/2021

County or Parish/State: LEA eceived by OCD: 6/9/2021 1:32:26 PM Well Name: PEGASUS 3 FED COM Well Location: T24S / R32E / SEC 3 /

SESE / 32.2411777 / -103.6582044

Well Number: 582H Type of Well: OIL WELL **Allottee or Tribe Name:**

Lease Number: **Unit or CA Name: Unit or CA Number:**

US Well Number: 300254725300X1 Operator: EOG RESOURCES Well Status: Drilling Well

INCORPORATED



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: PEGASUS 3 FED COM Well Location: T24S / R32E / SEC 3 / County or Parish/State: LEA /

SESE / 32.2411777 / -103.6582044

Well Number: 582H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: Unit or CA Name: Unit or CA Number:

US Well Number: 300254725300X1 **Well Status:** Drilling Well **Operator:** EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Apr 14, 2021 **Time Sundry Submitted:** 9:08:54 AM

Date Operation will begin: Apr 12, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: C RENDALL Field Contact Number: 4326363600

Rig Name: NABORS Rig Number: M1210

Well Casing Table:

0 71					Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	11897	11897	-8252	21818	11590	-7945

Procedure Description: 4-13-2021 8 1/2" HOLE

4-13-2021 Production Hole @ 21,517' MD, 11,263' TVD

Casing Shoe @ 21,494' MD, 11,263' TVD

Ran 5-1/2", 20#, EY HCP-110, RDT-BTX (MJ @ 10,715' and 21,024')

Cement w/ 245 sx Class C $\,$ (4.06 yld, 10.5 ppg), followed by 475 sx Class C $\,$ (2.65 yld, 11.5

ppg), Trail w/ 2,480 sx Class C (1.28 yld, 14.5 ppg

No casing test . Did not circ cement to surface, TOC @ 1,142' by Calc RR 4/14/2021

Disposition: Accepted

Accepted Date: 05/12/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 31200

CONDITIONS

Opera	tor:	OGRID:
	EOG RESOURCES INC	7377
	P.O. Box 2267	Action Number:
	Midland, TX 79702	31200
		Action Type:
		[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/9/2021