

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 1

Sundry Print Report

Well Name: RECIF BOS FEDERAL Well Location: T23S / R23E / SEC 7 / County or Parish/State: EDDY /

NWNE /

Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM100315 Unit or CA Name: Unit or CA Number:

US Well Number: 300153593900S1 Well Status: Gas Well Shut In Operator: EOG RESOURCES

**INCORPORATED** 

Accepted for record – NMOCD gc 6/10/2021

## **Subsequent Report**

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Operation Actually Began: 04/29/2021

Actual Procedure: Please see attached.

### **SR Attachments**

#### **Actual Procedure**

Recif\_BOS\_Federal\_1\_5\_25\_21\_20210526094543.pdf

ceived by OCD: 5/26/2021 3:20:52 PM
Well Name: RECIF BOS FEDERAL Well Location: T23S / R23E / SEC 7 / County or Parish/9

NWNE /

County or Parish/State: EDDY/

Л

Well Number: 1 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

**WELL** 

Lease Number: NMNM100315 Unit or CA Name: Unit or CA Number:

**US Well Number:** 300153593900S1 **Well Status:** Gas Well Shut In **Operator:** EOG RESOURCES

INCORPORATED

# **Operator Certification**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: TINA HUERTA Signed on: MAY 26, 2021 09:45 AM

Name: EOG RESOURCES INCORPORATED

Title: Regulatory Specialist

Street Address: 104 SOUTH FOURTH STREET

City: Artesia State: NM

Phone: (575) 748-4168

Email address: tina\_huerta@eogresources.com

## Field Representative

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

**Email address:** 

### **BLM Point of Contact**

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927 BLM POC Email Address: jamos@blm.gov

**Disposition:** Accepted **Disposition Date:** 05/26/2021

Signature: James A. Amos

#### Recif BOS Federal 1 - Sub P&A

4/29/21 – MIRU and NU BOP. RIH with 4.5 inch GR down to 9800 ft. Set CIBP at 9756 ft. Loaded 5-1/2 inch casing with plugging mud and displaced with fluids. Spotted 40 sx Class H cement on top of CIBP to 9394 ft calc TOC, no tag.

4/30/21 – Spotted a 25 sx Class C cement plug from 6436 ft – 6183 ft calc TOC, no tag. Wireline tag at 6143 ft. Approval from Bob Hoskinson BLM-Carlsbad to pull up to 6130 ft and perf. Pressure tested to 500 psi for 5 min, good. Spotted a 25 sx Class C cement plug from 6140 ft – 5887 ft calc TOC.

5/3/21 – Tagged TOC 5915 ft. Required TOC 5983 ft, approved to proceed. Perforated at 4810 ft. Pressure tested perfs, good. Spotted a 25 sx Class C cement plug from 4810 ft – 4617 ft, calc TOC. Tagged TOC 4648 ft. Perforated at 2932 ft. Pressure tested perfs, good. Spotted a 40 sx Class C cement plug from 2932 ft – 2577 ft calc TOC. 5/4/21 – Tagged TOC 2585 ft. Required TOC 2657 ft, approved to proceed. Perforated at 1788 ft. Pressure tested perfs, good. Spotted a 130 Class C cement plug from 1838 ft – 523 ft calc TOC. Approved by Bob Hoskinson and Jim Amos. Tagged TOC 509 ft. Perforated at 500 ft. Perfs broke down. Squeezed 160 sx Class C cement from 500 ft up to surface in casing and annulus.

5/11/21 - Cut off wellhead. Installed dry hole marker as per BLM. Cover cellar and cut off anchors. **WELL IS PLUGGED AND ABANDONED.** 

Received by OCD: 5/26/2021 3:20:52 PM

|               |   | 0               | TWN DNO:   | 7 000 005                      |               |               | A D         | 2004525022         |                |                  |                              |
|---------------|---|-----------------|------------|--------------------------------|---------------|---------------|-------------|--------------------|----------------|------------------|------------------------------|
| Reci          | f BOS Federal #1 Proposed   |                 | TWN-RNG:   | 7-235-23E<br>2310' FEL & 1800' | CCI           |               | API:<br>GL: | 3001535939<br>4260 |                |                  |                              |
|               | 0.000 0 | Γ'              | OUTAGES:   | 2310 FEL & 1000                | FEL           |               | KB:         |                    |                |                  |                              |
| Plug 7        |   |                 |            |                                |               |               | NB:         | 4282               |                |                  |                              |
|               |   | CASING          | DETAIL     |                                |               |               |             |                    |                |                  |                              |
|               |   |                 | HOLE SIZE  | SIZE                           | WGHT          | GRADE         | Тор         | Bottom             | Sx Cmt         | Circ/TOC         | TOC by                       |
|               |   | A               | 17 1/2     | 13 3/8"                        | 48            | H-40          | 0           | 394                | 625            | Circ to surface  | 100 by                       |
|               |   | В               | 12 1/4     | 9 5/8"                         | 36            | J-55          | 0           | 2800               | 1203           | Circ to surface  |                              |
| Plug 6        | A   | С               | 8 3/4      | 5 1/2"                         | 17            | L-80/J-55     | 6204        | 10,479             | 1880           |                  | 6204 est                     |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   | FORMAT          | ON TOPS    |                                |               |               |             |                    |                | 1                |                              |
|               |   |                 |            | FORMATION                      | TOP           |               |             | Formation          | TOP            |                  |                              |
|               |   |                 |            | Glorietta                      | 2735          |               |             | Chester            | 10069          |                  |                              |
|               | not when to much stored a Head County to  |                 |            | BS<br>WC                       | 2872<br>6328  |               |             |                    |                |                  |                              |
|               |   |                 |            | Cisco                          | 7846          |               |             |                    |                |                  |                              |
|               |   |                 |            | Strawn                         | 8513          |               |             |                    |                |                  |                              |
| Plug 5        |   |                 |            | Atoka                          | 9228          |               |             |                    |                |                  |                              |
| _             | В   |                 |            | Morrow                         | 9582          |               |             |                    |                |                  |                              |
|               |   |                 |            | Barnett                        | 9896          | ·             |             |                    | ·              |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   | Perforation     | on Detail  |                                |               |               |             |                    |                |                  |                              |
|               |   |                 |            | Formation                      | Тор           | Bottom        |             | Treatment          |                | Notes            |                              |
| Plug 4        |   | Α               |            | Morrow                         | 9806          | 9824          |             | = 10.              |                |                  | w/125 ball sealers           |
|               |   | В               |            | Daniell Chala                  | 9806<br>10000 | 9824<br>10026 |             | Frac w/C0          |                |                  | CO2, 36,400# 20/40 Versaprop |
| Plug 3        |   | В               |            | Barnett Shale                  | 10000         | 10026         |             |                    | Acidized w/250 | 0g / 1/2% IC HCL | w/200 ball sealers           |
| Plug 3        |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
| Plug 2        |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   | Tubing D        | etail      |                                |               |               |             |                    |                |                  |                              |
| Est TOC: 6204 |   |                 | Joints     | Description                    | Length        | OD            | ID          | Grade              | Тор            | Btm (FtKB)       |                              |
|               |   |                 |            | 2.875<br>2.875                 | 9585          | 2.875         | 2.259       |                    | 0              | 9585             |                              |
|               |   |                 | Packer     | 2.875                          |               |               |             |                    |                |                  |                              |
|               |   | ADDITION        | NAL DETAIL |                                |               |               |             |                    |                |                  |                              |
|               |   |                 | 6/3/2008   | Set CIBP at 9970               |               |               |             |                    |                |                  |                              |
|               |   |                 | 0,0,2000   | GOL GIBT GLOOTS                |               |               |             |                    |                |                  |                              |
|               |   | Plugs           |            |                                |               |               |             |                    |                |                  |                              |
|               |   | #               | SX         |                                | op 0204       | Bottom        | Tag         | CIDD               |                |                  |                              |
|               |   | 1               | 40         | Н                              | 9394          | 9756          | N           | CIBP               |                |                  |                              |
|               |   | 3               | 25<br>25   | C<br>C                         | 6143<br>5915  | 6436<br>6140  | N<br>Y      |                    |                |                  |                              |
|               |   | 4               | 25         | C                              | 5915<br>4648  | 4810          | Y           |                    |                |                  |                              |
|               |   | 5               | 40         | С                              | 2585          | 2932          | Y           |                    |                |                  |                              |
|               |   | 6               | 130        | C                              | 509           | 1838          | Y           |                    |                |                  |                              |
|               |   | 7               | 160        | C                              | 0             | 500           | N           |                    |                |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
| Div. 4        |   |                 |            |                                |               |               |             |                    |                |                  |                              |
| Plug 1        |   |                 |            |                                |               |               |             |                    |                |                  |                              |
| Perfs A:      |   |                 |            |                                |               |               |             |                    |                |                  |                              |
| . 5115 A.     |   |                 |            |                                |               |               |             |                    |                |                  |                              |
| Perfs B:      |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               |   |                 |            |                                |               |               |             |                    |                |                  |                              |
|               | c /   | Prepared by: DC |            |                                |               |               |             |                    |                |                  |                              |
|               | PBTD: 9970 MD   | Updated 5/25/21 |            |                                |               |               |             |                    |                |                  |                              |
|               | TD: 10479 MD  | 1               |            |                                |               |               |             |                    |                |                  |                              |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 29657

#### **CONDITIONS**

| Operator:         | OGRID:                         |
|-------------------|--------------------------------|
| EOG RESOURCES INC | 7377                           |
| P.O. Box 2267     | Action Number:                 |
| Midland, TX 79702 | 29657                          |
|                   | Action Type:                   |
|                   | [C-103] Sub. Plugging (C-103P) |

#### CONDITIONS

| Created By | Condition | Condition Date |  |  |  |
|------------|-----------|----------------|--|--|--|
| gcordero   | None      | 6/14/2021      |  |  |  |