

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-015-21410
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Gerard AW
8. Well Number 3
9. OGRID Number 7377
10. Pool name or Wildcat Penasco Draw; SA-Yeso

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other P&A	
2. Name of Operator EOG Resources, Inc.	
3. Address of Operator 104 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>J</u> : <u>1650</u> feet from the <u>South</u> line and <u>2310</u> feet from the <u>East</u> line Section <u>25</u> Township <u>18S</u> Range <u>25E</u> NMPM <u>Eddy</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3458'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>	SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>
---	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

4/19/21 – MIRU and NU BOP. Dropped 1.25" ceramic ball. Pumped 4-1/2 bbls and pressured up to 1500 psi. Set a CIBP at 1282'. Displaced with 25 bbls brine mud gel. Tested to 500 psi for 5 min, good. Perforated at 1127'. Tested to 500 psi, good. Spotted a 55 sx Class "C" cement on top of CIBP to 443', tagged.  
 4/20/21 - Perforated at 362'. Tested to 500 psi for 5 min, good. Spotted a 30 sx Class "C" cement plug from 422' up to surface.  
 5/5/21 - Cut off wellhead. Installed dry hole marker. Cover cellar and cut off anchors. **WELL IS PLUGGED AND ABANDONED.**

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ [www.emnrd.state.nm.us](http://www.emnrd.state.nm.us)

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE May 13, 2021

Type or print name Tina Huerta E-mail address: tina\_huerta@eogresources.com PHONE: 575-748-4168  
**For State Use Only**

APPROVED BY: [Signature] TITLE Staff Manager DATE 6/16/2021  
 Conditions of Approval (if any):

Gerard AW 3		Sec-TWN-RNG: 25-18S-25E FOOTAGES: 1650' FSL & 2310' FEL		API: 30-015-21410 GL: 3458 KB: 3470					
<p>Diagram of Gerard AW 3 well. It shows three casing sections: A (top), B (middle), and C (bottom). Section A is 14 3/4" size, 32' weight, J-55 grade, 0' top, 312' bottom, 175' CIRC. Section B is 9 1/2" size, 7' weight, J-55 grade, 0' top, 1077' bottom, 800' CIRC. Section C is 6 1/4" size, 4 1/2' weight, J-55 grade, 0' top, 1492' bottom, 125' CIRC. A plug is shown at the bottom of section C. The well is labeled 'Plug 1' and 'San Andres Partic. 1332-145F'.</p>									
<b>CASING DETAIL</b>									
#	HOLE SIZE	SIZE	WGHT	GRADE	Top	Bottom	Sx Cnt	Circ/TOC	TOC by
A	14 3/4	10 3/4	32	J-55	0	312	175	CIRC	
B	9 1/2	7	20	J-55	0	1077	800	Surface	1"ed
C	6 1/4	4 1/2	11.6, 10.5, 9.5	J-55	0	1,492	125	CIRC	
<b>FORMATION TOPS</b>									
	FORMATION:	TOP		FORMATION	TOP				
	San Andres	717							
<b>Perforation Detail</b>									
	FORMATION	Top	Bottom	Treatment	Notes				
A	San Andres	1332	1458	3000g acid for BD 1200000d treated water	3000000# 20-40 sd				
<b>Plugs</b>									
#	SX	CMT CLASS	TOP	BTM	Tag				
1	55	C	443	1282	Y	CIBP			
2	30	C	0	422					
<b>ADDITIONAL DETAIL</b>									
Prepared by: DC									
Updated 5/24/21									

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 29218

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 29218
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/16/2021