

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-015-27689 |
| 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No. |
| 7. Lease Name or Unit Agreement Name Dagger Draw 30N Com |
| 8. Well Number 15 |
| 9. OGRID Number 7377 |
| 10. Pool name or Wildcat Dagger Draw; Upper Penn, North |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3541'GR |

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other P&A ☐

2. Name of Operator
EOG Resources, Inc.

3. Address of Operator
104 South Fourth Street, Artesia, NM 88210

4. Well Location
 Unit Letter A : 660 feet from the North line and 660 feet from the East line
 Section 30 Township 19S Range 25E NMPM Eddy County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO: | SUBSEQUENT REPORT OF: |
|--|--|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | COMMENCE DRILLING OPNS. <input type="checkbox"/> |
| DOWNHOLE COMMINGLE <input type="checkbox"/> | P AND A <input checked="" type="checkbox"/> |
| CLOSED-LOOP SYSTEM <input type="checkbox"/> | CASING/CEMENT JOB <input type="checkbox"/> |
| OTHER: <input type="checkbox"/> | OTHER: <input type="checkbox"/> |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

5/7/21 – MIRU and NU BOP. Dropped 1.25" ceramic ball. Pumped 52 bbls and pressured up to 1500 psi, good. Set a CIBP at 7550'.
 5/10/21 – Displaced with 237 bbls brine gel mud. Spotted 25 sx Class "H" cement on top of CIBP to 7415', tagged. Spotted a 25 sx Class "C" cement plug from 5151'-4997' calc TOC.
 5/11/21 – Spotted a 25 sx Class "C" cement plug from 4265'-4111' calc TOC. Spotted a 45 sx Class "C" cement plug from 2195'-1919' calc TOC. Perforated at 1165'. Attempted to establish rate through perfs. Tested to 500 psi, good. Spotted a 30 sx Class "C" cement plug from 1215'-1042', tagged. Perforated at 150'. Attempted to establish rate through perf. Tested to 500 psi, good. Spotted a 35 sx Class "C" cement plug from 200' up to surface.
 6/1/21 - Cut off wellhead. Installed dry hole marker. Cover cellar and cut off anchors. **WELL IS PLUGGED AND ABANDONED.**

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Specialist DATE June 7, 2021

Type or print name Tina Huerta E-mail address: tina.huerta@eogresources.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 6/16/2021
 Conditions of Approval (if any):

The diagram illustrates a wellbore completion with six plugs and a cement plug. The plugs are labeled Plug 1 through Plug 6, with Plug 1 at the bottom and Plug 6 at the top. The cement plug is located between Plug 1 and Plug 2. The wellbore is shown as a vertical column with a central opening. The plugs are represented by horizontal bars of varying shades of gray. The cement plug is a solid gray bar. The wellbore is labeled 'A' at the top and 'B' at the bottom. The wellbore is shown as a vertical column with a central opening. The plugs are represented by horizontal bars of varying shades of gray. The cement plug is a solid gray bar. The wellbore is labeled 'A' at the top and 'B' at the bottom.

Plug 6

Plug 5

Plug 4

Plug 3

Plug 2

Plug 1

Cisco Canyon Perfs: 7620'-7826'

A

B

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 30908

CONDITIONS

| | |
|--|--|
| Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702 | OGRID: 7377 |
| | Action Number: 30908 |
| | Action Type: [C-103] Sub. Plugging (C-103P) |

CONDITIONS

| | | |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| gcordero | None | 6/16/2021 |