Receiped by Opy P: Appl Applate Bistric 18	PM State of New Mex	xico		Form C-103 ¹ of 3			
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources		Revised July 18, 2013 WELL API NO.				
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OIL CONSERVATION DIVISION		30-015-28908				
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	1220 South St. Francis Dr.		5. Indicate Type of Lease				
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460	Santa Fe, NM 87		STATE FEE 6. State Oil & Gas Lease No.				
1220 S. St. Francis Dr., Santa Fe, NM 87505							
SUNDRY NOT	ICES AND REPORTS ON WELLS OSALS TO DRILL OR TO DEEPEN OR PLU	IC DACV TO A	7. Lease Name or Unit A	Agreement Name			
DIFFERENT RESERVOIR. USE "APPLI	Mojave AJY Com 8. Well Number						
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other P&A			5				
2. Name of Operator EOG Resources, Inc.			9. OGRID Number 7377				
3. Address of Operator			10. Pool name or Wildca				
104 South Fourth Street, Artesia, N	VM 88210		Dagger Draw; Upper Per	nn, South			
4. Well Location Unit Letter K:	660 feet from the North	line and	2310 feet from the	West line			
Section 35	Township 20.5S Ran			County			
Section	11. Elevation (Show whether DR,			County			
	3718	GR					
12 Check	Appropriate Box to Indicate Na	ature of Notice	Renort or Other Data				
			-				
NOTICE OF IN PERFORM REMEDIAL WORK □	NTENTION TO: PLUG AND ABANDON □	SUB:	SEQUENT REPORT	IOF: RING CASING □			
TEMPORARILY ABANDON	CHANGE PLANS	LLING OPNS. P AND					
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	ГЈОВ 🗌				
DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM							
OTHER:		OTHER:					
	pleted operations. (Clearly state all pork). SEE RULE 19.15.7.14 NMAC						
proposed completion or rec		. For Multiple Con	ilpictions. Attach wembore	diagram or			
5/10/01 MIDII 1 NII DOD							
5/18/21 – MIRU and NU BOP. 5/19/21 – Spotted a 95 sx Class "H" of	cement plug from 8703'-8196' calc TOC	, no tag. Set a CIBP a	at 7384', tagged.				
5/20/21 – Pressure tested good. Spott	ed 25 sx Class "C" cement on top of CIB 26 sx Class "C" cement plug from 5931"	P to 7235' calc TOC.	. Tagged TOC 7265'. Called a				
3224'-3075' calc TOC, no tag. Spotte	ed a 25 sx Class "C" cement plug from 2	105'-1956' calc TOC	, no tag.				
	re tested good. Spotted a 25 sx Class "C". C, no tag. Perforated at 100'. Pressure tes						
in 7" x 9-5/8" annulus.	-	-		-			
5/25/21 - Cut off wellhead. Instal	lled dry hole marker. Cover cellar an	d cut off anchors. \underline{V}	<u>VELL IS PLUGGED AN</u>	D ABANDONED.			
				well bore only. Liability under Location cleanup & receipt of			
Spud Date:	Rig Release Da	te:	C-103Q (Subsequent Repo may be found at OCD Web	ort of Well Plugging) which			
-			www.emnrd.state.nm.us	Prage, OCD Fermitting @			
I have been sensited that the information	ahaaa ia taasa ah	ot of	4 h -1:-f				
	above is true and complete to the be	st of my knowledge	e and belief.				
signature <u>Tina Huerta</u>	TITLE Res	gulatory Specialist	DATE <u>June 2, 2021</u>				
Type or print name Tina Hu	erta E-mail address: tin	a_huerta@eogreso	urces.com PHONE:	575-748-4168			
For State Use Only							
APPROVED BY:	TITLE	Staff Man	agerDATE	6/16/2021			
Conditions of Approval (if any):		ω	U				

Received by OCD: 6/2/2021 2:07:18 PM

	ave AJY COM	5 Se	ec-TWN-RNG: FOOTAGES:	35-2 660' FNL & 2310	20.5S-23E ' FWL		API: GL: KB:	3	908 718		
	^	CASIN	G DETAIL								
Plug 7		#	HOLE SIZE	SIZE	WGHT	GRADE	Тор	Bottom	Sx Cmt	Circ/TOC	TOC by
Plug 7		# A	26	20	WGHI	Conductor	0	69	- SX CITIL	CIRC	TOC by
		B	14 3/4		36	J-55 ST&C	0	1,158	1300	CIRC	+
		C	8 3/4		23 & 26#	J-55 & N-80	0	9,685	1625	CIRC	+
			0 3/4	,	20 0. 20#	0-00 a 14-00		3,000	1020	Oirto	
Plug 6											
	В	FORMA	ATION TOPS	1		I		T		T	
				FORMATION	TOP			Fromation	TOP		
				San Andres	514			Chester	9586		-
Plug 5				Glorieta	2031				_		-
				Bone Springs	3150						-
				Wolfcamp Canyon	5852 7424				_		
				Strawn	8311				+-		+
				Atoka	8833			1	_		+
				Morrow	9128				_		+
Plug 4										<u> </u>	
		Perfora	tion Detail								
				Formation	Тор	Bottom		Treatment			
				Morrow	9301	9310					
				Canyon	7434	7784		Acid			
									_		_
									_		_
									_		-
											+
		Plugs #	SX	Class	Ton	Rettern	T		_		
Plug 3		1	95	H	Top 8196	Bottom 8703	Tag N		_		+
i lug o		2	25	C	7265	7384	Y	CIBP	_		+
		3	26	С	5776	5931	N				
		4	25	С	3075	3224	N				+
		5	25	С	1956	2105	N				
		6	25	С	1083	1282	Υ				
		7	25	С	439	588	N				
		8	20	С	0	150	N				
Plug 2											
Canyon Perfs: 7434'-7784'									\bot		4
									-		1
									$-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$		
									-		+
										L	
		ADDITI	ONAL DETAIL								
		ADDITI	ONAL DETAIL								
		7/11/10	96 CIBP + 35' cm	set at 9000'					_		+
Plug 1		7/11/19	55 OIDI + 55 CIII								+
									_		+
CIRD w/ 35' amt -t @ 2222									+		-
CIBP w/ 35' cmt above @ 9000'									+		-
Marrow Parfer 00041 00401									+-		+
Morrow Perfs: 9301'-9310'									\rightarrow	<u> </u>	
	c /		Pre	pared by: KJP							
	PBTD: 9,000 MD		FIE	r=24 0y. 1001		l					
	TD: 9,675 MD					6/2	2/21				
l	-,										

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 30389

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	30389
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/16/2021