

Submit a Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-31711
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name HARROUN 15
8. Well Number 13
9. OGRID Number 16696
10. Pool name or Wildcat CEDAR CANYON DELAWARE

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator OXY USA INC.	
3. Address of Operator PO BOX 50250 MIDLAND, TX 79710	
4. Well Location Unit Letter P : 660 feet from the SOUTH line and 360 feet from the EAST line Section Township Range NMPM County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2942'	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/></p>		<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/></p>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

THIS WELL HAS BEEN PLUGGED AND ABANDONED. JOB START: 4/26/2021. JOB COMPLETE: 5/13/2021. SURFACE MARKER INSTALLED 5/24/21. PLEASE REFER TO THE ATTACHED JOB SUMMARY, ACTUAL PLUGGED WBD AND SURFACE MARKER PICTURE.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves TITLE REGULATORY ADVISOR DATE 06/15/2021

Type or print name LESLIE REEVES E-mail address: LESLIE_REEVES@OXY.COM PHONE: 713-497-2492
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 6/21/2021
Conditions of Approval (if any):

HARROUN 15 #013
30-015-31711
PA JOB SUMMARY

4/26/21

MIRU. RD PROD EQUIP.

4/27/21

POOH WITH PUMP AND RODS.

4/28/21

NDWH, NUBOP. POOH W/ TUBING.

4/29/21

CONT'D POOH WITH TUBING.

5/3/21

DRILLING OUT CMT/ CIBP.

5/4/21

CONT'D DRILL OUT.

5/5/21

CONT'D TO DRILL OUT FROM 5127' DOWN TO 5323'. PUSHED PLUG DOWN TO 6272'.

5/6/21

PUSHED THE CIBP DOWN TO 7762'.

5/7/21

RIH WITH NEW CIBP, SET @ 7730'.

5/10/21

PUMPED 35SX CLASS H CMT. WOC. TAGGED @ 7324'.

5/11/21

RIH WITH CIBP. SET @ 4840'. TAGGED @ 4840'. PUMPED 35SX CLASS C CMT. WOC.

5/12/21

TAGGED TOC @ 4490'. PULL UP EOT @ 3027'. PUMPED 45SX CLASS C CMT. WOC. TAGGED TOC @ 2532'.
PERF'D @ 635'.

5/13/21

PUMPED 150SX CLASS C CMT TO SURFACE. VERFIED CMT TO SURFACE. RDMO.

OXY USA Inc. - Actual P&A
Harroun 15 # 013
API No. 30-015-31711


Perf'd @ 635'. 150sx CI C to surface. Verified.

45sx CI C f/ 3027' to 2532'.

Set CIBP @ 4840'. Tagged. Pumped 35sx CI C. Tagged TOC @ 4490'.

Set CIBP @ 7730' - 35sx CI H. Tagged TOC @ 7324'.
Pushed CIBP down to 7762'.

PBTD - 7973'



17-1/2" hole @ 580'
13-3/8" csg @ 580'
w/ 1070 sx-TOC-Surf-Circ.-1"

11" hole @ 2915'
8-5/8" csg @ 2915'
w/ 1050 sx-TOC-Surf- Circ.

Perfs 4890'-5151'

Perfs 5282'-5310'

7-7/8" hole @ 8020'
5-1/2" csg @ 8020'
w/ 1830sx-TOC--~1800'-CBL

Perfs 7780'-7802'

TD - 8020' TVD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 32131

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 32131
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/21/2021