

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: JECO 85 A Well Location: T23N / R4W / SEC 1 / County or Parish/State: RIO

SWSW / ARRIBA / NM

Well Number: 6 Type of Well: OIL WELL Allottee or Tribe Name:

JICARILLA APACHE

Lease Number: 701990014 Unit or CA Name: Unit or CA Number:

US Well Number: 3003923966 Well Status: Producing Oil Well Operator: JICARILLA APACHE

ENERGY CORPORATION

Notice of Intent

Type of Submission: Notice of Intent

Type of Action Temporary Abandonment

Date Sundry Submitted: 04/29/2021 Time Sundry Submitted: 12:26

Date proposed operation will begin: 05/10/2021

Procedure Description: Please find the attached procedure.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

JECO_85A_No_6_TA_Procedure_20210428_20210429122504.docx

Received by OCD: 6/7/2021 12:34:29 PM | Well Name: JECO 85 A | Well Location: T23N / R4W / SEC 1 / Co

SWSW /

County or Parish/State: RIO

ARRIBA / NM

Well Number: 6 Type of Well: OIL WELL

Allottee or Tribe Name:

JICARILLA APACHE

Lease Number: 701990014 Unit or CA Name: Unit or CA Number:

US Well Number: 3003923966 Well Status: Producing Oil Well Operator: JICARILLA APACHE

ENERGY CORPORATION

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: DANIEL MANUS Signed on: APR 29, 2021 12:25 PM

Name: JICARILLA APACHE ENERGY CORPORATION

Title: REGULATORY SPECIALIST
Street Address: 3200 N 1st Street

City: Bloomfield State: NM

Phone: (505) 634-5104

Email address: dmanus@blackhawkenergycorp.com

Field Representative

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JOE D KILLINS BLM POC Title: Petroleum Engineer

BLM POC Phone: 9703851363 BLM POC Email Address: jkillins@blm.gov

Disposition: Approved **Disposition Date:** 04/30/2021

Signature: Joe Killins

Black Hawk Energy Corp

JAECO 85A #6

330'FSL 990' FWL SEC 1 T23N RG4W

FIELD So. Lindrith, gallup-dakota

API # 3003923966

Rio Arriba county NM elevation 7302' G.L.

Purpose: Temporarily Abandon notify BLM Farmington 24 hrs prior work commence 505-564 7600

Notify NMOCD Aztec 24 hrs prior to test csg 505-334-6174

- 1. Move in service unit . Spot load beam and Rig up service unit . Check pressures on Tbg , Csg , and bradenhead identify bsection well head flange
- 2. Unseat pump Id rods and Id pump
- 3. Remove hanger and nipple up bop with 2 3/8" pipe rams cycle blind and pipe rams toh with 2 3/8"
- 4. Tih with 3 7/8" bit and 4 ½" scraper and 2 3/8" tbg to 5700' +/- slm in hole ld extra tbg
- 5. Tih with 4 ½" cmt retainer 1 jt 2 3/8" tbg seat nipple and 2 3/8" tbg set ret at 5700' and sting out circulate down tbg with 2% kcl until clean all gas removed
- 6. Rig up third party testers notify Jarad Benally of Jicarila tribe to witness test 505-320-9741
- 7. If test is successful toh and ld tbg
- 8. Rig down service unit clean loc move out service unit

Jicarilla Apache Energy Corporation

JAECO 85A # 6

330' FSL, 990' FWL, Sec. 1, T23N, R04W

Field: So. Lindrith, Gallup-Dakota

API#: 3003923966

Rio Arriba Co., NM Elevation: 7302' G.L.

8 5/8", 24#, H-40 csg. @ 309' w/ 236 cu.ft.(Circ.) Tbg: 2 3/8", 4.7# @ 7366' SN @ 7335'. (32.03 ft/jt) 122 jts 7/8'rods, 171 jts 3/4 rods Perfs: 5803-6488, 6979-7254, 7362-7429 Frac'd: 5803-6488 w/130,000 #20/40 sd., 6979-7254 w/55,000# 20/40sd.

7362-7429 w/90,000# 20/40sd.

TOC: 3500'

Completion Date: 10/18/85

Intial Prod- 80 MCF/D/ 300 BOPD

4 1/2", 10.5 & 11.6# K-55 csg. @ 7480' w/ 2648 cu.ft.

Jesse Evans

April 25, 2007


PB- 7460'

TD-7480'

Jicarilla Apache Energy Corporation

JAECO 85A # 6 330' FSL, 990' FWL, Sec. 1, T23N, R04W Field: So. Lindrith, Gallup-Dakota API #: 3003923966

Rio Arriba Co., NM Elevation: 7302' G.L.



Completion Date: 10/18/85 Intial Prod- 80 MCF/D/ 300 BOPD

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 30804

COMMENTS

Note that the second of the se				
Operator:	OGRID:			
JICARILLA ENERGY CO	11859			
P.O. Box 249	Action Number:			
Bloomfield, NM 87413	30804			
	Action Type:			
	[C-103] NOI Temporary Abandonment (C-103I)			

COMMENTS

Created By		Comment Date
ahvermersch	Reason for removal of State Form C-103 on this application; Operator does not have to file a State form C-103 for Federal/Tribal wells; Instead of the State form the BLM form is accepted in lieu of	6/23/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 30804

CONDITIONS

Operator:	OGRID:
JICARILLA ENERGY CO	11859
P.O. Box 249	Action Number:
Bloomfield, NM 87413	30804
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	A cast iron bridge plug is required for TA - set within 100 feet of top perforation.	6/23/2021