

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TEXAS 79702		² OGRID Number 7377
		³ Reason for Filing Code/ Effective Date NW 4/8/2021
⁴ API Number 30 - 025-47606	⁵ Pool Name WC025 G09 S253309P; UPPER WOLFCAMP	⁶ Pool Code 98180
⁷ Property Code 329310	⁸ Property Name RESOLUTE 12 FED COM	⁹ Well Number 702H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 12	Township 25S	Range 32E	Lot Idn	Feet from the 250	North/South Line SOUTH	Feet from the 693	East/West line EAST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. A	Section 1	Township 25S	Range 32E	Lot Idn	Feet from the 110	North/South line NORTH	Feet from the 851	East/West line EAST	County LEA
¹² Lse Code	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date 11/04/2020	²² Ready Date 04/08/2021	²³ TD 22,526'	²⁴ PBDT 22,513'	²⁵ Perforations 12,489'-22,503'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
12 1/4"		9 5/8"	1131"		475 SXS CL C/CIRC
8 3/4"		7 5/8"	11,706'		1689 SXS CL C/CIRC
6 3/4"		5 1/2"	22,513'		970 SXS CL H/CIRC

V. Well Test Data

³¹ Date New Oil 4/8/2021	³² Gas Delivery Date 4/8/2021	³³ Test Date 04/16/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2361
³⁷ Choke Size 64	³⁸ Oil 3527	³⁹ Water 9488	⁴⁰ Gas 8316		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Kristina Agee</i>			OIL CONSERVATION DIVISION		
Printed name: Kristina Agee			Approved by: KURT SIMMONS		
Title: SENIOR REGULATORY ADMINISTRATOR			Title: NM OCD, SANTA FE		
E-mail Address: kristina_agee@eogresources.com			Approval Date: 7/16/2021		
Date: 5/6/2021		Phone: 432-686-6996			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47606	² Pool Code 98180	³ Pool Name WC-025 G-09 5253309P; Upper Wolfcamp
⁴ Property Code 329310	⁵ Property Name RESOLUTE 12 FED COM	⁶ Well Number 702H
⁷ GRID No. 7377	⁸ Operator Name EOG RESOURCES, INC.	⁹ Elevation 3497'

¹⁰Surface Location


UL or lot no. P	Section 12	Township 25-S	Range 32-E	Lot Idn -	Feet from the 250'	North/South line SOUTH	Feet from the 693'	East/West line EAST	County LEA
---------------------------	----------------------	-------------------------	----------------------	---------------------	------------------------------	----------------------------------	------------------------------	-------------------------------	----------------------

¹¹Bottom Hole Location If Different From Surface

UL or lot no. A	Section 1	Township 25-S	Range 32-E	Lot Idn -	Feet from the 110	North/South line NORTH	Feet from the 851'	East/West line EAST	County LEA
---------------------------	---------------------	-------------------------	----------------------	---------------------	-----------------------------	----------------------------------	------------------------------	-------------------------------	----------------------

¹² Dedicated Acres 640.21	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Kristina Agee 5/6/2021
Signature Date

Kristina Agee
Printed Name


Kristina.agee@eogresources.com
E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

08/28/2019

Date of Survey
Signature and Seal of Professional Surveyor



Certificate Number





EOG Resources - Midland

Lea County, NM (NAD 83 NME)

Resolute 12 Fed Com

#702H

OH

Design: OH

Midland PVA

10 December, 2020



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Project	Lea County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Resolute 12 Fed Com		
Site Position:		Northing:	414,863.00 usft
From:	Map	Easting:	761,539.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 8' 18.736 N
		Longitude:	103° 37' 18.893 W
		Grid Convergence:	0.38 °

Well		#702H				
Well Position	+N/-S	0.0 usft	Northing:	414,862.00 usft	Latitude:	32° 8' 18.731 N
	+E/-W	0.0 usft	Easting:	761,473.00 usft	Longitude:	103° 37' 19.661 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,497.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	11/26/2020	6.63	59.83	47,494.80475060

Design	OH			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	358.87

Survey Program	Date	12/10/2020		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
200.0	22,526.0	Driltech MWD (OH)	EOG MWD+IFR1	MWD + IFR1



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0	
200.0	0.53	317.06	200.0	0.7	-0.6	0.26	0.26	0.00	-0.9	0.0	
299.0	0.53	312.31	299.0	1.3	-1.3	0.04	0.00	-4.80	-1.8	-0.1	
387.0	0.44	313.89	387.0	1.8	-1.8	0.10	-0.10	1.80	-2.6	-0.1	
473.0	0.53	307.12	473.0	2.3	-2.4	0.12	0.10	-7.87	-3.3	-0.4	
572.0	0.53	291.57	572.0	2.7	-3.2	0.14	0.00	-15.71	-4.0	-1.4	
667.0	0.70	286.21	667.0	3.1	-4.1	0.19	0.18	-5.64	-4.8	-1.8	
762.0	0.88	283.66	762.0	3.4	-5.4	0.19	0.19	-2.68	-6.1	-2.0	
857.0	1.06	282.60	857.0	3.8	-7.0	0.19	0.19	-1.12	-7.6	-2.2	
953.0	0.97	275.31	952.9	4.0	-8.6	0.16	-0.09	-7.59	-9.0	-3.2	
1,048.0	0.88	271.62	1,047.9	4.1	-10.2	0.11	-0.09	-3.88	-10.3	-3.8	
1,075.0	0.79	263.27	1,074.9	4.1	-10.6	0.56	-0.33	-30.93	-10.0	-5.3	
1,239.0	1.23	242.26	1,238.9	3.2	-13.2	0.35	0.27	-12.81	-10.0	-9.1	
1,334.0	3.69	209.21	1,333.8	0.0	-15.6	2.89	2.59	-34.79	-4.5	-13.2	
1,429.0	7.30	214.57	1,428.4	-7.6	-20.6	3.83	3.80	5.64	-8.9	-12.3	
1,525.0	7.65	213.87	1,523.5	-18.0	-27.6	0.38	0.36	-0.73	-14.6	-12.1	
1,620.0	7.56	213.96	1,617.7	-28.4	-34.6	0.10	-0.09	0.09	-20.6	-11.8	
1,715.0	7.83	214.93	1,711.8	-38.9	-41.8	0.32	0.28	1.02	-26.9	-11.1	
1,810.0	7.91	214.93	1,806.0	-49.5	-49.2	0.08	0.08	0.00	-33.3	-10.9	
1,905.0	7.91	215.19	1,900.0	-60.2	-56.8	0.04	0.00	0.27	-39.8	-10.5	
2,001.0	8.00	214.84	1,995.1	-71.1	-64.4	0.11	0.09	-0.36	-46.4	-10.6	
2,096.0	7.74	218.27	2,089.2	-81.6	-72.1	0.56	-0.27	3.61	-53.3	-7.6	
2,191.0	8.00	216.95	2,183.3	-91.9	-80.1	0.33	0.27	-1.39	-59.5	-9.0	
2,286.0	7.83	216.42	2,277.4	-102.4	-87.9	0.19	-0.18	-0.56	-65.9	-9.5	
2,381.0	7.47	218.18	2,371.6	-112.4	-95.5	0.45	-0.38	1.85	-72.2	-7.5	
2,476.0	7.12	216.51	2,465.8	-122.0	-102.8	0.43	-0.37	-1.76	-77.4	-9.7	
2,572.0	7.03	216.51	2,561.1	-131.5	-109.9	0.09	-0.09	0.00	-82.5	-9.7	



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
2,667.0	5.63	204.29	2,655.5	-140.4	-115.3	2.04	-1.47	-12.86	-82.5	-26.7
2,762.0	5.89	199.72	2,750.0	-149.3	-118.8	0.55	0.27	-4.81	-83.3	-31.6
2,857.0	3.08	193.39	2,844.7	-156.3	-121.1	3.00	-2.96	-6.66	-80.6	-38.4
2,952.0	1.23	343.95	2,939.7	-157.9	-121.9	4.42	-1.95	158.48	48.4	69.2
3,048.0	1.76	359.95	3,035.7	-155.4	-122.2	0.70	0.55	16.67	57.7	49.5
3,143.0	1.85	9.00	3,130.6	-152.4	-122.0	0.31	0.09	9.53	55.9	36.9
3,238.0	1.93	10.67	3,225.6	-149.3	-121.4	0.10	0.08	1.76	47.9	32.4
3,333.0	2.11	11.02	3,320.5	-146.0	-120.8	0.19	0.19	0.37	38.8	29.2
3,428.0	2.64	15.50	3,415.4	-142.2	-119.9	0.59	0.56	4.72	30.8	23.8
3,524.0	0.88	347.11	3,511.4	-139.4	-119.5	1.99	-1.83	-29.57	8.8	29.4
3,619.0	0.79	174.41	3,606.4	-139.3	-119.6	1.75	-0.09	-181.79	-7.6	-23.6
3,714.0	0.70	161.31	3,701.4	-140.5	-119.3	0.20	-0.09	-13.79	0.5	-19.4
3,810.0	1.58	91.18	3,797.3	-141.1	-117.8	1.56	0.92	-73.05	13.0	-1.2
3,904.0	1.67	99.53	3,891.3	-141.3	-115.2	0.27	0.10	8.88	7.0	2.9
3,999.0	1.49	95.13	3,986.3	-141.7	-112.6	0.23	-0.19	-4.63	0.7	9.0
4,095.0	1.49	93.37	4,082.2	-141.9	-110.1	0.05	0.00	-1.83	-5.7	14.6
4,190.0	1.23	89.77	4,177.2	-141.9	-107.8	0.29	-0.27	-3.79	-12.9	19.4
4,285.0	2.90	103.39	4,272.1	-142.5	-104.5	1.82	1.76	14.34	-13.9	28.3
4,380.0	3.87	113.32	4,367.0	-144.3	-99.2	1.19	1.02	10.45	-15.9	37.2
4,475.0	1.58	144.79	4,461.9	-146.7	-95.5	2.79	-2.41	33.13	3.7	48.0
4,570.0	3.08	158.68	4,556.8	-150.1	-93.8	1.68	1.58	14.62	14.9	51.6
4,666.0	2.99	171.24	4,652.7	-155.0	-92.5	0.70	-0.09	13.08	25.4	52.5
4,761.0	1.14	192.60	4,747.6	-158.3	-92.3	2.08	-1.95	22.48	45.5	43.3
4,856.0	0.62	200.42	4,842.6	-159.8	-92.7	0.56	-0.55	8.23	55.7	38.7
4,951.0	0.44	195.68	4,937.6	-160.6	-93.0	0.19	-0.19	-4.99	54.9	44.4
5,046.0	0.35	248.59	5,032.6	-161.0	-93.3	0.38	-0.09	55.69	68.6	-17.1
5,141.0	0.18	330.68	5,127.6	-161.0	-93.7	0.39	-0.18	86.41	-7.7	-70.0



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
5,236.0	0.26	28.95	5,222.6	-160.7	-93.6	0.24	0.08	61.34	-63.9	-30.2
5,331.0	0.18	7.33	5,317.6	-160.4	-93.5	0.12	-0.08	-22.76	-48.6	-51.7
5,426.0	0.35	283.22	5,412.6	-160.1	-93.8	0.40	0.18	-88.54	46.1	-53.8
5,521.0	0.44	295.52	5,507.6	-159.9	-94.4	0.13	0.09	12.95	32.9	-62.4
5,616.0	0.44	268.36	5,602.6	-159.8	-95.1	0.22	0.00	-28.59	57.1	-40.6
5,711.0	0.44	295.35	5,697.6	-159.6	-95.8	0.22	0.00	28.41	31.8	-61.9
5,806.0	0.53	260.37	5,792.6	-159.5	-96.6	0.32	0.09	-36.82	60.8	-32.7
5,901.0	0.26	271.53	5,887.6	-159.6	-97.2	0.29	-0.28	11.75	52.6	-43.8
5,996.0	0.62	268.45	5,982.6	-159.6	-97.9	0.38	0.38	-3.24	54.2	-40.9
6,091.0	0.35	273.02	6,077.6	-159.6	-98.7	0.29	-0.28	4.81	50.0	-45.1
6,186.0	0.62	272.76	6,172.5	-159.6	-99.5	0.28	0.28	-0.27	49.4	-44.8
6,281.0	0.35	288.67	6,267.5	-159.5	-100.3	0.31	-0.28	16.75	34.4	-56.5
6,377.0	0.18	285.50	6,363.5	-159.3	-100.7	0.18	-0.18	-3.30	37.0	-54.5
6,472.0	0.35	280.23	6,458.5	-159.2	-101.2	0.18	0.18	-5.55	41.4	-50.9
6,567.0	0.35	306.07	6,553.5	-159.0	-101.7	0.16	0.00	27.20	14.5	-63.8
6,662.0	0.26	317.76	6,648.5	-158.7	-102.1	0.11	-0.09	12.31	0.8	-65.3
6,757.0	0.18	310.81	6,743.5	-158.4	-102.3	0.09	-0.08	-7.32	8.4	-64.8
6,852.0	0.18	161.05	6,838.5	-158.5	-102.4	0.37	0.00	-157.64	25.4	60.1
6,947.0	0.26	160.87	6,933.5	-158.8	-102.3	0.08	0.08	-0.19	24.8	60.2
7,042.0	0.18	170.98	7,028.5	-159.2	-102.2	0.09	-0.08	10.64	34.6	54.9
7,137.0	0.35	154.72	7,123.5	-159.6	-102.0	0.19	0.18	-17.12	17.4	62.4
7,232.0	0.44	173.09	7,218.5	-160.2	-101.9	0.16	0.09	19.34	35.6	53.8
7,328.0	0.44	225.30	7,314.5	-160.8	-102.1	0.40	0.00	54.39	63.7	5.1
7,423.0	0.79	236.11	7,409.5	-161.5	-102.9	0.39	0.37	11.38	62.5	-6.8
7,518.0	0.70	234.17	7,504.5	-162.2	-103.9	0.10	-0.09	-2.04	61.5	-4.7
7,613.0	1.06	228.46	7,599.5	-163.1	-105.0	0.39	0.38	-6.01	60.2	1.4
7,708.0	0.88	248.24	7,694.5	-163.9	-106.4	0.40	-0.19	20.82	55.6	-18.8



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
7,803.0	0.70	322.50	7,789.5	-163.7	-107.4	1.02	-0.19	78.17	-3.8	-57.9
7,898.0	0.62	242.00	7,884.5	-163.5	-108.2	0.90	-0.08	-84.74	55.8	-13.9
7,993.0	0.62	230.66	7,979.5	-164.1	-109.1	0.13	0.00	-11.94	56.5	-2.7
8,088.0	1.32	245.34	8,074.5	-164.9	-110.4	0.78	0.74	15.45	52.3	-16.8
8,183.0	0.79	207.54	8,169.4	-165.9	-111.7	0.89	-0.56	-39.79	50.1	18.1
8,278.0	1.23	221.15	8,264.4	-167.3	-112.7	0.52	0.46	14.33	51.3	6.0
8,373.0	1.41	210.96	8,359.4	-169.0	-114.0	0.31	0.19	-10.73	47.3	14.8
8,468.0	1.49	209.90	8,454.4	-171.1	-115.2	0.09	0.08	-1.12	44.6	15.6
8,564.0	1.67	205.16	8,550.3	-173.4	-116.4	0.23	0.19	-4.94	40.5	19.2
8,658.0	1.58	200.15	8,644.3	-175.9	-117.5	0.18	-0.10	-5.33	36.0	22.5
8,754.0	1.67	197.07	8,740.3	-178.5	-118.3	0.13	0.09	-3.21	32.1	24.3
8,848.0	1.41	209.02	8,834.2	-180.8	-119.3	0.44	-0.28	12.71	33.9	17.5
8,943.0	1.49	209.29	8,929.2	-182.9	-120.5	0.08	0.08	0.28	31.6	17.3
9,038.0	1.32	216.32	9,024.2	-184.9	-121.7	0.25	-0.18	7.40	31.2	13.5
9,133.0	1.32	202.17	9,119.1	-186.8	-122.8	0.34	0.00	-14.89	24.8	20.4
9,228.0	0.97	192.15	9,214.1	-188.6	-123.4	0.42	-0.37	-10.55	19.0	24.2
9,323.0	0.62	244.36	9,309.1	-189.6	-124.0	0.81	-0.37	54.96	29.7	0.5
9,418.0	1.32	249.89	9,404.1	-190.2	-125.5	0.74	0.74	5.82	28.0	-2.3
9,513.0	1.23	238.73	9,499.1	-191.1	-127.4	0.28	-0.09	-11.75	25.9	2.9
9,608.0	1.41	242.77	9,594.1	-192.1	-129.3	0.21	0.19	4.25	23.8	1.2
9,703.0	1.67	288.65	9,689.0	-192.2	-131.6	1.29	0.27	48.29	15.2	-15.5
9,798.0	2.20	294.10	9,784.0	-191.0	-134.6	0.59	0.56	5.74	10.5	-16.7
9,893.0	2.02	280.57	9,878.9	-190.0	-137.9	0.56	-0.19	-14.24	10.6	-14.2
9,988.0	1.76	262.29	9,973.9	-189.9	-141.0	0.69	-0.27	-19.24	11.5	-10.7
10,083.0	1.93	264.22	10,068.8	-190.2	-144.1	0.19	0.18	2.03	8.1	-11.0
10,178.0	1.85	264.66	10,163.8	-190.5	-147.2	0.09	-0.08	0.46	4.9	-11.1
10,273.0	1.93	269.84	10,258.7	-190.7	-150.3	0.20	0.08	5.45	0.7	-11.3



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
10,368.0	1.93	277.84	10,353.7	-190.5	-153.5	0.28	0.00	8.42	-4.0	-11.1
10,463.0	2.02	269.84	10,448.6	-190.3	-156.7	0.30	0.09	-8.42	-5.7	-11.8
10,558.0	2.11	264.83	10,543.5	-190.4	-160.2	0.21	0.09	-5.27	-8.1	-12.4
10,653.0	2.64	261.93	10,638.5	-190.9	-164.1	0.57	0.56	-3.05	-11.4	-12.8
10,747.0	2.81	252.88	10,732.3	-191.9	-168.4	0.49	0.18	-9.63	-13.6	-14.8
10,843.0	2.37	221.33	10,828.3	-194.1	-172.0	1.53	-0.46	-32.86	-7.9	-21.0
10,938.0	2.29	209.99	10,923.2	-197.2	-174.2	0.49	-0.08	-11.94	-7.4	-22.5
11,033.0	2.55	202.69	11,018.1	-200.8	-176.0	0.42	0.27	-7.68	-8.5	-23.5
11,128.0	2.90	194.34	11,113.0	-205.0	-177.4	0.56	0.37	-8.79	-9.5	-24.8
11,223.0	2.55	209.99	11,207.9	-209.2	-179.0	0.86	-0.37	16.47	-20.2	-20.7
11,318.0	2.20	203.48	11,302.8	-212.7	-180.8	0.46	-0.37	-6.85	-21.7	-23.1
11,413.0	2.20	195.93	11,397.7	-216.1	-182.1	0.30	0.00	-7.95	-22.1	-26.0
11,508.0	1.58	184.50	11,492.7	-219.2	-182.7	0.76	-0.65	-12.03	-19.6	-30.2
11,603.0	1.76	180.19	11,587.6	-222.0	-182.8	0.23	0.19	-4.54	-20.1	-31.7
11,659.0	1.58	188.46	11,643.6	-223.6	-182.9	0.54	-0.32	14.77	-26.0	-28.4
11,728.0	1.06	212.54	11,712.6	-225.1	-183.4	1.09	-0.75	34.90	-36.8	-14.9
11,823.0	1.06	210.08	11,807.6	-226.6	-184.3	0.05	0.00	-2.59	-37.9	-16.5
11,849.0	3.25	8.15	11,833.6	-226.0	-184.3	16.34	8.41	607.95	28.5	29.6
KOP, MD:11849.0', TVD:11833.6', N/S:-226.0', E/W:-184.3', INC:3.25										
11,918.0	14.51	12.32	11,901.6	-215.6	-182.2	16.34	16.32	6.05	22.1	27.2
12,013.0	33.94	8.63	11,987.9	-177.4	-175.6	20.51	20.45	-3.88	-1.5	24.9
12,056.9	37.03	7.92	12,023.6	-152.2	-171.9	7.10	7.04	-1.61	-13.9	22.8
FTP Crossing, MD:12056.9', TVD:12023.6', N/S:-152.2', E/W:-171.9', INC:37.03										
12,108.0	40.63	7.22	12,063.4	-120.4	-167.7	7.10	7.05	-1.38	-26.8	19.7
12,203.0	43.35	5.03	12,134.0	-57.3	-161.0	3.25	2.86	-2.31	-40.9	12.2
12,301.0	52.76	3.80	12,199.4	15.3	-155.4	9.65	9.60	-1.26	-43.7	5.2
12,396.0	60.41	1.34	12,251.7	94.5	-151.9	8.34	8.05	-2.59	-39.1	0.0



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
12,491.0	65.60	358.79	12,294.8	179.1	-151.9	5.96	5.46	-2.68	-24.8	-1.1	
12,586.0	82.22	359.75	12,321.1	270.1	-153.0	17.52	17.49	1.01	-8.9	-0.3	
12,681.0	86.17	359.58	12,330.7	364.5	-153.6	4.16	4.16	-0.18	0.2	-0.2	
12,776.0	90.57	358.88	12,333.4	459.5	-154.8	4.69	4.63	-0.74	2.3	0.7	
12,871.0	89.78	358.52	12,333.1	554.5	-157.0	0.91	-0.83	-0.38	1.4	2.4	
12,966.0	88.99	358.79	12,334.1	649.4	-159.2	0.88	-0.83	0.28	1.9	4.1	
13,061.0	84.33	359.67	12,339.6	744.2	-160.5	4.99	-4.91	0.93	6.8	5.0	
13,156.0	85.47	0.63	12,348.1	838.8	-160.2	1.57	1.20	1.01	14.7	4.3	
13,251.0	87.23	1.69	12,354.1	933.6	-158.3	2.16	1.85	1.12	20.2	1.9	
13,346.0	88.64	1.69	12,357.6	1,028.5	-155.5	1.48	1.48	0.00	23.1	-1.4	
13,441.0	90.40	358.17	12,358.4	1,123.5	-155.6	4.14	1.85	-3.71	23.3	-1.7	
13,536.0	87.05	354.30	12,360.5	1,218.2	-161.9	5.39	-3.53	-4.07	24.8	4.1	
13,631.0	90.92	356.24	12,362.1	1,312.9	-169.7	4.56	4.07	2.04	26.0	11.4	
13,726.0	89.16	358.52	12,362.1	1,407.8	-174.0	3.03	-1.85	2.40	25.3	15.3	
13,821.0	89.25	359.14	12,363.4	1,502.7	-176.0	0.66	0.09	0.65	26.1	16.8	
13,916.0	92.51	0.98	12,361.9	1,597.7	-175.9	3.94	3.43	1.94	24.0	16.3	
14,011.0	90.22	357.56	12,359.7	1,692.7	-177.1	4.33	-2.41	-3.60	21.2	17.0	
14,106.0	90.40	357.29	12,359.2	1,787.6	-181.4	0.34	0.19	-0.28	20.1	20.8	
14,201.0	89.52	355.54	12,359.2	1,882.4	-187.3	2.06	-0.93	-1.84	19.6	26.3	
14,296.0	89.08	358.35	12,360.4	1,977.2	-192.4	2.99	-0.46	2.96	20.2	30.9	
14,391.0	90.84	0.46	12,360.5	2,072.2	-193.4	2.89	1.85	2.22	19.7	31.4	
14,486.0	91.10	359.40	12,358.8	2,167.2	-193.5	1.15	0.27	-1.12	17.5	31.1	
14,580.0	91.89	4.59	12,356.4	2,261.1	-190.2	5.58	0.84	5.52	14.5	27.4	
14,675.0	92.68	3.62	12,352.6	2,355.7	-183.4	1.32	0.83	-1.02	10.1	20.1	
14,770.0	92.86	4.50	12,348.0	2,450.4	-176.7	0.94	0.19	0.93	5.0	13.0	
14,865.0	86.70	1.78	12,348.4	2,545.2	-171.5	7.09	-6.48	-2.86	4.8	7.3	
14,960.0	87.49	2.04	12,353.2	2,640.0	-168.3	0.88	0.83	0.27	9.1	3.7	



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
15,055.0	88.29	2.57	12,356.7	2,734.9	-164.5	1.01	0.84	0.56	12.0	-0.6	
15,150.0	93.56	5.20	12,355.2	2,829.6	-158.1	6.20	5.55	2.77	9.9	-7.5	
15,245.0	87.14	359.23	12,354.6	2,924.4	-154.4	9.23	-6.76	-6.28	8.7	-11.6	
15,340.0	92.68	4.15	12,354.7	3,019.3	-151.6	7.80	5.83	5.18	8.4	-14.8	
15,435.0	88.46	0.55	12,353.8	3,114.2	-147.7	5.84	-4.44	-3.79	6.8	-19.2	
15,530.0	88.64	0.37	12,356.2	3,209.2	-147.0	0.27	0.19	-0.19	8.6	-20.4	
15,625.0	88.99	359.67	12,358.2	3,304.2	-146.9	0.82	0.37	-0.74	9.9	-20.9	
15,721.0	91.01	358.88	12,358.2	3,400.1	-148.1	2.26	2.10	-0.82	9.3	-20.2	
15,816.0	87.23	358.44	12,359.6	3,495.1	-150.4	4.01	-3.98	-0.46	10.2	-18.4	
15,911.0	86.97	356.59	12,364.4	3,589.9	-154.5	1.96	-0.27	-1.95	14.4	-14.7	
16,006.0	88.99	357.21	12,367.8	3,684.7	-159.6	2.22	2.13	0.65	17.1	-10.1	
16,101.0	90.31	355.97	12,368.3	3,779.5	-165.3	1.91	1.39	-1.31	17.1	-4.9	
16,196.0	90.48	359.05	12,367.7	3,874.4	-169.4	3.25	0.18	3.24	15.8	-1.2	
16,291.0	92.15	0.02	12,365.5	3,969.4	-170.2	2.03	1.76	1.02	13.0	-0.9	
16,481.0	91.19	1.69	12,360.0	4,159.2	-167.3	1.01	-0.51	0.88	6.2	-4.6	
16,576.0	88.72	0.90	12,360.0	4,254.2	-165.2	2.73	-2.60	-0.83	5.7	-7.2	
16,671.0	87.49	1.16	12,363.2	4,349.1	-163.5	1.32	-1.29	0.27	8.2	-9.4	
16,766.0	88.20	359.58	12,366.8	4,444.1	-162.9	1.82	0.75	-1.66	11.2	-10.5	
16,861.0	89.87	357.03	12,368.4	4,539.0	-165.7	3.21	1.76	-2.68	12.2	-8.1	
16,956.0	91.71	357.73	12,367.1	4,633.9	-170.0	2.07	1.94	0.74	10.2	-4.2	
17,051.0	86.70	356.59	12,368.4	4,728.7	-174.7	5.41	-5.27	-1.20	10.9	0.0	
17,146.0	88.11	355.62	12,372.7	4,823.4	-181.2	1.80	1.48	-1.02	14.6	6.0	
17,241.0	86.70	359.67	12,377.0	4,918.2	-185.1	4.51	-1.48	4.26	18.3	9.5	
17,336.0	86.88	359.31	12,382.3	5,013.1	-185.9	0.42	0.19	-0.38	23.0	9.8	
17,431.0	87.41	359.23	12,387.0	5,107.9	-187.1	0.56	0.56	-0.08	27.1	10.6	
17,536.0	89.25	1.25	12,390.1	5,212.9	-186.7	2.60	1.75	1.92	29.5	9.6	
17,657.0	90.66	2.48	12,390.2	5,333.8	-182.7	1.55	1.17	1.02	28.8	5.1	



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
17,716.0	89.96	3.09	12,389.9	5,392.7	-179.9	1.57	-1.19	1.03	28.1	2.0
17,811.0	86.17	359.14	12,393.1	5,487.6	-178.0	5.76	-3.99	-4.16	30.7	-0.3
17,906.0	89.08	0.11	12,397.0	5,582.5	-178.6	3.23	3.06	1.02	34.0	-0.2
18,001.0	92.42	1.34	12,395.8	5,677.5	-177.4	3.75	3.52	1.29	32.2	-1.8
18,096.0	93.12	0.72	12,391.2	5,772.4	-175.7	0.98	0.74	-0.65	27.0	-4.0
18,191.0	93.39	0.28	12,385.8	5,867.2	-174.9	0.54	0.28	-0.46	21.0	-5.3
18,286.0	92.68	0.72	12,380.7	5,962.1	-174.1	0.88	-0.75	0.46	15.3	-6.6
18,381.0	90.22	359.84	12,378.3	6,057.0	-173.6	2.75	-2.59	-0.93	12.3	-7.5
18,501.0	86.97	359.93	12,381.3	6,177.0	-173.8	2.71	-2.71	0.07	14.5	-7.8
18,571.0	89.87	0.46	12,383.2	6,247.0	-173.6	4.21	4.14	0.76	15.9	-8.4
18,684.0	87.85	0.02	12,385.5	6,359.9	-173.1	1.83	-1.79	-0.39	17.5	-9.4
18,760.0	88.99	359.84	12,387.6	6,435.9	-173.2	1.52	1.50	-0.24	19.1	-9.7
18,855.0	86.17	0.37	12,391.6	6,530.8	-173.1	3.02	-2.97	0.56	22.4	-10.3
18,950.0	86.17	359.84	12,397.9	6,625.6	-172.9	0.56	0.00	-0.56	28.2	-11.0
19,045.0	86.97	0.81	12,403.6	6,720.4	-172.3	1.32	0.84	1.02	33.2	-11.9
19,140.0	88.55	0.90	12,407.3	6,815.3	-170.9	1.67	1.66	0.09	36.4	-13.8
19,235.0	89.60	1.07	12,408.8	6,910.3	-169.3	1.12	1.11	0.18	37.3	-15.9
19,330.0	90.40	0.72	12,408.8	7,005.3	-167.8	0.92	0.84	-0.37	36.7	-17.8
19,425.0	91.54	359.58	12,407.2	7,100.3	-167.6	1.70	1.20	-1.20	34.4	-18.5
19,520.0	90.92	1.34	12,405.2	7,195.2	-166.8	1.96	-0.65	1.85	31.8	-19.8
19,615.0	89.60	0.72	12,404.8	7,290.2	-165.1	1.54	-1.39	-0.65	30.7	-21.9
19,710.0	89.69	0.19	12,405.4	7,385.2	-164.3	0.57	0.09	-0.56	30.7	-23.1
19,805.0	90.57	0.37	12,405.1	7,480.2	-163.9	0.95	0.93	0.19	29.9	-24.1
19,900.0	88.29	357.21	12,406.1	7,575.2	-165.9	4.10	-2.40	-3.33	30.2	-22.5
19,995.0	88.72	357.03	12,408.6	7,670.0	-170.7	0.49	0.45	-0.19	32.1	-18.2
20,090.0	88.90	358.00	12,410.5	7,764.9	-174.8	1.04	0.19	1.02	33.5	-14.5
20,185.0	89.43	358.17	12,411.9	7,859.8	-177.9	0.59	0.56	0.18	34.5	-11.8



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #702H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 26' @ 3523.0usft
Site:	Resolute 12 Fed Com	MD Reference:	KB = 26' @ 3523.0usft
Well:	#702H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
20,280.0	91.89	359.58	12,410.8	7,954.8	-179.8	2.98	2.59	1.48	33.1	-10.4
20,375.0	90.04	358.08	12,409.2	8,049.8	-181.7	2.51	-1.95	-1.58	31.2	-8.9
20,469.0	89.96	358.26	12,409.2	8,143.7	-184.7	0.21	-0.09	0.19	30.9	-6.4
20,564.0	90.92	359.31	12,408.5	8,238.7	-186.8	1.50	1.01	1.11	29.9	-4.8
20,659.0	88.81	359.23	12,408.7	8,333.7	-188.0	2.22	-2.22	-0.08	29.8	-4.1
20,754.0	87.85	0.28	12,411.5	8,428.6	-188.4	1.50	-1.01	1.11	32.3	-4.1
20,849.0	88.81	1.25	12,414.3	8,523.6	-187.1	1.44	1.01	1.02	34.7	-5.8
20,943.0	90.84	0.98	12,414.5	8,617.6	-185.3	2.18	2.16	-0.29	34.7	-8.1
21,038.0	89.78	359.49	12,414.0	8,712.6	-184.9	1.92	-1.12	-1.57	33.9	-9.0
21,133.0	89.60	1.69	12,414.5	8,807.5	-183.9	2.32	-0.19	2.32	34.1	-10.4
21,228.0	90.31	0.28	12,414.6	8,902.5	-182.3	1.66	0.75	-1.48	33.8	-12.5
21,274.0	89.25	359.93	12,414.8	8,948.5	-182.2	2.43	-2.30	-0.76	33.9	-12.8
21,332.0	87.76	0.90	12,416.3	9,006.5	-181.8	3.07	-2.57	1.67	35.2	-13.5
21,427.0	90.04	0.81	12,418.1	9,101.5	-180.4	2.40	2.40	-0.09	36.7	-15.4
21,522.0	90.31	359.58	12,417.8	9,196.5	-180.0	1.33	0.28	-1.29	36.1	-16.1
21,617.0	88.11	357.64	12,419.2	9,291.4	-182.3	3.09	-2.32	-2.04	37.1	-14.3
21,712.0	87.85	356.33	12,422.5	9,386.2	-187.3	1.41	-0.27	-1.38	40.2	-9.7
21,808.0	90.40	358.61	12,424.0	9,482.1	-191.6	3.56	2.66	2.37	41.3	-6.0
21,903.0	89.78	358.44	12,423.8	9,577.1	-194.0	0.68	-0.65	-0.18	40.9	-4.0
21,998.0	87.85	355.27	12,425.8	9,671.9	-199.2	3.91	-2.03	-3.34	42.5	0.8
22,093.0	86.79	357.29	12,430.2	9,766.6	-205.4	2.40	-1.12	2.13	46.6	6.5
22,217.0	89.08	359.84	12,434.7	9,890.4	-208.5	2.76	1.85	2.06	50.7	9.0
22,327.0	91.45	0.46	12,434.2	10,000.4	-208.2	2.23	2.15	0.56	49.8	8.2
22,379.0	90.84	359.58	12,433.1	10,052.4	-208.2	2.06	-1.17	-1.69	48.6	7.9
22,463.0	88.46	0.81	12,433.7	10,136.4	-207.9	3.19	-2.83	1.46	48.9	7.2
Last MWD Survey (MD=22463.0')										



EOG Resources

Midland PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 83 NME)
Site: Resolute 12 Fed Com
Well: #702H
Wellbore: OH
Design: OH

Local Co-ordinate Reference: Well #702H
TVD Reference: KB = 26' @ 3523.0usft
MD Reference: KB = 26' @ 3523.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
22,526.0	88.46	0.81	12,435.4	10,199.4	-207.0	0.00	0.00	0.00	50.4	6.0
Projection to Bit (MD=22526.0')										

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
11,849.0	11,833.6	-226.0	-184.3	KOP, MD:11849.0', TVD:11833.6',N/S:-226.0', E/W:-184.3', INC:3.25
12,056.9	12,023.6	-152.2	-171.9	FTP Crossing, MD:12056.9', TVD:12023.6',N/S:-152.2', E/W:-171.9', INC:37.03
22,463.0	12,433.7	10,136.4	-207.9	Last MWD Survey (MD=22463.0')
22,526.0	12,435.4	10,199.4	-207.0	Projection to Bit (MD=22526.0')

Checked By: _____ Approved By: _____ Date: _____



Lea County, NM (NAD 83 NME)

Resolute 12 Fed Com #702H

Plan #1

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #702H

KB = 26' @ 3523.0usft
Northing 414862.00 Easting 761473.00 Latitude 32° 8' 18.731 N Longitude 103° 37' 19.661 W

Azimuths to Grid North
True North: -0.38°
Magnetic North: 6.25°

Magnetic Field
Strength: 47494.8nT
Dip Angle: 59.83°
Date: 11/26/2020
Model: IGRF2020

To convert a Magnetic Direction to a Grid Direction, Add 6.25°
To convert a Magnetic Direction to a True Direction, Add 6.63° East
To convert a True Direction to a Grid Direction, Subtract 0.38°

SECTION DETAILS








MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	V Sect	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
1200.0	0.00	0.00	1200.0	0.0	0.0	0.00	0.00	0.0	
1400.4	4.01	216.78	1400.2	-5.6	-4.2	2.00	216.78	-5.5	
4808.3	4.01	216.78	4799.8	-196.4	-146.8	0.00	0.00	-193.5	
5008.7	0.00	0.00	5000.0	-202.0	-151.0	2.00	180.00	-199.0	
11861.2	0.00	0.00	11852.5	-202.0	-151.0	0.00	0.00	-199.0	
12608.3	89.66	359.72	12330.0	272.6	-153.3	12.00	359.72	275.6	TGT#1(Res 12 FC #702H)
15453.1	89.66	359.72	12347.0	3117.3	-167.0	0.00	0.00	3120.0	TGT#2(Res 12 FC #702H)
15454.5	89.63	359.72	12347.0	3118.7	-167.0	2.00	180.00	3121.4	
20083.7	89.63	359.72	12377.0	7747.8	-189.2	0.00	0.00	7750.0	
20093.0	89.81	359.72	12377.0	7757.0	-189.3	2.00	0.00	7759.3	
22537.0	89.81	359.72	12385.0	10201.0	-201.0	0.00	0.00	10203.0	PBHL(Res 12 FC #702H)

CASING DETAILS

No casing data is available

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

Name	TVD	+N/-S	+E/-W	Northing	Easting
Brushy Top(Res 12 FC #702H)	7451.0	-202.0	-151.0	414660.00	761322.00
FTP(Res 12 FC #702H)	12330.0	-152.0	-151.0	414710.00	761322.00
TGT#1(Res 12 FC #702H)	12347.0	3117.3	-167.0	417979.30	761306.05
TGT#2(Res 12 FC #702H)	12377.0	7747.8	-189.2	422609.80	761283.79
PBHL(Res 12 FC #702H)	12385.0	10201.0	-201.0	425063.00	761272.00



Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-47606		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name RESOLUTE 12 FED COM		
								6. Well Number: 702H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator EOG RESOURCES INC							9. OGRID 7377			
10. Address of Operator PO BOX 2267 MIDLAND, TEXAS 79702							11. Pool name or Wildcat WC025 G09 S253309P; UPPER WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	12	25S	32E		250'	SOUTH	693'	EAST	LEA
BH:	A	1	25S	32E		110'	NORTH	851'	EAST	LEA
13. Date Spudded 11/4/2020	14. Date T.D. Reached 12/9/2020		15. Date Rig Released 12/11/2020			16. Date Completed (Ready to Produce) 4/8/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3496GL		
18. Total Measured Depth of Well MD 22,526' TVD 12,435'			19. Plug Back Measured Depth MD 22,513' TVD 12,435'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run None		
22. Producing Interval(s), of this completion - Top, Bottom, Name WOLFCAMP - 12,383'-22,615'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9 5/8"		40# J-55		1131'		12 1/4"		475 CL C/CIRC		
7 5/8"		29.7# ICP 110		11,706'		8 3/4"		1,689 C/CIRC		
5 1/2"		20# HCP 110		22,513'		6 3/4"		970 CL H/CIRC		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 12,489'-22,503' 3 1/8", 2070 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12,489'-22,503'		FRAC W/24,806,743 lbs proppant, 403,191 bbls load fld		
28. PRODUCTION										
Date First Production 4/8/2021		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 4/16/2021	Hours Tested 24	Choke Size 64	Prod'n For Test Period	Oil - Bbl 3527	Gas - MCF 8316	Water - Bbl. 9488	Gas - Oil Ratio 2358			
Flow Tubing Press.	Casing Pressure 2361	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>) 49				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD								30. Test Witnessed By		
31. List Attachments C-102, C-104, C-103, Directional Survey, H spacing,										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature <i>Kristina Agee</i> Printed Name Kristina Agee Title Senior Regulatory Administrator Date 5/6/2021										
E-mail Address kristina_agee@eogresources.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy Rustler 992'	T. Canyon Brushy 7,450'	T. Ojo Alamo	T. Penn A"
T. Salt 1297'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 4,741'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. 1st BS Sand 10,088'	T. Entrada	
T. Wolfcamp 12,220'	T. 2nd BS Sand 10,563'	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 27180

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 27180
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 27180

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 27180
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	7/16/2021