

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 373075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-45615	⁵ Pool Name LOS MEDANOS: WOLFMP CAMP	⁶ Pool Code 96597
⁷ Property Code 328259	⁸ Property Name JAMES RANCH UNIT DI 1A ENNIS	⁹ Well Number 114H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
G	21	22S	30E		1608	North	2635	East	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	23	22S	30E		1643	South	2601	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373075	XTO Permian Operating, LLC 64001 Holiday Hill Rd, bldg 5 Midland, TX 79707	O/G/W

IV. Well Completion Data

²¹ Spud Date 6/2/2020	²² Ready Date 3/13/2021	²³ TD 21634 MD 10852 TVD	²⁴ PBDT 21622 MD 10852 TVD	²⁵ Perforations 11748 - 21517	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
20.0	16.0	537	2345		
14.75	11.75	3394	1485		
10.625	8.625	10618	2655		
7.875	5.5 2.875	21624 10926	2120		

V. Well Test Data

³¹ Date New Oil 3/14/2021	³² Gas Delivery Date 3/14/2021	³³ Test Date 3/21/2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 401	³⁶ Csg. Pressure 315
³⁷ Choke Size	³⁸ Oil 1360	³⁹ Water 5708	⁴⁰ Gas 3000		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Cassie Evans</i>			OIL CONSERVATION DIVISION		
Printed name: Cassie Evans			Approved by: Kurt Simmons		
Title: Regulatory Analyst			Title: NMOCD, Santa Fe		
E-mail Address: cassie.evans@exxonmobil.com			Approval Date: 07/19/2021		
Date: 04/20/21		Phone: 432.215.3671			

District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-DRILLED PLAT

¹ API Number 30-015-45615	² Pool Code 96597	³ Pool Name LOS MEDANOS; WOLFCAMP (GAS)
⁴ Property Code 328259	⁵ Property Name JAMES RANCH UNIT DI 1A ENNIS	⁶ Well Number 114H
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC.	⁹ Elevation 3,160'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	21	22S	30E		1,608	NORTH	2,635	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	23	22S	30E		1,643	SOUTH	2,601	WEST	EDDY

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.

**17 OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Cassie Evans

04/20/21

Signature

Date

Cassie Evans

Printed Name

cassie.evans@exxonmobil.com

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

4-19-2021

Date of Survey

Signature and Seal of Professional Surveyor:

MARK DILLON HARP 23786

Certificate Number



JC

2020030726

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



MWD SURVEY CERTIFICATION
Legacy Directional Drilling, LLC.

State of NEW MEXICO

County of Eddy

I, Kevin Lucas certify that; I am employed by Legacy Directional Drilling, LLC.;
 that I did on the day(s) of June 2, 2020 through October 5, 2020 conduct or supervise
 the taking of a MWD survey from a depth of 145 Feet to a depth of 21634 Feet;
 that the data is true, correct, complete and within the limitations of the tool set forth by
 Legacy Directional Drilling, LLC.; that I am authorized and qualified to make this report; that this survey was
 conducted at the request of XTO PERMIAN OPERATING LLC for the
James Ranch Unit D1 1A 114H ST01 Well, A.P.I No. 30-015-45615 in
Los Medanos; Wolfcamp Field and that I have reviewed this report and find that it conforms
 to the principles and procedures set forth by Legacy Directional Drilling, LLC.

A total of 239 surveys were recorded by Legacy Directional, LLC. These surveys were subject
 to modification(s) by MagVar at the request of XTO PERMIAN OPERATING LLC
 utilizing MSA software and/or process(es) for the purpose of increasing accuracy.
 Minimum curvature calculations include recorded surveys, as well as, additional (interpolated) surveys.
 Additional (interpolated) surveys, and/or modifications to Legacy Directional recorded surveys are a result
 of the survey correction algorithms.

Kevin Lucas

 Surveyor's Signature

MWD Field Operator

 Title

 Supervisor's Signature

James B Enoch

 Printed Name

MWD Manager

 Title



Legacy Directional Drilling, LLC. MWD Survey Data Certification

OPERATOR:	XTO PERMIAN OPERATING LLC	JOB NUMBER:	HU200090
-----------	---------------------------	-------------	----------

WELL NAME:	JAMES RANCH UNIT D1 1A 114H ST01	COUNTY & STATE:	EDDY Co., NM
------------	----------------------------------	-----------------	--------------

FIELD:	LOS MEDANOS; WOLFCAMP	API NUMBER:	30-015-45615
--------	-----------------------	-------------	--------------

TIE-IN DATA							
DEPTH (FT)	INC (°)	AZM (°)	TVD (FT)	N/S (FT)	E/W (FT)	PROPOSED DIRECTION	DATA SOURCE
0	0	0	0	0	0	89.89	Surface

FIRST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
02-Jun-2020	145	1.17	357.99

SURVEY INSTRUMENT TYPE:	Legacy MWD
TOTAL CORRECTION USED:	6.795
NORTH REFERENCE:	GRID

LAST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
05-Oct-2020	21559	93.31	91.77

TO THE BEST OF MY KNOWLEDGE I CERTIFY THIS SURVEY DATA TO
BE TRUE AND CORRECT

PROJECTION TO TD			
DATE	DEPTH (FT)	INC (°)	AZM (°)
05-Oct-2020	21634	93.31	91.77

Kevin Lucas

Print Name

MWD OPERATOR(S) PERFORMING SURVEYS:

BRANDON COX
KEVIN LUCAS
WILLIAM DANIEL
MARK MILLER
BRECK ENOCH

Kevin Lucas

Signature

October 5, 2020

Today's Date



Directional Survey Report

Company Name: XTO PERMIAN OPERATING LLC
 Well Name: JAMES RANCH UNIT D1 1A 114H ST01
 Field: LOS MEDANOS; WOLFCAMP
 Rig ID: NABORS X50

State/Prov: NM
 County: Eddy
 Location: Lot 1 Section 23 Township 22S Range 30E
 API/UWI: 30-015-45615

Survey Company: Legacy Directional
 Job Number: HU200090
 Latitude: 32° 22' 49.483" N
 Longitude: 103° 53' 8.286" W

Proposed Azimuth: 89.89°
 Declination: 6.795°
 North Reference: GRID
 KB: 3193 FT

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
Tie-In	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.89	0
1	145	1.17	357.99	144.99	1.48	-0.05	-0.05	0.81	145.00	1.48	357.99	80.4
2	176	1.52	344.57	175.98	2.19	-0.17	-0.17	1.51	31.00	2.20	355.50	87.7
3	250	1.94	338.90	249.95	4.31	-0.88	-0.88	0.61	74.00	4.40	348.39	87.7
4	404	2.81	324.47	403.82	9.81	-4.02	-4.00	0.68	154.00	10.60	337.74	87.7
5	480	3.07	322.28	479.72	12.94	-6.34	-6.32	0.37	76.00	14.41	333.88	80.4
6	614	2.76	321.75	613.54	18.31	-10.54	-10.50	0.23	134.00	21.12	330.08	80.4
7	705	0.31	264.43	704.50	20.01	-12.14	-12.10	2.86	91.00	23.40	328.75	87.7
8	798	0.42	284.64	797.50	20.07	-12.72	-12.68	0.18	93.00	23.76	327.63	87.7
9	890	0.46	268.42	889.50	20.14	-13.41	-13.38	0.14	92.00	24.20	326.34	87.7
10	981	1.04	193.72	980.49	19.33	-13.98	-13.94	1.12	91.00	23.85	324.13	87.7
11	1071	1.31	163.49	1070.47	17.55	-13.88	-13.84	0.74	90.00	22.37	321.67	87.7
12	1162	1.67	153.85	1161.44	15.36	-13.00	-12.97	0.48	91.00	20.12	319.77	87.7
13	1255	1.46	152.49	1254.41	13.10	-11.85	-11.83	0.23	93.00	17.66	317.85	95.0
14	1346	1.17	140.82	1345.39	11.35	-10.73	-10.71	0.43	91.00	15.62	316.60	95.0
15	1440	1.27	134.70	1439.36	9.87	-9.38	-9.36	0.17	94.00	13.62	316.45	95.0
16	1535	0.89	114.66	1534.35	8.82	-7.96	-7.95	0.56	95.00	11.89	317.93	95.0
17	1629	0.73	108.82	1628.34	8.32	-6.73	-6.72	0.19	94.00	10.71	321.03	95.0
18	1723	0.76	124.01	1722.33	7.78	-5.65	-5.64	0.21	94.00	9.62	324.02	95.0
19	1815	0.76	112.35	1814.32	7.21	-4.58	-4.57	0.17	92.00	8.54	327.57	95.0
20	1909	0.72	123.18	1908.31	6.65	-3.51	-3.50	0.15	94.00	7.52	332.17	95.0
21	2003	0.79	116.19	2002.31	6.04	-2.43	-2.42	0.12	94.00	6.51	338.05	95.0
22	2098	0.74	116.46	2097.30	5.48	-1.30	-1.29	0.05	95.00	5.63	346.68	95.0
23	2192	0.84	116.67	2191.29	4.90	-0.14	-0.13	0.11	94.00	4.90	358.39	95.0
24	2286	0.69	139.09	2285.28	4.16	0.85	0.86	0.35	94.00	4.25	11.53	95.0
25	2381	1.01	172.60	2380.27	2.90	1.33	1.34	0.61	95.00	3.19	24.68	95.0
26	2475	1.34	177.99	2474.25	0.98	1.48	1.48	0.37	94.00	1.77	56.49	95.0
27	2570	1.60	190.15	2569.22	-1.44	1.28	1.28	0.43	95.00	1.93	138.28	102.3
28	2664	1.74	185.79	2663.18	-4.15	0.91	0.90	0.20	94.00	4.25	167.68	102.3
29	2758	2.12	175.35	2757.13	-7.30	0.90	0.89	0.55	94.00	7.36	172.95	102.3
30	2853	2.70	170.07	2852.04	-11.26	1.43	1.41	0.65	95.00	11.35	172.75	102.3
31	2947	3.03	162.84	2945.92	-15.81	2.55	2.52	0.52	94.00	16.02	170.85	102.3
32	3041	3.64	153.41	3039.77	-20.85	4.62	4.58	0.87	94.00	21.36	167.52	102.3

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
33	3135	3.35	149.73	3133.59	-25.89	7.34	7.29	0.39	94.00	26.91	164.18	102.3
34	3229	3.35	147.10	3227.43	-30.57	10.21	10.15	0.16	94.00	32.23	161.53	102.3
35	3323	2.94	146.51	3321.29	-34.89	13.03	12.97	0.44	94.00	37.24	159.52	102.3
36	3510	3.04	150.44	3508.03	-43.20	18.13	18.04	0.12	187.00	46.85	157.24	95.0
37	3610	1.45	178.00	3607.96	-46.77	19.48	19.39	1.88	100.00	50.67	157.39	87.7
38	3631	1.21	247.10	3628.95	-47.13	19.28	19.19	7.24	21.00	50.92	157.75	87.7
39	3700	6.23	302.03	3697.80	-45.42	15.44	15.35	8.15	69.00	47.97	161.23	87.7
40	3794	8.66	309.89	3791.00	-38.18	5.68	5.61	2.80	94.00	38.60	171.54	95.0
41	3888	7.79	303.76	3884.03	-30.10	-5.05	-5.10	1.31	94.00	30.52	189.52	95.0
42	3982	6.43	296.70	3977.31	-24.19	-15.05	-15.09	1.72	94.00	28.49	211.88	95.0
43	4076	4.01	284.16	4070.92	-21.02	-22.94	-22.98	2.83	94.00	31.11	227.49	102.3
44	4170	2.56	257.34	4164.76	-20.68	-28.17	-28.21	2.21	94.00	34.95	233.72	102.3
45	4265	2.75	207.93	4259.67	-23.16	-31.31	-31.35	2.34	95.00	38.94	233.51	102.3
46	4359	4.25	198.15	4353.50	-28.46	-33.45	-33.51	1.71	94.00	43.92	229.61	109.6
47	4453	5.65	191.39	4447.14	-36.31	-35.45	-35.52	1.61	94.00	50.74	224.32	109.6
48	4547	6.21	182.52	4540.64	-45.92	-36.59	-36.68	1.14	94.00	58.72	218.55	109.6
49	4640	6.39	182.36	4633.08	-56.12	-37.02	-37.13	0.19	93.00	67.23	213.41	109.6
50	4734	9.23	175.03	4726.20	-68.86	-36.58	-36.72	3.20	94.00	77.97	207.98	109.6
51	4828	11.14	175.94	4818.72	-85.43	-35.29	-35.45	2.04	94.00	92.43	202.44	109.6
52	4922	12.26	181.95	4910.77	-104.46	-34.98	-35.19	1.76	94.00	110.16	198.52	116.9
53	5016	13.17	182.31	5002.46	-125.14	-35.76	-36.00	0.97	94.00	130.14	195.95	116.9
54	5110	14.92	183.83	5093.65	-147.91	-37.00	-37.28	1.90	94.00	152.47	194.04	124.1
55	5203	17.18	183.97	5183.02	-173.56	-38.75	-39.08	2.43	93.00	177.84	192.58	124.1
56	5298	18.87	181.21	5273.35	-202.92	-40.04	-40.43	1.99	95.00	206.83	191.16	124.1
57	5392	20.83	181.04	5361.76	-234.83	-40.67	-41.12	2.09	94.00	238.33	189.82	124.1
58	5486	22.29	181.34	5449.18	-269.37	-41.39	-41.90	1.56	94.00	272.53	188.74	124.1
59	5581	23.31	180.56	5536.76	-306.17	-41.99	-42.58	1.12	95.00	309.04	187.81	124.1
60	5676	24.33	179.90	5623.67	-344.54	-42.14	-42.80	1.11	95.00	347.11	186.97	131.4
61	5770	25.17	179.29	5709.03	-383.89	-41.86	-42.60	0.93	94.00	386.17	186.22	131.4
62	5864	25.70	179.42	5793.92	-424.26	-41.41	-42.22	0.57	94.00	426.28	185.57	124.1
63	5958	26.80	179.11	5878.22	-465.83	-40.87	-41.77	1.18	94.00	467.62	185.01	131.4
64	6052	27.16	178.11	5961.99	-508.46	-39.83	-40.81	0.62	94.00	510.02	184.48	131.4
65	6147	27.88	178.50	6046.24	-552.34	-38.54	-39.60	0.78	95.00	553.68	183.99	131.4
66	6241	29.16	181.05	6128.84	-597.21	-38.38	-39.53	1.88	94.00	598.44	183.68	131.4
67	6336	30.32	182.87	6211.33	-644.30	-40.01	-41.24	1.55	95.00	645.54	183.55	131.4
68	6430	32.09	182.39	6291.72	-692.95	-42.24	-43.57	1.90	94.00	694.24	183.49	131.4
69	6525	33.25	180.92	6371.69	-744.21	-43.71	-45.14	1.48	95.00	745.49	183.36	131.4
70	6619	34.26	180.90	6449.85	-796.43	-44.54	-46.07	1.07	94.00	797.67	183.20	131.4

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
71	6713	35.28	180.53	6527.06	-850.03	-45.20	-46.83	1.11	94.00	851.23	183.04	131.4
72	6807	36.60	180.96	6603.16	-905.20	-45.92	-47.66	1.43	94.00	906.36	182.90	131.4
73	6900	36.62	179.29	6677.82	-960.65	-46.04	-47.89	1.07	93.00	961.76	182.74	131.4
74	6994	36.82	178.23	6753.17	-1016.84	-44.83	-46.78	0.71	94.00	1017.83	182.52	131.4
75	7088	34.93	176.55	6829.33	-1071.87	-42.34	-44.40	2.27	94.00	1072.70	182.26	138.7
76	7182	33.90	177.35	6906.88	-1124.92	-39.51	-41.67	1.20	94.00	1125.61	182.01	138.7
77	7276	33.52	177.99	6985.07	-1177.04	-37.38	-39.64	0.55	94.00	1177.63	181.82	138.7
78	7371	33.22	178.10	7064.41	-1229.26	-35.60	-37.96	0.32	95.00	1229.78	181.66	138.7
79	7465	31.20	177.70	7143.94	-1279.33	-33.77	-36.23	2.16	94.00	1279.78	181.51	138.7
80	7559	30.42	177.38	7224.67	-1327.43	-31.70	-34.25	0.85	94.00	1327.81	181.37	138.7
81	7653	29.86	176.99	7305.97	-1374.57	-29.39	-32.03	0.63	94.00	1374.89	181.22	138.7
82	7748	28.35	176.35	7388.97	-1420.70	-26.71	-29.44	1.62	95.00	1420.96	181.08	138.7
83	7842	26.92	176.46	7472.24	-1464.22	-23.98	-26.79	1.52	94.00	1464.41	180.94	138.7
84	7937	26.00	177.64	7557.29	-1506.49	-21.79	-24.68	1.12	95.00	1506.65	180.83	138.7
85	8030	24.77	180.18	7641.31	-1546.34	-21.01	-23.98	1.77	93.00	1546.48	180.78	138.7
86	8125	24.15	183.93	7727.79	-1585.63	-22.41	-25.45	1.76	95.00	1585.79	180.81	138.7
87	8218	22.83	185.63	7813.08	-1622.57	-25.48	-28.60	1.60	93.00	1622.77	180.90	138.7
88	8313	20.90	185.32	7901.24	-1657.79	-28.86	-32.04	2.04	95.00	1658.04	181.00	138.7
89	8407	19.86	185.60	7989.36	-1690.37	-31.97	-35.22	1.11	94.00	1690.67	181.08	138.7
90	8501	21.97	185.09	8077.16	-1723.78	-35.09	-38.40	2.25	94.00	1724.14	181.17	138.7
91	8596	21.18	184.83	8165.50	-1758.58	-38.11	-41.49	0.84	95.00	1759.00	181.24	138.7
92	8689	21.53	182.07	8252.12	-1792.38	-40.14	-43.58	1.14	93.00	1792.83	181.28	146.0
93	8784	20.35	180.02	8340.85	-1826.32	-40.78	-44.29	1.46	95.00	1826.77	181.28	146.0
94	8879	20.15	175.84	8429.98	-1859.16	-39.60	-43.17	1.54	95.00	1859.58	181.22	146.0
95	8973	18.79	176.86	8518.60	-1890.42	-37.59	-41.22	1.49	94.00	1890.80	181.14	146.0
96	9067	16.84	176.18	8608.09	-1919.13	-35.86	-39.54	2.09	94.00	1919.46	181.07	138.7
97	9161	15.63	175.25	8698.34	-1945.33	-33.90	-37.64	1.32	94.00	1945.63	181.00	138.7
98	9254	14.30	176.28	8788.18	-1969.28	-32.12	-35.90	1.46	93.00	1969.54	180.93	138.7
99	9349	11.84	173.07	8880.72	-1990.67	-30.18	-34.00	2.70	95.00	1990.90	180.87	146.0
100	9444	10.44	167.43	8973.93	-2008.75	-27.13	-30.99	1.87	95.00	2008.93	180.77	138.7
101	9537	8.51	169.98	9065.66	-2023.75	-24.10	-27.99	2.12	93.00	2023.89	180.68	131.4
102	9628	6.39	174.66	9155.88	-2035.42	-22.46	-26.37	2.42	91.00	2035.54	180.63	138.7
103	9722	4.82	178.11	9249.43	-2044.58	-21.84	-25.77	1.71	94.00	2044.69	180.61	138.7
104	9816	3.99	174.50	9343.15	-2051.78	-21.40	-25.34	0.93	94.00	2051.89	180.60	138.7
105	9910	2.92	180.92	9436.98	-2057.43	-21.12	-25.07	1.21	94.00	2057.54	180.59	138.7
106	10004	2.31	188.43	9530.88	-2061.70	-21.44	-25.40	0.74	94.00	2061.81	180.60	146.0
107	10099	1.71	187.76	9625.82	-2064.99	-21.91	-25.87	0.63	95.00	2065.11	180.61	146.0
108	10193	0.72	197.87	9719.80	-2066.95	-22.28	-26.25	1.07	94.00	2067.07	180.62	146.0

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
109	10288	0.46	164.00	9814.80	-2067.88	-22.36	-26.33	0.45	95.00	2068.00	180.62	153.3
110	10382	0.59	147.87	9908.79	-2068.65	-22.00	-25.97	0.21	94.00	2068.77	180.61	153.3
111	10476	0.68	136.85	10002.79	-2069.47	-21.36	-25.33	0.16	94.00	2069.58	180.59	153.3
112	10535	0.67	151.84	10061.78	-2070.03	-20.96	-24.93	0.30	59.00	2070.14	180.58	153.3
113	10618	0.24	139.63	10144.78	-2070.59	-20.61	-24.59	0.53	83.00	2070.69	180.57	146.0
114	10712	4.19	86.37	10238.69	-2070.52	-17.06	-21.03	4.31	94.00	2070.59	180.47	146.0
115	10759	10.51	80.92	10285.28	-2069.74	-11.11	-15.08	13.51	47.00	2069.77	180.31	153.3
116	10807	15.31	74.98	10332.06	-2067.40	-0.66	-4.63	10.36	48.00	2067.40	180.02	153.3
117	10854	19.23	77.46	10376.93	-2064.11	12.90	8.93	8.48	47.00	2064.15	179.64	153.3
118	10902	24.20	84.48	10421.52	-2061.45	30.42	26.46	11.67	48.00	2061.67	179.15	153.3
119	10949	27.95	91.39	10463.74	-2060.79	51.03	47.08	10.26	47.00	2061.42	178.58	153.3
120	10996	31.47	90.45	10504.55	-2061.15	74.32	70.36	7.55	47.00	2062.49	177.93	153.3
121	11043	35.25	86.90	10543.81	-2060.51	100.14	96.19	9.05	47.00	2062.95	177.22	153.3
122	11091	39.96	85.47	10581.82	-2058.55	129.36	125.40	9.98	48.00	2062.61	176.40	160.6
123	11138	44.16	86.05	10616.71	-2056.23	160.75	156.80	8.97	47.00	2062.50	175.53	160.6
124	11186	48.20	86.82	10649.94	-2054.08	195.31	191.36	8.50	48.00	2063.34	174.57	160.6
125	11233	51.08	86.50	10680.37	-2051.99	231.06	227.12	6.15	47.00	2064.96	173.58	160.6
126	11280	53.97	85.92	10708.96	-2049.52	268.27	264.33	6.23	47.00	2067.01	172.54	160.6
127	11327	57.61	86.58	10735.39	-2046.99	307.05	303.12	7.83	47.00	2069.89	171.47	160.6
128	11374	60.77	87.82	10759.46	-2045.02	347.36	343.43	7.09	47.00	2074.31	170.36	160.6
129	11421	64.19	90.62	10781.17	-2044.47	389.03	385.10	8.99	47.00	2081.15	169.23	160.6
130	11469	69.74	90.52	10799.95	-2044.91	433.18	429.25	11.56	48.00	2090.29	168.04	160.6
131	11516	76.20	86.91	10813.71	-2043.88	478.08	474.15	15.58	47.00	2099.05	166.83	160.6
132	11562	80.64	83.86	10822.94	-2040.24	522.97	519.06	11.63	46.00	2106.20	165.62	160.6
133	11609	85.85	85.37	10828.47	-2035.87	569.43	565.52	11.53	47.00	2114.00	164.37	160.6
134	11657	90.93	87.61	10829.82	-2032.93	617.30	613.39	11.57	48.00	2124.59	163.11	167.9
135	11752	91.51	87.15	10827.80	-2028.59	712.18	708.28	0.78	95.00	2149.97	160.66	167.9
136	11843	92.49	87.69	10824.62	-2024.50	803.03	799.14	1.23	91.00	2177.94	158.36	146.0
137	11938	91.46	88.23	10821.35	-2021.12	897.91	894.03	1.22	95.00	2211.60	156.05	153.3
138	12032	92.38	88.01	10818.20	-2018.04	991.80	987.93	1.01	94.00	2248.59	153.83	160.6
139	12127	89.52	87.82	10816.62	-2014.58	1086.72	1082.85	3.02	95.00	2288.99	151.66	160.6
140	12222	88.57	88.05	10818.20	-2011.16	1181.64	1177.78	1.03	95.00	2332.60	149.56	160.6
141	12316	88.88	87.64	10820.30	-2007.62	1275.55	1271.70	0.55	94.00	2378.57	147.57	167.9
142	12411	89.52	87.43	10821.62	-2003.54	1370.46	1366.61	0.71	95.00	2427.41	145.63	167.9
143	12505	90.03	87.39	10821.99	-1999.29	1464.36	1460.52	0.54	94.00	2478.21	143.78	175.1
144	12599	91.12	89.15	10821.05	-1996.45	1558.31	1554.47	2.20	94.00	2532.62	142.03	175.1
145	12693	88.60	88.95	10821.28	-1994.89	1652.28	1648.45	2.69	94.00	2590.30	140.37	175.1
146	12788	88.85	89.80	10823.39	-1993.86	1747.25	1743.42	0.93	95.00	2651.11	138.77	175.1

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
147	12882	89.50	91.98	10824.75	-1995.32	1841.23	1837.39	2.42	94.00	2715.04	137.30	182.4
148	12976	90.22	92.35	10824.98	-1998.87	1935.16	1931.32	0.86	94.00	2782.14	135.93	182.4
149	13070	89.08	90.84	10825.55	-2001.49	2029.12	2025.27	2.01	94.00	2850.13	134.61	182.4
150	13165	86.50	88.73	10829.21	-2001.13	2124.03	2120.19	3.51	95.00	2918.23	133.29	182.4
151	13259	87.23	89.09	10834.35	-1999.35	2217.87	2214.03	0.87	94.00	2986.03	132.03	182.4
152	13354	88.82	90.22	10837.63	-1998.78	2312.81	2308.97	2.05	95.00	3056.83	130.83	182.4
153	13448	89.75	91.08	10838.80	-1999.84	2406.80	2402.95	1.35	94.00	3129.22	129.72	189.7
154	13543	91.54	92.30	10837.73	-2002.64	2501.74	2497.89	2.28	95.00	3204.57	128.68	189.7
155	13637	92.30	92.74	10834.58	-2006.77	2595.60	2591.74	0.93	94.00	3280.89	127.71	189.7
156	13731	91.74	91.72	10831.27	-2010.43	2689.47	2685.60	1.24	94.00	3357.83	126.78	189.7
157	13825	91.82	92.04	10828.35	-2013.51	2783.37	2779.50	0.35	94.00	3435.31	125.88	189.7
158	13920	90.56	89.65	10826.38	-2014.91	2878.33	2874.46	2.84	95.00	3513.50	124.99	189.7
159	14014	89.75	88.01	10826.12	-2012.99	2972.31	2968.44	1.95	94.00	3589.81	124.11	189.7
160	14108	89.66	87.45	10826.61	-2009.27	3066.23	3062.37	0.60	94.00	3665.92	123.24	189.7
161	14202	89.83	87.03	10827.02	-2004.74	3160.12	3156.27	0.48	94.00	3742.37	122.39	189.7
162	14296	90.20	86.73	10827.00	-1999.63	3253.98	3250.14	0.51	94.00	3819.28	121.57	189.7
163	14390	89.05	88.77	10827.61	-1995.94	3347.90	3344.06	2.49	94.00	3897.72	120.80	189.7
164	14484	89.61	89.07	10828.71	-1994.16	3441.88	3438.04	0.68	94.00	3977.84	120.09	189.7
165	14578	90.45	90.10	10828.66	-1993.48	3535.87	3532.04	1.41	94.00	4059.11	119.41	197.0
166	14673	89.83	89.76	10828.43	-1993.37	3630.87	3627.04	0.74	95.00	4142.07	118.77	197.0
167	14768	87.98	89.91	10830.25	-1993.09	3725.85	3722.02	1.95	95.00	4225.44	118.14	197.0
168	14862	89.33	91.69	10832.45	-1994.41	3819.81	3815.97	2.38	94.00	4309.13	117.57	197.0
169	14957	88.96	92.44	10833.87	-1997.83	3914.74	3910.89	0.88	95.00	4395.05	117.04	197.0
170	15050	88.63	91.74	10835.83	-2001.22	4007.65	4003.80	0.83	93.00	4479.53	116.54	197.0
171	15144	89.22	91.54	10837.59	-2003.91	4101.60	4097.74	0.66	94.00	4564.95	116.04	197.0
172	15239	89.83	90.93	10838.38	-2005.96	4196.57	4192.71	0.91	95.00	4651.35	115.55	197.0
173	15334	92.05	92.00	10836.82	-2008.38	4291.52	4287.66	2.59	95.00	4738.22	115.08	197.0
174	15428	92.27	91.60	10833.28	-2011.34	4385.41	4381.54	0.49	94.00	4824.65	114.64	197.0
175	15523	91.90	91.78	10829.82	-2014.14	4480.30	4476.43	0.43	95.00	4912.21	114.21	197.0
176	15617	91.43	91.78	10827.09	-2017.05	4574.22	4570.34	0.50	94.00	4999.20	113.80	197.0
177	15711	90.28	91.44	10825.69	-2019.69	4668.17	4664.28	1.28	94.00	5086.35	113.40	197.0
178	15807	89.52	90.87	10825.85	-2021.63	4764.15	4760.26	0.99	96.00	5175.33	112.99	204.3
179	15901	89.16	90.81	10826.94	-2023.01	4858.13	4854.24	0.39	94.00	5262.51	112.61	204.3
180	15994	88.99	90.88	10828.44	-2024.38	4951.11	4947.21	0.20	93.00	5348.98	112.24	204.3
181	16088	89.55	90.70	10829.64	-2025.67	5045.09	5041.19	0.63	94.00	5436.57	111.88	197.0
182	16183	87.70	90.41	10831.92	-2026.59	5140.05	5136.15	1.97	95.00	5525.15	111.52	204.3
183	16276	89.22	91.07	10834.42	-2027.80	5233.01	5229.11	1.78	93.00	5612.16	111.18	197.0
184	16370	89.08	90.71	10835.81	-2029.26	5326.99	5323.08	0.41	94.00	5700.41	110.85	204.3

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
185	16465	89.33	90.51	10837.13	-2030.27	5421.97	5418.07	0.34	95.00	5789.63	110.53	197.0
186	16559	89.05	88.31	10838.46	-2029.30	5515.95	5512.05	2.36	94.00	5877.40	110.20	204.3
187	16655	88.68	87.76	10840.36	-2026.01	5611.88	5607.98	0.69	96.00	5966.40	109.85	204.3
188	16749	89.50	87.51	10841.85	-2022.13	5705.78	5701.89	0.91	94.00	6053.51	109.51	204.3
189	16844	89.89	87.41	10842.36	-2017.92	5800.69	5796.81	0.42	95.00	6141.66	109.18	204.3
190	16939	90.42	87.31	10842.10	-2013.54	5895.59	5891.71	0.57	95.00	6229.95	108.86	204.3
191	17032	90.70	87.27	10841.19	-2009.15	5988.48	5984.61	0.30	93.00	6316.53	108.55	204.3
192	17126	90.73	87.23	10840.02	-2004.64	6082.36	6078.50	0.05	94.00	6404.20	108.24	204.3
193	17221	89.27	87.54	10840.02	-2000.30	6177.26	6173.41	1.57	95.00	6493.06	107.94	204.3
194	17314	90.08	88.96	10840.55	-1997.46	6270.21	6266.37	1.76	93.00	6580.69	107.67	204.3
195	17409	90.06	88.90	10840.43	-1995.69	6365.20	6361.35	0.07	95.00	6670.72	107.41	204.3
196	17503	89.13	88.98	10841.09	-1993.95	6459.18	6455.34	0.99	94.00	6759.94	107.16	204.3
197	17598	87.17	87.56	10844.16	-1991.08	6554.08	6550.24	2.55	95.00	6849.84	106.90	204.3
198	17692	88.43	89.15	10847.77	-1988.39	6647.97	6644.14	2.16	94.00	6938.96	106.65	204.3
199	17787	88.18	89.47	10850.58	-1987.25	6742.92	6739.09	0.43	95.00	7029.66	106.42	204.3
200	17882	90.20	90.28	10851.92	-1987.04	6837.90	6834.07	2.29	95.00	7120.76	106.20	204.3
201	17977	93.36	91.46	10848.97	-1988.48	6932.83	6929.00	3.55	95.00	7212.36	106.00	204.3
202	18071	92.91	91.20	10843.83	-1990.66	7026.67	7022.83	0.55	94.00	7303.20	105.82	204.3
203	18165	92.35	90.75	10839.52	-1992.26	7120.55	7116.71	0.76	94.00	7394.01	105.63	204.3
204	18260	91.62	90.51	10836.23	-1993.30	7215.49	7211.65	0.81	95.00	7485.75	105.44	204.3
205	18355	92.10	91.31	10833.14	-1994.81	7310.43	7306.58	0.98	95.00	7577.70	105.26	204.3
206	18449	90.42	92.14	10831.08	-1997.64	7404.36	7400.51	1.99	94.00	7669.10	105.10	204.3
207	18543	89.69	92.47	10830.99	-2001.42	7498.28	7494.42	0.85	94.00	7760.79	104.94	204.3
208	18637	91.12	93.03	10830.32	-2005.93	7592.17	7588.30	1.63	94.00	7852.69	104.80	204.3
209	18732	88.74	91.90	10830.44	-2010.01	7687.07	7683.20	2.77	95.00	7945.51	104.65	204.3
210	18826	89.55	92.47	10831.84	-2013.60	7780.99	7777.11	1.05	94.00	8037.31	104.51	211.6
211	18921	90.48	94.15	10831.82	-2019.08	7875.83	7871.94	2.02	95.00	8130.52	104.38	204.3
212	19016	86.78	92.84	10834.09	-2024.87	7970.60	7966.70	4.13	95.00	8223.78	104.25	211.6
213	19110	87.42	92.54	10838.84	-2029.28	8064.38	8060.47	0.75	94.00	8315.78	104.12	211.6
214	19205	87.11	90.73	10843.38	-2031.98	8159.23	8155.31	1.93	95.00	8408.45	103.98	204.3
215	19299	87.03	88.99	10848.18	-2031.75	8253.10	8249.19	1.85	94.00	8499.51	103.83	211.6
216	19394	88.88	89.41	10851.57	-2030.43	8348.03	8344.11	2.00	95.00	8591.40	103.67	204.3
217	19489	89.66	88.16	10852.78	-2028.41	8443.00	8439.09	1.55	95.00	8683.24	103.51	211.6
218	19583	90.06	88.20	10853.01	-2025.43	8536.95	8533.04	0.43	94.00	8773.93	103.35	211.6
219	19677	91.26	88.09	10851.93	-2022.39	8630.89	8626.99	1.28	94.00	8864.67	103.19	204.3
220	19771	89.50	86.32	10851.31	-2017.80	8724.77	8720.88	2.66	94.00	8955.06	103.02	211.6
221	19866	89.10	85.34	10852.47	-2010.90	8819.51	8815.63	1.11	95.00	9045.85	102.84	211.6
222	19960	89.50	86.81	10853.61	-2004.46	8913.28	8909.41	1.62	94.00	9135.89	102.67	211.6

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
223	20055	90.06	86.77	10853.98	-1999.14	9008.13	9004.27	0.59	95.00	9227.29	102.51	204.3
224	20149	88.77	87.12	10854.94	-1994.13	9101.99	9098.14	1.42	94.00	9317.87	102.36	211.6
225	20247	89.35	87.64	10856.55	-1989.65	9199.87	9196.04	0.79	98.00	9412.56	102.20	189.7
226	20341	89.94	88.67	10857.13	-1986.63	9293.82	9289.99	1.26	94.00	9503.78	102.07	197.0
227	20435	89.64	89.10	10857.47	-1984.80	9387.80	9383.97	0.56	94.00	9595.32	101.94	197.0
228	20530	88.68	89.11	10858.87	-1983.31	9482.78	9478.95	1.01	95.00	9687.96	101.81	197.0
229	20624	87.14	89.56	10862.29	-1982.22	9576.71	9572.88	1.71	94.00	9779.70	101.69	197.0
230	20719	87.28	89.32	10866.92	-1981.30	9671.59	9667.77	0.29	95.00	9872.45	101.58	204.3
231	20813	87.81	89.68	10870.94	-1980.48	9765.50	9761.68	0.68	94.00	9964.30	101.46	204.3
232	20907	88.49	90.53	10873.98	-1980.65	9859.45	9855.63	1.16	94.00	10056.43	101.36	197.0
233	21002	90.73	89.50	10874.63	-1980.67	9954.44	9950.62	2.60	95.00	10149.58	101.25	204.3
234	21097	91.26	91.94	10872.98	-1981.87	10049.41	10045.59	2.63	95.00	10242.97	101.16	204.3
235	21190	92.58	93.97	10869.86	-1986.66	10142.23	10138.39	2.60	93.00	10334.97	101.08	204.3
236	21285	92.50	93.07	10865.65	-1992.49	10236.95	10233.11	0.95	95.00	10429.06	101.01	204.3
237	21379	92.75	92.52	10861.34	-1997.06	10330.74	10326.89	0.64	94.00	10522.00	100.94	204.3
238	21475	92.86	92.45	10856.65	-2001.22	10426.54	10422.68	0.14	96.00	10616.85	100.86	204.3
239	21559	93.31	91.77	10852.13	-2004.31	10510.36	10506.49	0.97	84.00	10699.76	100.80	204.3
PTB	21634	93.31	91.77	10847.80	-2006.62	10585.20	10581.33	0.00	75.00	10773.72	100.73	204.3

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name JAMES RANCH UNIT DI 1A ENNIS		
								6. Well Number: 114H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 373075				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat LOS MEDANOS; WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	G	21	22S	30E		1608	North	2635	East	Eddy
BH:	K	23	22S	30E		1643	South	2601	West	Eddy
13. Date Spudded 6/2/2020	14. Date T.D. Reached 10/5/2020		15. Date Rig Released 10/8/2020		16. Date Completed (Ready to Produce) 3/13/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3160' GL		
18. Total Measured Depth of Well 21,634'			19. Plug Back Measured Depth 21,622'		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,748 - 21,517 LOS MEDANOS; WOLFCAMP (GAS)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
16.0"		75.0		537'		20"		2345		
11 3/4"		54.0		3,394'		14 3/4"		1485		
8 5/8"		32.0		10,618'		10 5/8"		2655		
5 1/2"		23.0		21,624		7 7/8"		2120		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP		BOTTOM		SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET
								2 7/8"	10,941	10,926
26. Perforation record (interval, size, and number) 11,748 - 21,517 4spf, 1312 Total Shots 81 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11,748 - 21,517		530,880 bbl fluid + 24,294,659 lbs proppant		
28. PRODUCTION										
Date First Production 3/14/2021		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 3/21/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1360	Gas - MCF 3000	Water - Bbl. 5708	Gas - Oil Ratio 2207			
Flow Tubing Press. 401	Casing Pressure 315	Calculated 24-Hour Rate	Oil - Bbl. 1360	Gas - MCF 3000	Water - Bbl. 5708	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By		
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Cassie Evans</i>			Printed Name Cassie Evans			Title Regulatory Analyst			Date 04/21/20	
E-mail Address cassie.evans@exxonmobil.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 438'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 3124'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3,342'	T. Morrison	
T. Drinkard	T. Bone Springs 7,019'	T. Todilto	
T. Abo	T. Rustler 239'	T. Entrada	
T. Wolfcamp 10,383'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 27467

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 27467
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 27467

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 27467
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	7/19/2021