

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy, Minerals & Natural Resources

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Revised August 1, 2011

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Regeneration Energy Corp. PO Box 210 Artesia NM 88210		² OGRID Number 280240
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 01546055	⁵ Pool Name Welch;delaware	⁶ Pool Code 64030
⁷ Property Code 325740	⁸ Property Name Blue Moon State Unit	⁹ Well Number #1H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	16	26S	27E		310	South	660	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	16	26S	27E		455	North	655	West	Eddy
¹² Lse Code S	¹³ Producing Method Code Flowing	¹⁴ Gas Connection Date 2/26/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	HollyFrontier Refining & Marketing LLC Suite 1300 2828 N Harwood Dallas, TX 75201	O
	Energy Transfer 8111 Westchester Dr Dallas TX 75225	G

IV. Well Completion Data

²¹ Spud Date 6/20/2019	²² Ready Date 12/15/2020	²³ TD 8724' TVD 4101'	²⁴ PBDT 8680' TVD 4101'	²⁵ Perforations 4900-8620 TVD 4089-4102	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25	9.625	2062	683		
8.75	7	3700	630		
8.75	5.5	8724	1565		
	2.875 TBG	3750			

V. Well Test Data

³¹ Date New Oil 12/15/2020	³² Gas Delivery Date 2/28/2021	³³ Test Date 12/15/2020	³⁴ Test Length 24hrs	³⁵ Tbg. Pressure 250#	³⁶ Csg. Pressure 150#
³⁷ Choke Size 26/64	³⁸ Oil 1	³⁹ Water 1312	⁴⁰ Gas N/A		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Raye Miller</i>			OIL CONSERVATION DIVISION		
Printed name: Raye Miller			Approved by: <i>Amy Kumsch</i>		
Title: President			Title: Data Compliance Manager		
E-mail Address: wmiller@pvn.net			Approval Date: 7/6/20		
Date: 6/7/2021 5/3/2021			Phone: 575-736-3535		

DISTRICT I
1626 N. FRENCH DR., MORRIS, NM 88240
Phone: (505) 893-8181 Fax: (505) 893-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 86210
Phone: (505) 748-1288 Fax: (505) 748-0720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-8178 Fax: (505) 334-8170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 478-3460 Fax: (505) 478-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-46055	Pool Code 64030	Pool Name Welch; Delaware
Property Code 325740	Property Name BLUE MOON STATE	Well Number 1H
OGRID No. 280240	Operator Name REGENERATION ENERGY CORPORATION	Elevation 3251.8'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	16	26-S	27-E		310	SOUTH	660	WEST	EDDY


Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	16	26-S	27-E		455	NORTH	655	WEST	EDDY
Dedicated Acres 160	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	NAD 83 NME BOTTOM HOLE LOCATION Y=381614.4 N X=582143.0 E LAT.=32.049070° N LONG.=104.201628° W	OPERATOR CERTIFICATION I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>[Signature]</i> 12/11/20 Signature Date William Miller Printed Name wmillereputa.net E-mail Address
	SURFACE INFO AND BORSPATH SHOWN HEREON IS BASED ON DIRECTIONAL SURVEY REPORT PROVIDED BY REGENERATION ENERGY CORP. FOR THE BLUE MOON STATE 1H SUPPLIED TO HARCROW SURVEYING, LLC ON DECEMBER 9, 2020 NAD 83 NME SURFACE LOCATION Y=376834.3 N X=582194.9 E LAT.=32.035929° N LONG.=104.201479° W	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MAY 29, 2019/ Date of Survey/Date of Geographic Survey Signature & Seal of Professional Surveyor <i>[Signature]</i> 12/11/20 Certificate No. CHAD HARCROW 17777 W.O. #20-1663 DRAWN BY: WN

Design: ST01 (#HUST01)
Blue Moon Studio
Created By: Casey Rudick
Date: 12-07, July 12 2019



Regeneration Energy Corporation

Eddy County, NM (NAD 83 NME)

Blue Moon State

#1H

ST01

Design: ST01

Standard Survey Report

12 July, 2019

LEAM Drilling Systems Survey Report

Company: Regeneration Energy Corporation
 Project: Eddy County, NM (NAD 83 NME)
 Site: Blue Moon State
 Well: #1H
 Wellbore: ST01
 Design: ST01

Local Co-ordinate Reference: Well #1H
 TVD Reference: GE 3251' + KB 28' @ 3279.00usft (Bison Rig 15)
 MD Reference: GE 3251' + KB 28' @ 3279.00usft (Bison Rig 15)
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: LEAM Multi_User Db

Project: Eddy County, NM (NAD 83 NME)
 Map System: US State Plane 1983
 Geo Datum: North American Datum 1983
 Map Zone: New Mexico Eastern Zone

System Datum: Mean Sea Level

Site: Blue Moon State

Site Position: Northing: 378,834.30 usft Latitude: 32° 2' 9.344 N
 From: Map Easting: 582,194.90 usft Longitude: 104° 12' 5.324 W
 Position Uncertainty: 0.00 usft Slot Radius: 13-3/16" Grid Convergence: 0.07 "

Well: #1H

Well Position: +N-S 0.00 usft Northing: 378,834.30 usft Latitude: 32° 2' 9.344 N
 +E-W 0.00 usft Easting: 582,194.90 usft Longitude: 104° 12' 5.324 W
 Position Uncertainty: 0.00 usft Wellhead Elevation: usft Ground Level: 3,251.00 usft

Wellbore: ST01

Magnetics: Model Name Sample Date Declination Dip Angle Field Strength
 HDGM 6/27/2019 7.20 59.63 47,761.800000000

Design: ST01

Audit Notes:

Version: 1.0 Phase: ACTUAL Tie On Depth: 1,578.00

Vertical Section: Depth From (TVD) +N-S +E-W Direction
 (usft) (usft) (usft) (°)
 0.00 0.00 0.00 359.46

Survey Program Date: 7/12/2019

From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
134.00	1,578.00	Survey #1 (OH)	LEAM_MWD+HDGM	LEAM MWD + HDGM
1,513.00	8,669.00	Survey #1 (ST01)	LEAM_MWD+HDGM	LEAM MWD + HDGM
8,724.00	8,724.00	Projection (ST01)	Projection	Projection

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL (Blue Moon State #1H)									
134.00	1.10	308.80	133.89	0.81	-1.00	0.82	0.82	0.82	0.00
314.00	1.10	282.80	313.88	2.27	-4.04	2.30	0.28	0.00	-14.58
436.00	0.90	289.40	435.94	2.84	-8.08	2.80	0.19	-0.18	5.57
626.00	0.40	293.80	625.93	3.60	-8.10	3.68	0.26	-0.26	2.32
815.00	0.70	302.40	814.92	4.40	-9.87	4.58	0.18	0.18	4.55
1,006.00	0.60	293.10	1,005.91	5.60	-11.58	5.61	0.08	-0.05	-4.87
1,197.00	0.70	284.60	1,196.90	5.79	-13.66	5.92	0.18	0.05	-14.92

7/12/2019 12:04:44PM

Page 2

COMPASS 6000.15 Build 91

LEAM Drilling Systems

Survey Report

Company: Regeneration Energy Corporation
 Project: Eddy County, NM (NAD 83 NME)
 Site: Blue Moon State
 Well: #1H
 Wellbore: ST01
 Design: ST01

Local Co-ordinate Reference: Well #1H
 TVD Reference: GE 3251' + KB 28' @ 3279.00usft (Bison Rig 16)
 MD Reference: GE 3251' + KB 28' @ 3279.00usft (Bison Rig 16)
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: LEAM Multi_User Db

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,387.00	0.80	276.40	1,385.88	5.79	-15.80	5.94	0.09	-0.05	6.21
1,578.00	0.40	301.60	1,577.88	6.25	-17.37	6.41	0.16	-0.10	13.19
1,813.00	2.30	187.40	1,812.87	5.83	-17.32	5.79	7.41	5.43	-383.43
1,844.00	3.50	166.80	1,843.83	4.10	-16.96	4.25	3.87	3.87	-2.58
1,739.00	8.30	188.00	1,738.30	-5.08	-13.72	-4.85	5.12	6.05	-9.05
1,884.00	10.40	180.10	1,882.03	-18.51	-8.23	-19.43	2.24	2.21	2.21
1,929.00	14.40	164.40	1,924.80	-38.23	-0.21	-38.23	4.40	4.21	-8.00
2,049.00	13.00	161.10	2,032.85	-82.49	9.80	-82.58	1.90	-1.26	6.04
2,136.00	8.80	156.80	2,129.77	-80.01	16.58	-80.17	3.70	-3.54	-5.62
2,231.00	9.80	155.30	2,220.41	-94.58	23.21	-94.80	0.23	0.21	-0.53
2,327.00	7.40	151.30	2,315.33	-107.43	29.59	-107.71	2.57	-2.50	-4.17
2,422.00	5.80	123.10	2,409.72	-115.42	38.56	-115.76	3.75	-1.68	-29.68
2,517.00	5.80	118.10	2,504.26	-120.05	44.57	-120.48	0.79	-0.32	-7.37
2,612.00	2.30	113.50	2,599.03	-122.81	60.50	-123.28	3.37	-3.37	-2.74
2,708.00	2.00	106.40	2,694.98	-124.05	53.88	-124.55	0.42	-0.31	-7.40
2,803.00	1.80	100.80	2,789.91	-124.80	58.93	-125.33	0.29	-0.21	-5.89
2,899.00	1.50	87.80	2,885.87	-125.03	59.67	-125.59	0.50	-0.31	-13.75
2,994.00	3.10	0.80	2,980.81	-122.41	60.95	-122.98	3.54	1.68	-91.37
3,090.00	3.80	343.60	3,076.85	-118.92	60.13	-117.48	1.18	0.62	-17.92
3,186.00	4.70	348.60	3,171.40	-110.23	58.59	-110.78	1.24	1.18	6.32
3,281.00	5.50	7.30	3,267.02	-101.80	58.46	-102.35	1.83	0.83	18.44
3,376.00	4.10	358.40	3,361.69	-93.89	58.83	-94.44	1.75	-1.47	-11.47
3,504.00	1.10	340.80	3,489.54	-88.16	59.14	-88.71	2.39	-2.34	-12.19
3,597.00	4.70	349.80	3,582.45	-85.05	57.47	-85.59	5.74	5.71	13.87
3,683.00	15.00	353.80	3,646.91	-88.79	55.37	-89.31	10.75	10.73	4.17
3,711.00	20.80	357.30	3,692.57	-54.10	64.28	-54.61	12.31	12.08	7.71
3,758.00	24.40	357.50	3,735.95	-36.06	53.46	-36.55	7.66	7.66	0.43
3,828.00	31.40	355.00	3,798.02	-4.34	51.30	-4.82	10.43	10.29	-3.68
3,854.00	32.90	354.30	3,819.72	10.50	49.91	10.03	5.62	5.38	-2.50
3,902.00	37.20	354.50	3,859.01	37.93	47.22	37.48	8.86	8.86	0.42
3,949.00	42.60	354.80	3,895.05	87.93	44.42	87.51	11.50	11.49	0.64
3,997.00	46.40	353.20	3,929.28	101.38	40.89	100.89	8.25	7.92	-3.33
4,044.00	51.80	351.30	3,960.04	136.56	38.07	136.22	11.89	11.49	-4.04
4,092.00	55.70	349.40	3,988.42	174.71	29.57	174.43	8.73	8.13	-3.96
4,140.00	59.60	348.50	4,014.10	214.50	21.79	214.29	8.28	8.13	-1.89
4,188.00	64.70	351.70	4,036.52	258.29	14.53	258.14	12.15	10.63	6.67
4,236.00	70.80	357.30	4,054.32	299.55	10.41	299.44	17.03	12.98	11.91
4,331.00	74.40	358.50	4,083.03	391.08	7.05	391.00	3.94	3.75	1.25
4,379.00	77.80	358.30	4,094.84	437.63	5.76	437.56	6.68	6.67	-0.42
4,426.00	84.70	357.10	4,101.87	484.01	3.89	483.95	15.32	15.11	-2.55
4,519.00	91.50	357.80	4,104.95	578.81	-0.24	578.78	7.35	7.31	0.75
4,615.00	92.50	357.80	4,101.60	672.57	-4.09	672.68	1.06	1.04	-0.21
4,710.00	83.20	357.50	4,096.87	767.47	-8.14	767.51	0.74	0.74	-0.11

7/12/2019 12:04:44PM

Page 3

COMPASS 5000.15 Build 91

LEAM Drilling Systems Survey Report

Company: Regeneration Energy Corporation
Project: Eddy County, NM (NAD 83 NME)
Site: Blue Moon State
Well: #1H
Wellbore: ST01
Design: ST01

Local Co-ordinate Reference: Well #1H
TVD Reference: GE 3251' + KB 28' @ 3279.00usft (Bison Rig 15)
MD Reference: GE 3251' + KB 28' @ 3279.00usft (Bison Rig 15)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: LEAM Multi_User Db

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,808.00	92.40	358.30	4,092.18	883.28	-11.68	883.36	1.18	-0.83	0.83
4,801.00	90.90	358.30	4,089.45	868.20	-14.48	868.29	1.58	-1.58	0.00
4,897.00	91.60	358.30	4,087.35	1,064.14	-17.32	1,064.25	0.73	0.73	0.00
5,092.00	90.70	359.80	4,085.45	1,149.08	-19.97	1,149.22	0.97	-0.95	0.21
5,187.00	90.70	359.50	4,084.29	1,244.04	-22.46	1,244.20	0.00	0.00	0.00
5,283.00	90.90	358.60	4,082.85	1,340.00	-24.87	1,340.17	0.21	0.21	0.00
5,379.00	90.70	358.00	4,081.61	1,436.94	-27.91	1,436.14	0.66	-0.21	-0.52
5,474.00	91.10	357.60	4,080.11	1,530.86	-31.65	1,531.09	0.80	0.42	-0.42
5,570.00	90.40	359.00	4,078.88	1,626.81	-34.40	1,627.08	1.63	-0.73	1.48
5,665.00	90.70	359.20	4,077.55	1,721.79	-35.89	1,722.05	0.98	0.32	0.21
5,760.00	88.80	0.60	4,076.36	1,816.76	-38.06	1,817.04	2.48	-2.00	1.47
5,856.00	88.90	0.60	4,080.29	1,912.76	-35.05	1,913.00	0.10	0.10	0.00
5,951.00	88.30	359.90	4,082.81	2,007.73	-34.84	2,007.96	0.97	-0.63	-0.74
6,047.00	88.80	0.10	4,085.04	2,103.70	-34.84	2,103.93	0.56	0.62	0.21
6,142.00	89.70	0.10	4,088.28	2,198.89	-34.47	2,198.91	0.96	0.86	0.00
6,237.00	90.10	359.90	4,088.45	2,293.89	-34.47	2,293.91	0.47	0.42	-0.21
6,333.00	90.90	359.70	4,085.89	2,389.88	-34.81	2,389.80	0.76	0.73	-0.21
6,428.00	89.30	0.10	4,085.81	2,484.88	-34.97	2,484.90	1.63	-1.58	0.42
6,524.00	89.80	0.30	4,086.36	2,580.88	-34.54	2,580.89	0.56	0.52	0.21
6,619.00	87.80	0.30	4,088.35	2,675.85	-34.14	2,675.85	2.11	-2.11	0.00
6,715.00	88.20	0.10	4,091.70	2,771.59	-33.81	2,771.79	0.47	0.42	-0.21
6,810.00	88.90	359.90	4,094.11	2,866.56	-33.81	2,866.75	0.77	0.74	-0.21
6,906.00	89.80	369.80	4,095.11	2,962.55	-33.97	2,962.74	1.04	1.04	0.00
7,001.00	90.10	359.80	4,095.11	3,057.55	-34.39	3,057.74	0.38	0.21	-0.32
7,097.00	90.60	359.60	4,094.53	3,153.55	-35.06	3,153.74	0.52	0.52	0.00
7,192.00	90.80	359.20	4,093.37	3,249.53	-36.05	3,249.73	0.47	0.21	-0.42
7,288.00	91.50	359.00	4,091.44	3,344.50	-37.56	3,344.71	0.76	0.73	-0.21
7,383.00	90.00	359.40	4,090.20	3,439.48	-38.89	3,439.70	1.83	-1.58	0.42
7,479.00	87.80	359.70	4,091.55	3,535.46	-39.64	3,535.67	2.21	-2.19	0.31
7,574.00	88.30	359.40	4,095.10	3,630.40	-40.39	3,630.62	0.53	0.42	-0.32
7,670.00	89.10	359.40	4,097.28	3,726.37	-41.39	3,726.60	0.83	0.83	0.00
7,765.00	89.90	359.40	4,098.11	3,821.38	-42.39	3,821.59	0.84	0.84	0.00
7,861.00	90.50	359.40	4,097.78	3,917.35	-43.39	3,917.69	0.63	0.63	0.00
7,956.00	91.10	359.00	4,096.45	4,012.34	-44.72	4,012.56	0.76	0.63	-0.42
8,052.00	90.50	359.70	4,095.11	4,108.32	-45.81	4,108.57	0.96	-0.63	0.73
8,147.00	91.30	359.60	4,093.62	4,203.30	-46.39	4,203.56	0.85	0.84	-0.11
8,243.00	89.50	359.70	4,092.95	4,299.30	-46.97	4,299.55	1.88	-1.89	0.10
8,338.00	87.80	359.80	4,095.19	4,394.27	-47.30	4,394.52	1.80	-1.79	0.21
8,434.00	88.40	359.60	4,098.37	4,490.21	-47.72	4,490.46	0.70	0.63	-0.31
8,530.00	88.60	359.20	4,100.86	4,586.17	-48.73	4,586.43	0.47	0.21	-0.42
8,624.37	90.09	359.00	4,101.96	4,680.53	-50.21	4,680.79	1.59	1.56	-0.21
PBHL (Blue Moon State #1H)									
8,625.00	90.10	359.00	4,101.96	4,681.15	-50.22	4,681.42	1.59	1.56	-0.21
8,669.00	90.70	359.00	4,101.65	4,725.14	-50.99	4,725.42	1.35	1.35	0.00

7/12/2019 12:04:44PM

Page 4

COMPASS 5000.15 Build 91

LEAM Drilling Systems

Survey Report

Company:	Regeneration Energy Corporation	Local Co-ordinate Reference:	Well #1H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3251' + KB 28' @ 3279.00usft (Bison Rig 15)
Site:	Blue Moon State	M/D Reference:	GE 3251' + KB 28' @ 3279.00usft (Bison Rig 16)
Well:	#1H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	LEAM Multi_User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Bulld Rate (°/100usft)	Turn Rate (°/100usft)
8,724.00	90.70	359.00	4,100.98	4,780.13	-61.95	4,780.41	0.00	0.00	0.00
BHL									

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
8,724.00	4,100.98	4,780.13	-61.95	BHL

Checked By: _____ Approved By: _____ Date: _____

Regeneration Energy Corporation

Eddy County, NM (NAD 83 NME)

Blue Moon State

#1H

ST01

Design: ST01

Survey Report - Geographic

12 July, 2019

LEAM Drilling Systems

Survey Report - Geographic

Company:	Regeneration Energy Corporation	Local Co-ordinate Reference:	Well #1H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3251' + KB 28' @ 3279.00usft (Bison Rlg 15)
Site:	Blue Moon State	M/D Reference:	GE 3251' + KB 28' @ 3279.00usft (Bison Rlg 15)
Well:	#1H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	LEAM Multi_User Db

Project:	Eddy County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site:	Blue Moon State				
Site Position:		Northing:	376,834.30 usft	Latitude:	32° 2' 9.344 N
From:	Map	Easting:	582,194.90 usft	Longitude:	104° 12' 5.324 W
Position Uncertainty:	0.00 usft	Spot Radius:	13-3/16 "	Grid Convergence:	0.07 °

Well:	#1H				
Well Position:	+N/-S	0.00 usft	Northing:	376,834.30 usft	Latitude:
	+E/-W	0.00 usft	Easting:	582,194.90 usft	Longitude:
Position Uncertainty:	0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,251.00 usft

Wellbore:	ST01				
Magnetics:	Model Name	Sample Date	Declination	Dip Angle	Field Strength
	HDGM	8/27/2019	7.20	59.63	47,781.80000000

Design:	ST01				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	1,578.00
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W	Direction	
	(usft)	(usft)	(usft)	(°)	
	0.00	0.00	0.00	359.46	

Survey Program	Date	7/12/2019		
From	To	Survey (Wellbore)	Tool Name	Description
(usft)	(usft)			
134.00	1,578.00	Survey #1 (OH)	LEAM_MWD+HDGM	LEAM MWD + HDGM
1,613.00	8,669.00	Survey #1 (ST01)	LEAM_MWD+HDGM	LEAM MWD + HDGM
8,724.00	8,724.00	Projection (ST01)	Projection	Projection

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	376,834.30	582,194.90	32° 2' 9.344 N	104° 12' 5.324 W
SHL (Blue Moon State #1H)									
134.00	1.10	308.80	133.99	0.81	-1.00	376,835.10	582,193.80	32° 2' 9.352 N	104° 12' 5.335 W
314.00	1.10	282.60	313.86	2.27	-4.04	376,836.55	582,190.87	32° 2' 9.367 N	104° 12' 5.371 W
436.00	0.90	289.40	435.94	2.84	-8.08	376,837.14	582,188.82	32° 2' 9.372 N	104° 12' 5.394 W
626.00	0.40	293.80	625.93	3.80	-8.10	376,837.90	582,188.81	32° 2' 9.380 N	104° 12' 5.418 W
815.00	0.70	302.40	814.92	4.49	-9.67	376,838.79	582,185.23	32° 2' 9.389 N	104° 12' 5.436 W
1,006.00	0.60	293.10	1,005.81	5.50	-11.58	376,839.00	582,183.32	32° 2' 9.399 N	104° 12' 5.458 W
1,197.00	0.70	294.60	1,196.90	5.79	-13.66	376,840.09	582,181.24	32° 2' 9.402 N	104° 12' 5.482 W
1,387.00	0.60	276.40	1,386.88	5.79	-15.80	376,840.09	582,179.10	32° 2' 9.402 N	104° 12' 5.507 W

LEAM Drilling Systems Survey Report - Geographic

Company: Regeneration Energy Corporation
Project: Eddy County, NM (NAD 83 NME)
Site: Blue Moon State
Well: #1H
Wellbore: ST01
Design: ST01

Local Co-ordinate Reference: Well #1H
TVD Reference: GE 3251' + KB 28' @ 3279.00usft (Bison Rig 15)
MD Reference: GE 3251' + KB 28' @ 3279.00usft (Bison Rig 15)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: LEAM Multi_User Db

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,578.00	0.40	301.80	1,577.88	8.25	-17.37	378,840.55	582,177.54	32° 2' 9.408 N	104° 12' 5.525 W
1,813.00	2.30	167.40	1,812.87	5.83	-17.32	378,838.83	582,177.69	32° 2' 8.400 N	104° 12' 5.525 W
1,844.00	3.50	188.80	1,843.83	4.10	-16.96	378,838.40	582,177.84	32° 2' 9.385 N	104° 12' 5.521 W
1,739.00	8.30	158.00	1,738.30	-5.08	-13.72	378,829.22	582,181.18	32° 2' 9.294 N	104° 12' 5.483 W
1,834.00	10.40	180.10	1,832.03	-19.81	-8.23	378,814.79	582,186.67	32° 2' 8.151 N	104° 12' 5.420 W
1,929.00	14.40	154.40	1,924.80	-39.23	-0.21	378,798.07	582,194.70	32° 2' 8.986 N	104° 12' 5.327 W
2,040.00	13.00	181.10	2,032.85	-62.49	9.80	378,771.81	582,204.71	32° 2' 8.726 N	104° 12' 5.211 W
2,138.00	9.80	185.80	2,128.77	-80.01	16.66	378,754.28	582,211.49	32° 2' 8.552 N	104° 12' 5.132 W
2,231.00	8.80	185.30	2,220.41	-94.58	23.21	378,739.71	582,218.11	32° 2' 8.408 N	104° 12' 5.055 W
2,327.00	7.40	181.30	2,315.33	-107.43	29.59	378,726.87	582,224.50	32° 2' 8.281 N	104° 12' 4.981 W
2,422.00	5.60	123.10	2,409.72	-115.42	38.88	378,718.88	582,231.48	32° 2' 8.201 N	104° 12' 4.901 W
2,517.00	5.50	116.10	2,504.26	-120.05	44.87	378,714.28	582,239.57	32° 2' 8.168 N	104° 12' 4.808 W
2,612.00	2.30	113.60	2,599.03	-122.81	50.50	378,711.49	582,245.41	32° 2' 8.128 N	104° 12' 4.739 W
2,708.00	2.00	106.40	2,694.86	-124.05	53.88	378,710.25	582,249.78	32° 2' 8.116 N	104° 12' 4.700 W
2,803.00	1.80	100.90	2,789.91	-124.80	58.93	378,709.50	582,251.84	32° 2' 8.108 N	104° 12' 4.684 W
2,899.00	1.50	87.80	2,885.87	-126.03	59.87	378,709.27	582,254.67	32° 2' 8.106 N	104° 12' 4.632 W
2,994.00	3.10	0.80	2,980.81	-122.41	60.95	378,711.89	582,258.85	32° 2' 8.132 N	104° 12' 4.617 W
3,090.00	3.80	343.60	3,078.85	-119.92	60.13	378,717.38	582,265.04	32° 2' 8.188 N	104° 12' 4.627 W
3,185.00	4.70	349.80	3,171.40	-110.23	58.69	378,724.07	582,263.49	32° 2' 8.263 N	104° 12' 4.845 W
3,281.00	5.50	7.30	3,267.02	-101.80	58.48	378,732.80	582,263.37	32° 2' 8.398 N	104° 12' 4.546 W
3,378.00	4.10	358.40	3,361.69	-93.89	58.93	378,740.41	582,263.73	32° 2' 8.414 N	104° 12' 4.542 W
3,504.00	1.10	340.80	3,489.54	-88.16	58.14	378,746.13	582,263.04	32° 2' 8.471 N	104° 12' 4.650 W
3,587.00	4.70	349.60	3,562.45	-85.05	57.47	378,749.25	582,262.37	32° 2' 8.502 N	104° 12' 4.657 W
3,683.00	15.00	353.80	3,648.91	-89.79	65.37	378,765.50	582,250.27	32° 2' 8.883 N	104° 12' 4.881 W
3,711.00	20.80	357.30	3,692.67	-84.10	54.28	378,780.20	582,249.18	32° 2' 8.808 N	104° 12' 4.594 W
3,758.00	24.40	367.50	3,735.95	-38.08	53.45	378,798.24	582,248.38	32° 2' 8.887 N	104° 12' 4.703 W
3,826.00	31.40	365.00	3,795.02	-4.34	51.30	378,829.86	582,246.20	32° 2' 9.301 N	104° 12' 4.728 W
3,854.00	32.90	354.30	3,819.72	10.50	49.31	378,844.80	582,244.81	32° 2' 9.447 N	104° 12' 4.744 W
3,902.00	37.20	354.50	3,869.01	37.93	47.22	378,972.23	582,242.13	32° 2' 9.719 N	104° 12' 4.775 W
3,949.00	42.60	364.80	3,895.05	67.83	44.42	378,902.23	582,239.32	32° 2' 10.018 N	104° 12' 4.807 W
3,997.00	48.40	353.20	3,929.28	101.38	40.88	378,935.68	582,235.79	32° 2' 10.347 N	104° 12' 4.847 W
4,044.00	51.80	351.30	3,960.04	136.58	36.07	378,970.86	582,230.98	32° 2' 10.695 N	104° 12' 4.903 W
4,092.00	55.70	349.40	3,988.42	174.71	29.57	377,009.01	582,224.47	32° 2' 11.073 N	104° 12' 4.978 W
4,140.00	59.60	348.50	4,014.10	214.80	21.79	377,048.80	582,216.70	32° 2' 11.487 N	104° 12' 5.087 W
4,188.00	64.70	351.70	4,036.52	256.29	14.53	377,090.59	582,208.43	32° 2' 11.890 N	104° 12' 5.151 W
4,235.00	70.80	357.30	4,054.32	298.65	10.41	377,133.86	582,205.31	32° 2' 12.308 N	104° 12' 5.199 W
4,331.00	74.40	358.50	4,083.03	391.08	7.06	377,225.38	582,201.96	32° 2' 13.214 N	104° 12' 5.235 W
4,379.00	77.80	358.30	4,094.84	437.53	6.76	377,271.93	582,200.86	32° 2' 13.675 N	104° 12' 5.251 W
4,426.00	84.70	357.10	4,101.87	484.01	3.89	377,318.30	582,198.80	32° 2' 14.134 N	104° 12' 5.272 W
4,519.00	91.50	357.80	4,104.85	578.81	-0.24	377,411.11	582,194.88	32° 2' 15.052 N	104° 12' 5.318 W
4,615.00	92.80	357.60	4,101.60	672.67	-4.09	377,508.97	582,190.81	32° 2' 16.001 N	104° 12' 5.362 W
4,710.00	93.20	357.50	4,098.87	767.47	-8.14	377,601.76	582,186.76	32° 2' 16.939 N	104° 12' 5.407 W
4,808.00	92.40	358.30	4,092.18	863.28	-11.66	377,697.58	582,183.24	32° 2' 17.588 N	104° 12' 5.447 W
4,901.00	90.90	358.30	4,089.45	958.20	-14.48	377,782.50	582,180.43	32° 2' 18.827 N	104° 12' 5.478 W
4,997.00	91.60	358.30	4,087.35	1,054.14	-17.32	377,888.43	582,177.58	32° 2' 19.776 N	104° 12' 5.510 W
5,092.00	90.70	358.50	4,085.45	1,149.08	-19.97	377,883.38	582,174.83	32° 2' 20.716 N	104° 12' 5.539 W
5,187.00	90.70	358.50	4,084.29	1,244.04	-22.46	378,078.34	582,172.44	32° 2' 21.856 N	104° 12' 5.567 W
5,283.00	90.80	358.50	4,082.95	1,340.00	-24.97	378,174.29	582,169.93	32° 2' 22.606 N	104° 12' 5.595 W
5,379.00	90.70	358.00	4,081.61	1,435.94	-27.91	378,270.24	582,167.00	32° 2' 23.655 N	104° 12' 5.628 W
5,474.00	91.40	357.80	4,080.11	1,530.88	-31.55	378,365.16	582,163.35	32° 2' 24.494 N	104° 12' 5.689 W
5,570.00	90.40	359.00	4,078.86	1,626.81	-34.40	378,461.10	582,160.50	32° 2' 25.444 N	104° 12' 5.700 W
5,665.00	90.70	359.20	4,077.95	1,721.79	-35.80	378,558.09	582,158.01	32° 2' 26.384 N	104° 12' 5.716 W
5,760.00	88.80	0.60	4,078.39	1,816.78	-38.06	378,651.08	582,156.85	32° 2' 27.324 N	104° 12' 5.717 W
5,856.00	88.80	0.60	4,080.29	1,912.78	-35.05	378,747.06	582,159.85	32° 2' 28.274 N	104° 12' 5.704 W
5,951.00	88.90	369.90	4,082.81	2,007.73	-34.64	378,842.03	582,160.27	32° 2' 29.214 N	104° 12' 5.698 W

7/12/2019 12:04:25PM

Page 3

COMPASS 5000.15 Build 91

LEAM Drilling Systems

Survey Report - Geographic


Company:	Regeneration Energy Corporation	Local Co-ordinate Reference:	Well #1H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	GE 3251' + KB 28' @ 3279.00usft (Bison Rig 15)
Site:	Blue Moon State	MD Reference:	GE 3251' + KB 28' @ 3279.00usft (Bison Rig 15)
Well:	#1H	North Reference:	Grid
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	LEAM Multi_User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N-S (usft)	+E-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,047.00	88.80	0.10	4,066.04	2,103.70	-34.84	379,937.99	582,180.27	32° 2' 30.163 N	104° 12' 5.898 W
6,142.00	89.70	0.10	4,066.28	2,198.69	-34.47	379,032.99	582,180.43	32° 2' 31.103 N	104° 12' 5.883 W
6,237.00	90.10	359.93	4,066.45	2,293.69	-34.47	379,127.96	582,180.43	32° 2' 32.044 N	104° 12' 5.892 W
6,333.00	90.80	359.70	4,065.69	2,389.68	-34.81	379,223.98	582,160.10	32° 2' 32.994 N	104° 12' 5.894 W
6,428.00	89.30	0.10	4,065.81	2,484.68	-34.97	379,318.96	582,159.93	32° 2' 33.934 N	104° 12' 5.895 W
6,524.00	89.60	0.30	4,066.39	2,580.68	-34.84	379,414.97	582,160.27	32° 2' 34.894 N	104° 12' 5.890 W
6,619.00	87.60	0.30	4,068.35	2,675.65	-34.14	379,509.95	582,160.78	32° 2' 35.824 N	104° 12' 5.882 W
6,715.00	88.20	0.10	4,061.70	2,771.59	-33.81	379,605.99	582,161.10	32° 2' 36.773 N	104° 12' 5.877 W
6,810.00	88.90	359.90	4,066.58	2,866.58	-33.81	379,700.86	582,161.10	32° 2' 37.713 N	104° 12' 5.878 W
6,906.00	89.90	359.80	4,065.11	2,962.55	-33.97	379,796.85	582,160.93	32° 2' 38.663 N	104° 12' 5.876 W
7,001.00	90.10	359.60	4,065.11	3,067.65	-34.39	379,891.85	582,160.52	32° 2' 39.603 N	104° 12' 5.880 W
7,097.00	90.60	359.60	4,064.53	3,163.55	-35.06	379,987.84	582,159.85	32° 2' 40.653 N	104° 12' 5.888 W
7,192.00	90.80	359.20	4,063.37	3,248.53	-36.05	380,082.83	582,158.86	32° 2' 41.493 N	104° 12' 5.897 W
7,288.00	91.60	359.00	4,061.44	3,344.50	-37.66	380,178.80	582,157.34	32° 2' 42.443 N	104° 12' 5.713 W
7,383.00	90.00	359.40	4,060.20	3,439.48	-38.89	380,273.76	582,156.02	32° 2' 43.383 N	104° 12' 5.727 W
7,479.00	87.80	359.70	4,061.95	3,535.46	-39.84	380,369.76	582,155.26	32° 2' 44.333 N	104° 12' 5.734 W
7,574.00	86.30	359.40	4,065.10	3,630.40	-40.39	380,464.70	582,154.52	32° 2' 45.272 N	104° 12' 5.741 W
7,670.00	86.10	359.40	4,067.28	3,726.37	-41.89	380,560.67	582,153.51	32° 2' 46.222 N	104° 12' 5.752 W
7,765.00	89.90	359.40	4,068.11	3,821.38	-42.99	380,656.66	582,162.52	32° 2' 47.162 N	104° 12' 5.762 W
7,861.00	90.60	359.40	4,067.78	3,917.35	-43.89	380,751.65	582,151.51	32° 2' 48.112 N	104° 12' 5.772 W
7,956.00	91.10	359.00	4,066.45	4,012.34	-44.72	380,846.63	582,150.19	32° 2' 49.082 N	104° 12' 5.786 W
8,052.00	90.60	359.70	4,065.11	4,108.32	-45.81	380,942.62	582,149.10	32° 2' 50.002 N	104° 12' 5.798 W
8,147.00	91.30	359.60	4,063.82	4,203.30	-46.39	381,037.60	582,148.52	32° 2' 50.942 N	104° 12' 5.803 W
8,243.00	89.60	359.70	4,062.99	4,299.30	-46.97	381,133.59	582,147.93	32° 2' 51.892 N	104° 12' 5.808 W
8,338.00	87.60	359.90	4,065.19	4,394.27	-47.30	381,228.56	582,147.60	32° 2' 52.832 N	104° 12' 5.811 W
8,434.00	88.40	359.80	4,068.37	4,490.21	-47.72	381,324.51	582,147.18	32° 2' 53.781 N	104° 12' 5.815 W
8,530.00	88.60	359.20	4,100.88	4,588.17	-48.79	381,420.47	582,146.18	32° 2' 54.731 N	104° 12' 5.825 W
8,624.37	90.09	359.00	4,101.95	4,680.53	-50.21	381,514.83	582,144.69	32° 2' 55.665 N	104° 12' 5.841 W
PBHL (Blue Moon State #1H)									
8,625.00	90.10	359.00	4,101.95	4,681.15	-50.22	381,515.45	582,144.68	32° 2' 55.871 N	104° 12' 5.841 W
8,689.00	90.70	359.00	4,101.65	4,725.14	-50.99	381,559.44	582,143.92	32° 2' 56.108 N	104° 12' 5.849 W
8,724.00	90.70	359.00	4,100.98	4,780.13	-51.95	381,614.43	582,142.96	32° 2' 56.850 N	104° 12' 5.859 W
BHL									

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N-S (usft)	+E-W (usft)	
8,724.00	4,100.98	4,780.13	-51.95	BHL

Checked By: _____ Approved By: _____ Date: _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 Revised April 3, 2017	
		1. WELL API NO. 30-015-46055		2. Type of Lease ☒ STATE ☐ FBE ☐ FED/INDIAN	
		3. State Oil & Gas Lease No.		5. Lease Name or Unit Agreement Name Blue Moon State Unit	
				6. Well Number: #1H	
WELL COMPLETION OR RECOMPLETION REPORT AND LOG					
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)					
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER					
8. Name of Operator Regeneration Energy Corp.				9. OGRID 280240	
10. Address of Operator PO Box 210 Artesia NM 88210				11. Pool name or Wildcat Welch, Delaware	
12. Location	Unit Ltr	Section	Township	Range	Lot
Surface:	M	16	26S	27E	310
BH:	D	16	26S	27E	455
13. Date Spudded 6/20/2019	14. Date T.D. Reached 7/10/2019	15. Date Rig Released 7/11/2019	16. Date Completed (Ready to Produce) 12/15/2020		17. Elevations (DF and RKB, RT, GR, etc.) 3251 GL
18. Total Measured Depth of Well 8724		19. Plug Back Measured Depth 8680		20. Was Directional Survey Made? yes	21. Type Electric and Other Logs Run none
22. Producing Interval(s), of this completion - Top, Bottom, Name					
23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9.625	40#	2062	12.25	683	0
7	26#	3700	8.75	630	0
5.5	17#	8754	8.75	1565	0
24. LINER RECORD					
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	
25. TUBING RECORD					
SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 4900-7960 500 shots			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 4900-7960 1275130 30/50 sand		
28. PRODUCTION					
Date First Production 12/16/2020		Production Method (Flowing, gas lift, pumping - Size and type pump)		Well Status (Prod. or Shut-In)	
Date of Test 12/15/2020	Hours Tested 24	Choke Size 24/64	Prod'n For Test Period	Oil - Bbl 1	Gas - MCF 0
Flow Tubing Press. 250#	Casing Pressure 130#	Calculated 24-Hour Rate	Oil - Bbl 1	Gas - MCF 0	Water - Bbl 1312
29. Disposition of Gas (Solid, used for fuel, vented, etc.)		30. Test Witnessed By Dean Cleaner			
31. List Attachments Directional Survey					
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.				33. Rig Release Date:	
34. If an on-site burial was used at the well, report the exact location of the on-site burial:					
Latitude		Longitude		NAD83	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief					
Signature	Printed Name		Title		Date
	William Miller		Landman		4/23/2021
E-mail Address wmliller@pwr.net					

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy		T. Ojo Alamo	T. Penn. A"
T. Salt	440	T. Kirtland	T. Penn. "B"
B. Salt	2092	T. Fruitland	T. Penn. "C"
T. Yates		T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers		T. Cliff House	T. Leadville
T. Queen		T. Menefee	T. Madison
T. Grayburg		T. Point Lookout	T. Elbert
T. San Andres		T. Mancos	T. McCracken
T. Glorieta		T. Gallup	T. Ignacio Otzte
T. Paddock		Base Greenhorn	T. Granite
T. Blinebry		T. Dakota	
T. Tubb		T. Morrison	
T. Drinkard		T. Todilto	
T. Abo		T. Entrada	
T. Wolfcamp		T. Wingate	
T. Penn.		T. Chinle	
T. Cisco (Bough C)		T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.
No. 2, from.....to.....feet.
No. 3, from.....to.....feet.

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 30850

ACKNOWLEDGMENTS

Operator: REGENERATION ENERGY, CORPORATION P.O. Box 210 Artesia, NM 88210	OGRID: 280240
	Action Number: 30850
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 30850

CONDITIONS

Operator: REGENERATION ENERGY, CORPORATION P.O. Box 210 Artesia, NM 88210	OGRID: 280240
	Action Number: 30850
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ahvermersch	None	7/6/2021