

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 373075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-47076	⁵ Pool Name WILD CAT: BONE SPRING	⁶ Pool Code 97905
⁷ Property Code 328259	⁸ Property Name JAMES RANCH UNIT DI 1A ENNIS	⁹ Well Number 805H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
G	21	22S	30E		1608	North	2545	East	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	23	22S	30E		343	South	2624	West	Eddy
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				
F	F								

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373075	XTO Permian Operating, LLC 6401 Holiday Hill Rd bldg 5 Midland, TX 79707	O/G/W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBDT	²⁵ Perforations	²⁶ DHC, MC
7/12/2020	3/11/2021	20702 MD 10259 TVD	20690 MD 10259 TVD	11415 - 20544	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
20.0	16.0	545	1490		
14.75	11.75	3385	1760		
10.625	8.625	10445	1785		
7.875	5.5/ 2.875	20692 10533	2025		

V. Well Test Data

³¹ Date New Oil 3/12/2021	³² Gas Delivery Date 3/19/2021	³³ Test Date 3/19/2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 654	³⁶ Csg. Pressure 632
³⁷ Choke Size	³⁸ Oil 2700	³⁹ Water 4220	⁴⁰ Gas 4711		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Cassie Evans</i>			OIL CONSERVATION DIVISION		
Printed name: Cassie Evans			Approved by: KURT SIMMONS		
Title: Regulatory Analyst			Title: NMOCD, SANTA FE		
E-mail Address: cassie.evans@exxonmobil.com			Approval Date: 07/20/2021		
Date: 05/09/21	Phone: 4322153671				

District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

AS-DRILLED PLAT

¹ API Number 30-015-47076	² Pool Code 97905	³ Pool Name WILDCAT G-07 S223021G; BONE SPRING
⁴ Property Code 328259	⁵ Property Name JAMES RANCH UNIT DI 1A ENNIS	⁶ Well Number 805H
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC.	⁹ Elevation 3,160'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	21	22S	30E		1,608	NORTH	2,545	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	23	22S	30E		343	SOUTH	2,624	WEST	EDDY

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Cassie Evans

04/20/21

Signature

Date

Cassie Evans

Printed Name

cassie.evans@exxonmobil.com

E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

4-19-2021

Date of Survey

Signature and Seal of Professional Surveyor:

MARK DILLON HARP 23786

Certificate Number

JC

2020030737



Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



MWD SURVEY CERTIFICATION
LEGACY DIRECTIONAL DRILLING, LLC.

State of NEW MEXICO

County of Eddy

I, Brandon Cox certify that; I am employed by Legacy Directional Drilling, LLC.;

that I did on the day(s) of July 12, 2020 through August 5, 2020 conduct or supervise

the taking of a MWD survey from a depth of 156 Feet to a depth of 20702 Feet;

that the data is true, correct, complete and within the limitations of the tool set forth by

Legacy Directional Drilling, LLC.; that I am authorized and qualified to make this report; that this survey was

conducted at the request of XTO PERMIAN OPERATING, LLC for the

James Ranch Unit DI 1A Ennis 805H Well, A.P.I No. 30-015-47076 in

Los Medanos; Wolfcamp Field and that I have reviewed this report and find that it conforms

to the principles and procedures set forth by Legacy Directional Drilling, LLC.

Brandon Cox

Surveyor's Signature

MWD Field Operator

Title

Zach Lofties

Supervisor's Signature

Zach Lofties

Printed Name

MWD Coordinator

Title



LEGACY DIRECTIONAL DRILLING, LLC. MWD SURVEY DATA CERTIFICATION

OPERATOR:	XTO PERMIAN OPERATING, LLC	JOB NUMBER:	HU200104
-----------	----------------------------	-------------	----------

WELL NAME:	JAMES RANCH UNIT DI 1A ENNIS 805H	COUNTY & STATE:	EDDY Co., NM
------------	-----------------------------------	-----------------	--------------

FIELD:	LOS MEDANOS; WOLFCAMP	API NUMBER:	30-015-47076
--------	-----------------------	-------------	--------------

TIE-IN DATA							
DEPTH (FT)	INC (°)	AZM (°)	TVD (FT)	N/S (FT)	E/W (FT)	PROPOSED DIRECTION	DATA SOURCE
0	0	0	0	0	0	89.89	Surface

FIRST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
12-Jul-2020	156	0.93	338.32

SURVEY INSTRUMENT TYPE:	Legacy MWD
TOTAL CORRECTION USED:	6.781
NORTH REFERENCE:	GRID

LAST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
05-Aug-2020	20622	90	90.8

TO THE BEST OF MY KNOWLEDGE I CERTIFY THIS SURVEY DATA TO BE
TRUE AND CORRECT

PROJECTION TO TD			
DATE	DEPTH (FT)	INC (°)	AZM (°)
05-Aug-2020	20702	90	90.8

Brandon Cox

Print Name

MWD OPERATOR(S) PERFORMING SURVEYS:

MANUEL SILIEZAR

BRANDON COX

Brandon Cox

Signature

August 5, 2020

Today's Date



Directional Survey Report

Company Name: XTO PERMIAN OPERATING, LLC
 Well Name: JAMES RANCH UNIT DI 1A ENNIS 805H
 Field: LOS MEDANOS; WOLFCAMP
 Rig ID: NABORS X50

State/Prov: NM
 County: Eddy
 Location: SEC 21 / T 22S / R 30E
 API/UWI: 30-015-47076

Survey Company: Legacy Directional
 Job Number: HU200104
 Latitude: 32° 22' 49.48" N
 Longitude: 103° 53' 8.286" W

Proposed Azimuth: 89.89°
 Declination: 6.781°
 North Reference: GRID
 KB: 3192.99 FT

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
Tie-In	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.89	0
1	156	0.93	338.32	155.99	1.18	-0.47	-0.47	0.60	156.00	1.27	338.32	102.3
2	217	1.09	17.23	216.98	2.19	-0.48	-0.47	1.13	61.00	2.24	347.67	102.3
3	309	1.30	11.37	308.96	4.05	-0.01	-0.01	0.26	92.00	4.05	359.81	
4	402	0.66	30.15	401.95	5.55	0.46	0.47	0.76	93.00	5.57	4.77	95.0
5	489	0.65	346.28	488.95	6.46	0.60	0.61	0.56	87.00	6.49	5.29	87.7
6	615	0.35	328.06	614.94	7.48	0.22	0.24	0.27	126.00	7.48	1.72	102.3
7	706	0.16	277.88	705.94	7.73	-0.05	-0.03	0.30	91.00	7.73	359.64	102.3
8	799	0.15	172.61	798.94	7.63	-0.16	-0.15	0.27	93.00	7.63	358.79	102.3
9	892	0.18	149.48	891.94	7.38	-0.07	-0.06	0.08	93.00	7.38	359.45	109.6
10	982	0.30	264.40	981.94	7.24	-0.23	-0.22	0.46	90.00	7.24	358.15	109.6
11	1073	0.34	180.48	1072.94	6.95	-0.47	-0.46	0.47	91.00	6.96	356.10	109.6
12	1164	0.49	230.41	1163.94	6.43	-0.78	-0.76	0.41	91.00	6.48	353.12	116.9
13	1257	0.60	211.97	1256.93	5.76	-1.34	-1.33	0.22	93.00	5.92	346.91	116.9
14	1348	0.63	173.91	1347.93	4.86	-1.54	-1.53	0.44	91.00	5.10	342.43	116.9
15	1441	0.86	186.48	1440.92	3.66	-1.56	-1.56	0.30	93.00	3.98	336.86	116.9
16	1536	0.57	191.44	1535.91	2.49	-1.74	-1.73	0.31	95.00	3.03	325.06	116.9
17	1630	0.75	177.93	1629.90	1.41	-1.81	-1.81	0.25	94.00	2.30	308.02	116.9
18	1724	1.24	187.12	1723.89	-0.21	-1.91	-1.91	0.55	94.00	1.92	263.72	116.9
19	1816	0.77	194.83	1815.88	-1.80	-2.19	-2.20	0.53	92.00	2.83	230.70	124.1
20	1911	0.61	211.00	1910.87	-2.85	-2.62	-2.62	0.26	95.00	3.87	222.60	116.9
21	2005	0.87	185.72	2004.86	-3.99	-2.95	-2.95	0.44	94.00	4.96	216.48	124.1
22	2099	0.97	213.36	2098.85	-5.36	-3.45	-3.47	0.48	94.00	6.38	212.81	124.1
23	2194	1.15	196.78	2193.83	-6.94	-4.17	-4.19	0.37	95.00	8.10	211.00	124.1
24	2288	1.03	210.20	2287.82	-8.58	-4.87	-4.89	0.30	94.00	9.86	209.58	131.4
25	2382	1.05	202.03	2381.80	-10.11	-5.62	-5.64	0.16	94.00	11.56	209.07	131.4
26	2476	0.59	220.51	2475.79	-11.27	-6.26	-6.28	0.56	94.00	12.89	209.03	131.4
27	2571	0.52	197.65	2570.79	-12.06	-6.70	-6.73	0.24	95.00	13.79	209.08	131.4
28	2665	0.54	185.16	2664.78	-12.90	-6.87	-6.90	0.12	94.00	14.62	208.04	131.4
29	2759	1.28	160.06	2758.77	-14.33	-6.55	-6.58	0.88	94.00	15.76	204.58	131.4
30	2854	1.69	144.01	2853.74	-16.46	-5.37	-5.40	0.61	95.00	17.32	198.06	131.4
31	2948	1.74	140.52	2947.70	-18.68	-3.65	-3.68	0.12	94.00	19.04	191.05	131.4
32	3042	2.38	146.14	3041.64	-21.41	-1.65	-1.69	0.71	94.00	21.47	184.41	131.4
33	3136	2.75	143.05	3135.54	-24.83	0.79	0.74	0.42	94.00	24.84	178.18	131.4

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
34	3230	3.00	141.22	3229.42	-28.55	3.69	3.63	0.28	94.00	28.79	172.64	131.4
35	3303	3.19	140.85	3302.32	-31.61	6.17	6.10	0.26	73.00	32.21	168.96	131.4
36	3419	3.20	140.13	3418.14	-36.60	10.28	10.21	0.04	116.00	38.02	164.31	131.4
37	3513	4.05	150.32	3511.95	-41.50	13.60	13.52	1.13	94.00	43.67	161.85	131.4
38	3607	5.29	156.33	3605.64	-48.35	16.99	16.89	1.42	94.00	51.25	160.64	131.4
39	3702	6.48	159.83	3700.13	-57.40	20.59	20.48	1.31	95.00	60.98	160.26	102.3
40	3796	7.78	167.48	3793.41	-68.59	23.80	23.67	1.71	94.00	72.60	160.86	109.6
41	3890	9.04	168.75	3886.39	-82.04	26.62	26.47	1.35	94.00	86.25	162.02	109.6
42	3984	9.57	170.13	3979.16	-96.98	29.40	29.22	0.61	94.00	101.34	163.13	109.6
43	4077	11.25	170.56	4070.62	-113.55	32.22	32.00	1.81	93.00	118.03	164.16	109.6
44	4172	12.56	171.83	4163.58	-132.92	35.20	34.95	1.41	95.00	137.50	165.17	109.6
45	4266	12.83	171.11	4255.28	-153.34	38.27	37.97	0.33	94.00	158.05	165.99	109.6
46	4361	13.40	170.69	4347.80	-174.63	41.68	41.34	0.61	95.00	179.53	166.58	116.9
47	4455	14.80	170.11	4438.97	-197.21	45.50	45.13	1.50	94.00	202.39	167.01	116.9
48	4549	16.09	168.57	4529.57	-221.80	50.15	49.72	1.44	94.00	227.40	167.26	116.9
49	4642	16.75	168.89	4618.78	-247.58	55.28	54.81	0.72	93.00	253.68	167.41	116.9
50	4735	17.99	168.27	4707.53	-274.80	60.79	60.26	1.35	93.00	281.44	167.53	116.9
51	4830	19.39	167.22	4797.52	-304.54	67.26	66.67	1.52	95.00	311.88	167.55	116.9
52	4924	20.10	166.54	4886.00	-335.47	74.47	73.83	0.79	94.00	343.63	167.48	116.9
53	5018	21.47	166.46	4973.88	-367.90	82.26	81.55	1.46	94.00	376.99	167.40	116.9
54	5112	23.40	167.85	5060.76	-402.88	90.21	89.44	2.13	94.00	412.85	167.38	116.9
55	5205	25.29	168.96	5145.49	-440.43	97.91	97.06	2.09	93.00	451.18	167.47	116.9
56	5300	26.66	168.57	5230.89	-481.24	106.02	105.09	1.45	95.00	492.78	167.58	116.9
57	5394	27.88	169.28	5314.44	-523.51	114.28	113.28	1.34	94.00	535.84	167.69	124.1
58	5488	29.70	169.86	5396.82	-568.03	122.47	121.38	1.96	94.00	581.08	167.83	124.1
59	5583	30.96	169.78	5478.81	-615.25	130.95	129.77	1.33	95.00	629.03	167.98	124.1
60	5678	32.29	169.46	5559.70	-664.24	139.93	138.65	1.41	95.00	678.82	168.10	124.1
61	5772	33.73	168.89	5638.53	-714.54	149.55	148.18	1.57	94.00	730.02	168.18	124.1
62	5866	33.68	168.67	5716.73	-765.70	159.70	158.23	0.14	94.00	782.18	168.22	124.1
63	5960	33.21	168.93	5795.16	-816.52	169.76	168.20	0.52	94.00	833.98	168.25	124.1
64	6054	31.88	168.22	5874.40	-866.09	179.77	178.11	1.47	94.00	884.55	168.27	124.1
65	6149	30.01	168.32	5955.87	-913.92	189.71	187.95	1.97	95.00	933.40	168.27	124.1
66	6243	30.35	167.69	6037.13	-960.14	199.53	197.68	0.49	94.00	980.65	168.26	131.4
67	6338	30.97	167.41	6118.85	-1007.44	209.97	208.04	0.67	95.00	1029.09	168.23	131.4
68	6432	31.65	167.89	6199.16	-1055.16	220.42	218.39	0.77	94.00	1077.94	168.20	131.4
69	6526	31.27	167.70	6279.34	-1103.11	230.79	228.67	0.42	94.00	1127.00	168.18	131.4
70	6621	30.67	167.17	6360.80	-1150.83	241.42	239.21	0.69	95.00	1175.88	168.15	131.4
71	6714	31.10	167.25	6440.61	-1197.38	251.99	249.69	0.46	93.00	1223.61	168.12	131.4
72	6808	31.79	167.23	6520.81	-1245.21	262.82	260.43	0.73	94.00	1272.64	168.08	131.4

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
73	6902	32.14	167.71	6600.55	-1293.79	273.62	271.13	0.46	94.00	1322.40	168.06	131.4
74	6995	31.75	168.55	6679.47	-1341.94	283.74	281.16	0.64	93.00	1371.61	168.06	131.4
75	7089	32.53	169.02	6759.06	-1390.99	293.46	290.79	0.87	94.00	1421.61	168.09	131.4
76	7184	31.79	169.29	6839.49	-1440.65	302.98	300.21	0.79	95.00	1472.17	168.12	131.4
77	7278	30.07	169.30	6920.12	-1488.13	311.95	309.10	1.83	94.00	1520.47	168.16	131.4
78	7373	29.21	168.50	7002.68	-1534.23	320.99	318.05	1.00	95.00	1567.45	168.18	131.4
79	7466	30.07	168.61	7083.51	-1579.31	330.12	327.09	0.93	93.00	1613.44	168.19	131.4
80	7560	31.02	168.77	7164.47	-1626.15	339.49	336.37	1.01	94.00	1661.21	168.21	131.4
81	7655	30.45	168.83	7246.13	-1673.78	348.92	345.70	0.60	95.00	1709.76	168.22	131.4
82	7749	30.01	168.70	7327.34	-1720.20	358.14	354.84	0.47	94.00	1757.08	168.24	131.4
83	7844	29.74	169.07	7409.72	-1766.63	367.26	363.87	0.34	95.00	1804.40	168.26	131.4
84	7938	29.54	168.38	7491.42	-1812.22	376.35	372.87	0.42	94.00	1850.89	168.27	131.4
85	8032	28.83	167.68	7573.48	-1857.06	385.85	382.29	0.84	94.00	1896.72	168.26	138.7
86	8127	28.62	167.43	7656.79	-1901.65	395.69	392.04	0.25	95.00	1942.38	168.25	138.7
87	8220	28.26	168.74	7738.57	-1944.98	404.84	401.10	0.77	93.00	1986.66	168.24	138.7
88	8315	28.39	168.49	7822.20	-1989.17	413.74	409.92	0.19	95.00	2031.74	168.25	146.0
89	8409	29.07	169.47	7904.62	-2033.52	422.37	418.46	0.88	94.00	2076.92	168.27	146.0
90	8503	29.48	170.81	7986.62	-2078.80	430.24	426.25	0.82	94.00	2122.86	168.31	146.0
91	8597	29.14	169.65	8068.59	-2124.15	438.04	433.96	0.70	94.00	2168.85	168.35	146.0
92	8691	30.87	168.97	8149.99	-2170.34	446.77	442.60	1.88	94.00	2215.84	168.37	146.0
93	8786	31.09	169.11	8231.43	-2218.34	456.07	451.81	0.24	95.00	2264.74	168.38	146.0
94	8880	29.87	168.64	8312.44	-2265.13	465.26	460.91	1.32	94.00	2312.42	168.39	146.0
95	8975	29.03	169.06	8395.17	-2310.95	474.30	469.86	0.91	95.00	2359.12	168.40	146.0
96	9069	32.50	170.41	8475.93	-2358.26	482.84	478.31	3.76	94.00	2407.18	168.43	153.3
97	9163	32.87	170.65	8555.04	-2408.33	491.19	486.56	0.42	94.00	2457.91	168.47	153.3
98	9256	32.09	171.74	8633.50	-2457.68	498.84	494.12	1.05	93.00	2507.80	168.53	153.3
99	9351	29.85	172.36	8714.95	-2506.09	505.61	500.79	2.38	95.00	2556.59	168.59	153.3
100	9445	28.85	173.79	8796.88	-2551.83	511.17	506.27	1.30	94.00	2602.52	168.67	153.3
101	9540	28.22	173.51	8880.34	-2596.93	516.19	511.20	0.68	95.00	2647.73	168.76	153.3
102	9635	28.70	175.00	8963.86	-2641.97	520.71	515.64	0.90	95.00	2692.80	168.85	153.3
103	9729	30.61	171.63	9045.55	-2688.14	526.17	521.00	2.70	94.00	2739.15	168.93	153.3
104	9823	30.73	171.46	9126.40	-2735.57	533.22	527.96	0.16	94.00	2787.05	168.97	153.3
105	9917	30.51	172.37	9207.30	-2782.97	539.95	534.61	0.55	94.00	2834.86	169.02	153.3
106	10011	31.23	169.92	9287.98	-2830.61	547.38	541.95	1.54	94.00	2883.05	169.06	153.3
107	10105	29.61	164.17	9369.06	-2876.96	557.99	552.46	3.54	94.00	2930.57	169.02	153.3
108	10200	28.23	166.34	9452.21	-2921.37	569.70	564.09	1.82	95.00	2976.40	168.97	153.3
109	10294	28.34	167.31	9534.99	-2964.74	579.85	574.15	0.50	94.00	3020.91	168.93	153.3
110	10372	28.14	168.91	9603.70	-3000.86	587.45	581.69	1.00	78.00	3057.81	168.92	153.3
111	10457	26.89	171.87	9679.09	-3039.56	594.03	588.19	2.18	85.00	3097.06	168.94	146.0

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
112	10520	25.61	171.53	9735.59	-3067.13	598.05	592.16	2.05	63.00	3124.89	168.97	153.3
113	10567	28.17	156.85	9777.55	-3087.40	603.91	597.98	15.10	47.00	3145.91	168.93	153.3
114	10614	34.59	143.34	9817.71	-3108.35	616.27	610.30	20.19	47.00	3168.86	168.79	160.6
115	10661	42.03	135.95	9854.58	-3130.41	635.21	629.20	18.57	47.00	3194.20	168.53	160.6
116	10708	46.23	131.66	9888.32	-3153.01	658.84	652.79	10.96	47.00	3221.11	168.20	167.9
117	10755	48.41	127.23	9920.18	-3174.93	685.53	679.43	8.34	47.00	3248.10	167.82	167.9
118	10802	50.72	124.20	9950.67	-3195.80	714.57	708.44	6.94	47.00	3274.71	167.40	167.9
119	10849	52.93	120.94	9979.72	-3215.67	745.71	739.53	7.20	47.00	3301.00	166.94	167.9
120	10897	53.97	116.99	10008.31	-3234.33	779.44	773.23	6.96	48.00	3326.92	166.45	167.9
121	10944	55.56	113.88	10035.43	-3250.80	814.10	807.86	6.38	47.00	3351.19	165.94	167.9
122	10992	57.51	109.45	10061.91	-3265.56	851.31	845.04	8.70	48.00	3374.70	165.39	175.1
123	11039	59.71	106.16	10086.39	-3277.81	889.50	883.21	7.59	47.00	3396.36	164.82	175.1
124	11087	61.80	104.45	10109.84	-3288.86	929.89	923.58	5.35	48.00	3417.79	164.21	175.1
125	11134	63.25	101.86	10131.53	-3298.34	970.49	964.16	5.78	47.00	3438.16	163.60	175.1
126	11181	66.74	100.46	10151.39	-3306.58	1012.28	1005.93	7.90	47.00	3458.06	162.98	175.1
127	11228	70.04	99.35	10168.70	-3314.09	1055.32	1048.95	7.36	47.00	3478.06	162.34	175.1
128	11276	73.75	97.16	10183.62	-3320.63	1100.46	1094.08	8.86	48.00	3498.23	161.66	175.1
129	11323	79.86	95.12	10194.34	-3325.51	1145.93	1139.54	13.67	47.00	3517.41	160.99	175.1
130	11370	83.80	93.17	10201.02	-3328.87	1192.32	1185.93	9.33	47.00	3535.96	160.29	175.1
131	11464	89.66	90.75	10206.38	-3332.07	1286.06	1279.66	6.74	94.00	3571.65	158.90	182.4
132	11558	90.73	90.65	10206.06	-3333.22	1380.06	1373.65	1.14	94.00	3607.62	157.51	182.4
133	11651	91.37	91.33	10204.36	-3334.83	1473.02	1466.62	1.00	93.00	3645.66	156.17	160.6
134	11745	89.89	89.44	10203.32	-3335.46	1567.01	1560.60	2.55	94.00	3685.21	154.84	160.6
135	11839	89.66	89.36	10203.69	-3334.47	1661.00	1654.60	0.26	94.00	3725.27	153.52	167.9
136	11934	89.16	89.07	10204.67	-3333.17	1755.99	1749.59	0.61	95.00	3767.43	152.22	167.9
137	12029	89.72	89.26	10205.60	-3331.79	1850.97	1844.57	0.62	95.00	3811.42	150.95	167.9
138	12123	89.05	89.23	10206.61	-3330.55	1944.96	1938.56	0.71	94.00	3856.87	149.72	167.9
139	12218	89.02	89.43	10208.21	-3329.44	2039.94	2033.54	0.21	95.00	3904.68	148.50	175.1
140	12313	89.05	88.08	10209.81	-3327.37	2134.90	2128.51	1.42	95.00	3953.38	147.32	175.1
141	12407	87.70	86.16	10212.47	-3322.65	2228.74	2222.36	2.50	94.00	4000.91	146.15	175.1
142	12501	87.98	87.34	10216.02	-3317.33	2322.52	2316.15	1.29	94.00	4049.54	145.00	182.4
143	12596	87.90	88.90	10219.43	-3314.21	2417.40	2411.04	1.64	95.00	4102.18	143.89	175.1
144	12690	92.13	93.07	10219.41	-3315.83	2511.35	2504.98	6.32	94.00	4159.52	142.86	182.4
145	12784	91.68	92.90	10216.28	-3320.72	2605.17	2598.79	0.51	94.00	4220.67	141.89	182.4
146	12879	92.30	92.53	10212.98	-3325.22	2700.00	2693.62	0.76	95.00	4283.35	140.92	182.4
147	12973	90.34	91.02	10210.82	-3328.13	2793.93	2787.53	2.63	94.00	4345.40	139.99	182.4
148	13066	89.94	90.66	10210.59	-3329.49	2886.92	2880.52	0.58	93.00	4406.79	139.07	189.7
149	13161	90.08	89.36	10210.57	-3329.51	2981.91	2975.52	1.38	95.00	4469.61	138.15	189.7
150	13255	88.80	89.25	10211.49	-3328.37	3075.90	3069.51	1.37	94.00	4532.02	137.26	189.7

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
151	13350	85.77	87.89	10215.99	-3326.00	3170.75	3164.36	3.50	95.00	4595.21	136.37	189.7
152	13444	87.68	89.30	10221.36	-3323.70	3264.56	3258.18	2.52	94.00	4658.79	135.51	189.7
153	13539	88.66	90.21	10224.40	-3323.30	3359.51	3353.13	1.41	95.00	4725.53	134.69	182.4
154	13634	91.20	91.77	10224.51	-3324.94	3454.49	3448.10	3.14	95.00	4794.65	133.91	189.7
155	13727	92.27	91.32	10221.70	-3327.44	3547.41	3541.01	1.25	93.00	4863.74	133.17	189.7
156	13821	92.91	91.59	10217.45	-3329.83	3641.28	3634.88	0.74	94.00	4934.24	132.44	189.7
157	13916	92.63	90.65	10212.86	-3331.68	3736.15	3729.75	1.03	95.00	5005.89	131.72	189.7
158	14010	87.56	88.81	10212.70	-3331.24	3830.12	3823.71	5.74	94.00	5076.12	131.02	189.7
159	14105	87.31	89.96	10216.95	-3330.22	3925.01	3918.61	1.24	95.00	5147.44	130.31	197.0
160	14198	87.90	89.77	10220.84	-3330.00	4017.93	4011.53	0.67	93.00	5218.49	129.65	197.0
161	14293	89.78	90.24	10222.76	-3330.01	4112.91	4106.51	2.04	95.00	5291.97	129.00	197.0
162	14387	88.04	89.39	10224.55	-3329.71	4206.89	4200.49	2.06	94.00	5365.15	128.36	197.0
163	14481	88.57	89.05	10227.33	-3328.43	4300.84	4294.44	0.67	94.00	5438.35	127.74	204.3
164	14575	89.66	89.15	10228.78	-3326.95	4394.81	4388.42	1.16	94.00	5512.08	127.13	204.3
165	14669	89.61	88.78	10229.38	-3325.25	4488.79	4482.40	0.40	94.00	5586.29	126.53	204.3
166	14764	90.76	88.75	10229.08	-3323.21	4583.77	4577.38	1.21	95.00	5661.68	125.94	204.3
167	14859	90.73	88.94	10227.84	-3321.29	4678.74	4672.36	0.20	95.00	5737.74	125.37	197.0
168	14953	88.32	89.83	10228.62	-3320.28	4772.73	4766.34	2.73	94.00	5814.05	124.83	204.3
169	15047	88.60	91.13	10231.15	-3321.07	4866.69	4860.30	1.41	94.00	5891.87	124.31	204.3
170	15141	89.38	92.34	10232.80	-3323.92	4960.63	4954.24	1.53	94.00	5971.28	123.82	204.3
171	15236	90.84	91.33	10232.62	-3326.96	5055.57	5049.18	1.87	95.00	6052.06	123.35	204.3
172	15330	89.47	90.65	10232.37	-3328.58	5149.56	5143.16	1.63	94.00	6131.67	122.88	204.3
173	15425	88.15	90.02	10234.34	-3329.14	5244.53	5238.13	1.54	95.00	6211.95	122.41	204.3
174	15519	85.38	87.25	10239.64	-3326.91	5338.34	5331.94	4.16	94.00	6290.16	121.93	204.3
175	15614	86.41	87.26	10246.44	-3322.37	5432.98	5426.59	1.08	95.00	6368.31	121.45	197.0
176	15708	86.81	86.80	10252.00	-3317.51	5526.69	5520.31	0.65	94.00	6445.94	120.98	197.0
177	15803	88.21	88.87	10256.13	-3313.92	5621.53	5615.15	2.63	95.00	6525.61	120.52	204.3
178	15897	87.82	89.65	10259.39	-3312.71	5715.46	5709.09	0.93	94.00	6606.10	120.10	204.3
179	15991	90.62	92.19	10260.67	-3314.22	5809.42	5803.05	4.02	94.00	6688.31	119.70	204.3
180	16084	90.62	92.20	10259.66	-3317.78	5902.35	5895.97	0.01	93.00	6770.92	119.34	204.3
181	16179	90.03	91.68	10259.12	-3321.00	5997.29	5990.91	0.83	95.00	6855.40	118.98	204.3
182	16273	91.48	91.97	10257.88	-3323.99	6091.24	6084.84	1.57	94.00	6939.17	118.62	204.3
183	16366	90.95	91.25	10255.91	-3326.60	6184.18	6177.78	0.96	93.00	7022.13	118.28	204.3
184	16461	88.99	89.74	10255.96	-3327.42	6279.17	6272.77	2.60	95.00	7106.31	117.92	204.3
185	16556	94.71	91.86	10252.89	-3328.74	6374.06	6367.66	6.42	95.00	7190.91	117.58	204.3
186	16651	92.94	89.31	10246.56	-3329.71	6468.83	6462.43	3.26	95.00	7275.49	117.24	204.3
187	16746	93.19	88.60	10241.48	-3327.98	6563.68	6557.28	0.79	95.00	7359.17	116.89	204.3
188	16840	90.78	87.40	10238.22	-3324.70	6657.56	6651.16	2.86	94.00	7441.55	116.54	204.3
189	16935	89.50	87.32	10237.99	-3320.32	6752.46	6746.07	1.35	95.00	7524.64	116.18	204.3

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
190	17029	88.38	85.35	10239.73	-3314.32	6846.24	6839.87	2.41	94.00	7606.30	115.83	204.3
191	17123	88.63	87.78	10242.18	-3308.69	6940.03	6933.67	2.60	94.00	7688.40	115.49	204.3
192	17217	88.91	88.24	10244.20	-3305.42	7033.96	7027.60	0.57	94.00	7771.90	115.17	204.3
193	17311	88.99	89.75	10245.92	-3303.78	7127.92	7121.57	1.61	94.00	7856.35	114.87	204.3
194	17405	90.87	91.65	10246.04	-3304.92	7221.91	7215.55	2.84	94.00	7942.19	114.59	204.3
195	17500	92.80	92.14	10242.99	-3308.06	7316.80	7310.44	2.10	95.00	8029.87	114.33	204.3
196	17594	93.14	91.06	10238.12	-3310.68	7410.64	7404.27	1.20	94.00	8116.54	114.07	204.3
197	17689	91.91	88.73	10233.94	-3310.51	7505.54	7499.17	2.77	95.00	8203.20	113.80	204.3
198	17783	88.57	88.11	10233.54	-3307.92	7599.49	7593.12	3.61	94.00	8288.21	113.52	211.6
199	17878	89.19	89.03	10235.40	-3305.55	7694.44	7688.08	1.17	95.00	8374.43	113.25	197.0
200	17973	89.13	89.58	10236.79	-3304.40	7789.42	7783.06	0.58	95.00	8461.33	112.99	204.3
201	18067	89.19	89.86	10238.17	-3303.94	7883.41	7877.05	0.30	94.00	8547.75	112.74	204.3
202	18162	87.28	90.36	10241.10	-3304.12	7978.36	7972.00	2.08	95.00	8635.47	112.50	197.0
203	18256	87.82	91.79	10245.12	-3305.88	8072.25	8065.89	1.62	94.00	8722.96	112.27	204.3
204	18351	87.14	91.06	10249.29	-3308.24	8167.13	8160.76	1.05	95.00	8811.72	112.05	204.3
205	18445	89.16	91.55	10252.33	-3310.38	8261.05	8254.68	2.21	94.00	8899.64	111.84	204.3
206	18539	90.17	91.56	10252.88	-3312.93	8355.01	8348.64	1.07	94.00	8987.87	111.63	204.3
207	18634	91.54	91.86	10251.46	-3315.77	8449.96	8443.58	1.48	95.00	9077.23	111.43	204.3
208	18728	88.24	89.16	10251.64	-3316.60	8543.93	8537.55	4.54	94.00	9165.08	111.22	204.3
209	18822	89.13	89.13	10253.80	-3315.20	8637.90	8631.52	0.95	94.00	9252.23	111.00	204.3
210	18917	88.57	88.21	10255.70	-3313.00	8732.85	8726.47	1.13	95.00	9340.16	110.78	204.3
211	19012	90.53	90.11	10256.45	-3311.60	8827.83	8821.45	2.87	95.00	9428.54	110.56	211.6
212	19106	90.56	90.05	10255.56	-3311.74	8921.82	8915.45	0.07	94.00	9516.65	110.36	211.6
213	19201	90.92	90.34	10254.33	-3312.06	9016.82	9010.44	0.49	95.00	9605.87	110.17	204.3
214	19296	92.27	91.19	10251.68	-3313.33	9111.77	9105.39	1.68	95.00	9695.49	109.98	204.3
215	19390	90.08	90.53	10249.76	-3314.74	9205.73	9199.35	2.43	94.00	9784.32	109.80	211.6
216	19485	90.34	90.19	10249.41	-3315.33	9300.73	9294.35	0.45	95.00	9873.95	109.62	211.6
217	19580	89.80	89.94	10249.29	-3315.44	9395.73	9389.34	0.63	95.00	9963.53	109.44	211.6
218	19674	90.95	89.60	10248.68	-3315.06	9489.72	9483.34	1.28	94.00	10052.09	109.26	211.6
219	19767	88.66	88.53	10248.99	-3313.55	9582.70	9576.32	2.72	93.00	10139.42	109.07	211.6
220	19862	89.16	88.03	10250.80	-3310.70	9677.64	9671.27	0.74	95.00	10228.27	108.89	211.6
221	19957	89.10	87.75	10252.24	-3307.20	9772.57	9766.20	0.30	95.00	10317.01	108.70	211.6
222	20051	87.87	88.02	10254.73	-3303.73	9866.47	9860.11	1.34	94.00	10404.89	108.51	204.3
223	20146	88.96	89.07	10257.36	-3301.32	9961.40	9955.04	1.59	95.00	10494.20	108.34	211.6
224	20240	90.14	90.78	10258.10	-3301.20	10055.39	10049.03	2.21	94.00	10583.42	108.18	211.6
225	20335	88.07	90.39	10259.58	-3302.17	10150.37	10144.01	2.22	95.00	10674.00	108.02	211.6
226	20428	90.17	90.15	10261.01	-3302.60	10243.35	10236.99	2.27	93.00	10762.59	107.87	211.6
227	20523	90.59	90.95	10260.38	-3303.52	10338.34	10331.98	0.95	95.00	10853.32	107.72	211.6
228	20622	90.00	90.80	10259.87	-3305.03	10437.33	10430.97	0.61	99.00	10948.11	107.57	211.6

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
PTB	20702	90.00	90.80	10259.87	-3306.14	10517.32	10510.95	0.00	80.00	11024.73	107.45	211.6

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name JAMES RANCH UNIT DI 1A ENNIS		
								6. Well Number: 805H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 373075				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat WILD CAT; BONE SPRING (OIL)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	G	21	22S	30E		1608	North	2635	East	Eddy
BH:	N	23	22S	30E		343	South	2624	West	Eddy
13. Date Spudded 7/12/2020	14. Date T.D. Reached 8/6/2020		15. Date Rig Released 8/10/2020		16. Date Completed (Ready to Produce) 3/11/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3160' GL		
18. Total Measured Depth of Well 20,702			19. Plug Back Measured Depth 20,690		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,415 - 20,544 WILD CAT; BONE SPRING (OIL)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
16.0"		75.0		545'		20"		1490		
11 3/4"		54.0		3,385'		14 3/4"		1760		
8 5/8"		32.0		10,445'		10 5/8"		1785		
5 1/2"		20.0		20,692		7 7/8"		2025		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP		BOTTOM		SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET
								2 7/8"	10,548	10,533
26. Perforation record (interval, size, and number) 11,415 - 20,544 2spf, 1440 Total Shots 103 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11,415 - 20,544		530,829 bbl fluid + 23,479,612 lbs proppant		
28. PRODUCTION										
Date First Production 3/12/2021		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 3/19/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 2700	Gas - MCF 4711	Water - Bbl. 4220	Gas - Oil Ratio 1745			
Flow Tubing Press. 654	Casing Pressure 632	Calculated 24-Hour Rate	Oil - Bbl. 2700	Gas - MCF 4711	Water - Bbl. 4220	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By		
31. List Attachments C-104 NW, C-102 & Supplement, Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>										
Signature 		Printed Name Cassie Evans		Title Regulatory Analyst			Date 04/20/21			
E-mail Address cassie.evans@exxonmobil.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 438'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 3124'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3,342'	T. Morrison	
T. Drinkard	T. Bone Springs 7,019'	T. Todilto	
T. Abo	T. Rustler 239'	T. Entrada	
T. Wolfcamp 10,383'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGICAL CORE (When additional sheet is necessary)				LITHOLOGICAL CORE (When additional sheet is necessary)			
From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 27468

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 27468
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 27468

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 27468
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	7/20/2021